

The background of the advertisement features a collage of six mountain biking photographs. The top row shows two bikers descending a trail; the biker on the left is wearing a black helmet and jersey, while the biker on the right is wearing a green and black helmet and jersey. The bottom row shows a biker's front wheel and handlebars in motion on a grassy path, followed by a close-up of a biker's hand gripping a handlebar, and finally a biker riding away on a dirt trail.

2013
BICYCLES

cannondale

CONTENT

MOUNTAIN

	OVERMOUNTAIN	XC FULL SUSPENSION	XC RACE	TRAILS HARDTAILS			
CLAYMORE	08	LEFTY / HEADSHOK	24	F29 CARBON	38	TRAIL SL 29ER	45
JEKYLL MX	10	SCALPEL 29ER CARBON	28	F29	42	TRAIL SL	47
JEKYLL CARBON	12	SCALPEL 29ER	32	F26 CARBON	43		
JEKYLL	13	RZ120 XLR	33	F26	44		
trigger 29er	16	RZ120	35				
trigger carbon	20	SCALPEL RACE	36				

ROAD

	ELITE ROAD	PERFORMANCE ROAD	TRIATHLON / TIME TRIAL	CYCLOCROSS			
SUPERSIX EVO	52	SYNAPSE HI-MOD	64	SLICE RS	70	SUPERX	75
SUPERSIX	58	SYNAPSE CARBON	67	SLICE	73	CAADX	78
CAAD10	60	SYNAPSE	69				
CAAD8	62						

URBAN

	E-SERIES	STREET	RECREATION		
E-SERIES WOMEN'S	82	BAD BOY	86	QUICK SPEED	92
E-SERIES MEN'S	83	BAD GIRL	90	QUICK CX	96
		HOOLIGAN	91	TESORO	98

WOMEN'S

	OVERMOUNTAIN	TRAIL HARDTAILS	ELITE ROAD	PERFORMANCE ROAD			
SCARLET	104	TRAIL SL 29ER WOMEN'S	108	SUPERSIX EVO WOMEN'S	110	SYNAPSE CARBON WOMEN'S	114
		TRAIL SL WOMEN'S	108	SUPERSIX WOMEN'S	112	SYNAPSE WOMEN'S	115
XC FULLSUSPENSION				CAAD10 WOMEN'S	113		
LEXI	106					SLICE WOMEN'S	116

KID'S

RACE	118			
TRAIL	120			

HELMETS

	ROAD	MOUNTAIN	
CYPHER	122	RYKER	123
TERAMO	123		

INFO

SPECIFICATIONS	124	DISTRIBUTORS	141
GEOMETRIES	134		



BENVENUTI NEL TEAM CANNONDALE.

➤ Siamo un gruppo di ciclisti, atleti, ingegneri, innovatori che passano le loro giornate concentrati su un solo obiettivo – creare la bici perfetta...per te.

Per ottenere questo risultato pedaliamo le nostre bici ogni giorno. Gareggiamo. Discutiamo con i nostri compagni di uscita, da quelli della sgambata del mercoledì sera a quelli che gareggiano al Tour o alla Megavalanche, fino a quelli fermi al semaforo durante gli spostamenti mattutini. Ascoltiamo, modifichiamo, proviamo e pedaliamo di nuovo.

Questo processo, questa passione per il ciclismo che è il cuore della cultura Cannondale, è il motore che ci spinge. È la fonte di ispirazione per incredibili nuove bici come la SuperSix EVO Nano – il telaio da corsa più avanzato mai prodotto, la Trigger – il nuovissimo membro della famiglia OverMountain, la lama affilata Slice RS da crono, le Quick Speed e Quick CX perfette machine per stare in forma e muoversi velocemente.

Quindi, sia che tu sia un garista di alto livello, un duro e appassionato mountain biker, un pendolare o un cacciatore di sentieri nel weekend, noi abbiamo la bici disegnata apposta per te – your perfect ride.

Benvenuto nel Team.





MOUNTAIN

CANNONDALE MOUNTAIN –

Nel difficile caos dello European Enduro Series, nella competizione a tutto gas del World Cup XC oppure sul veloce singletrack tecnico proprio dietro la nostra sede centrale nel Connecticut, la passione per i percorsi nodosi e fangosi ci spinge a creare mountain bike perfette per i tuoi percorsi e per la tua anima.



> OVERMOUNTAIN

CLAYMORE (BIG MOUNTAIN)
JEKYLL (ALL-MOUNTAIN)
JEKYLL MX (ENDURO)
TRIGGER 29'ER (CROSS-MOUNTAIN)
TRIGGER (CROSS-MOUNTAIN)

Non convenzionale, rompe ogni limite, a doppia corsa, doppia geometria, ridefinisce il concetto di "all" nel ciclismo all-mountain.

> CROSS COUNTRY

SCALPEL 29'ER CARBON
SCALPEL 29'ER
RZ ONE TWENTY

Leggere, reattive e versatili biciclette con doppia sospensione a media escursione. Studiate per la guida veloce su trail.

> XC RACE

SCALPEL RACE
F29 CARBON
F29
F26 CARBON
F26

Mountain bike ultra-leggere, orientate alla competizione per ciclisti che cercano il massimo dell'efficienza e della velocità.




> TRAIL HARDTAILS

TRAIL SL 29'ER

TRAIL SL


Mountain bike leggere, durature, ad alte prestazioni per un riding su trail a tutto tondo.



OVERMOUNTAIN

RIDEFINISCE IL CONCETTO DI “ALL” NELLA PRATICA DELL’ALL-MOUNTAIN

Che scegliate la Big-Mountain Claymore, le All-Mountain Jekyll e Scarlet, o le Cross-Mountain Trigger e Trigger 29'er, i leggeri telai OverMountain, robusti e ultra-reattivi con la possibilità di cambiare in corsa l'escursione, la risposta degli ammortizzatori e la geometria vi consentono di conquistare la montagna in ogni suo aspetto, meglio che mai.



› DOPPIO AMMORTIZZATORE FOX DYAD RT2

L'unico vero ammortizzatore 2-in-1 al mondo. Nascosti all'interno del DYAD ci sono due diversi ammortizzatori: uno ad escursione corta (Elevate) e uno ad escursione lunga (Flow), che consentono di cambiare al volo l'escursione, la curva di compressione e la geometria per le migliori prestazioni possibili attraverso il più ampio spettro di terreni.

ELEVATE: Come montare un ammortizzatore ad corta escursione sulla vostra bike.

Escursione più corta fortemente progressiva che fornisce una grande trazione e la massima efficienza di pedalata. Idraulica dedicata, ottimizzata per la salita e per pedalare veloce.

FLOW: Come passare ad un ammortizzatore a molla a lunga escursione. Escursione più lunga, con progressione lineare che offre una sospensione morbida prevedibile per discese ad alta velocità. Idraulica dedicata, ottimizzata per il massimo della morbidezza e del controllo.

› GEOMETRIA A DOPPIA PERSONALITÀ

Le diverse parti di un percorso richiedono geometrie differenti. Le arrampicate e i terreni tecnicamente impegnativi richiedono una manovrabilità più agile e una posizione efficiente in sella, mentre le discese a tutta richiedono un baricentro più basso e una guida più stabile. Passando tra le due modalità di escursione dell'ammortizzatore DYAD la geometria della bicicletta cambia di conseguenza grazie a un diverso valore di sag.

ELEVATE: Nell'impostazione ad escursione più corta, il sag è inferiore, quindi il movimento centrale è più alto e gli angoli di sterzo e pianotane sono più verticali, per una maggiore maneggevolezza e un'arrampicata più potente

FLOW: Nell'impostazione ad escursione più lunga, l'ammortizzatore aumenta il sag e il movimento centrale ribassato e gli angoli più morbidi donano una grande stabilità alle alte velocità e in curva.

› ECS-TC

Enhanced Center-Stiffness, Torsion Control – L'ECS-TC è la chiave della guida incredibilmente reattiva dell'OverMountain. Una bicicletta è rigida solo quanto lo sono le sue parti più deboli, quindi abbiamo creato il sistema ECS-TC per rimuovere la flessione e il gioco dai link e dai perni che collegano il triangolo anteriore e lo snodo principale. Eliminando le flessioni indesiderate ne risulta una bici che risponde istantaneamente agli input da parte del rider per il massimo delle prestazioni e del controllo.

ASSI PASSANTI DA 15MM: Avendo il link dell'ammortizzatore e lo snodo principale bloccati direttamente su assi passanti oversize, l'asse stesso diventa un elemento strutturale per la prevenzione di una flessione torcente.

CUSCINETTI POSIZIONATI A DISTANZA: Tutti i link presentano i cuscinetti posizionati il più distanti possibile, per massimizzare la rigidità.

DOPPI CUSCINETTI SUGLI SNODI DEL CARRO: Collocando due cuscinetti fianco a fianco nei perni posteriori si elimina il gioco torcente nella sede dei cuscinetti per una reattività immediata.



BIG-MOUNTAIN ›CLAYMORE

Rider amano i colpi forti e i grossi salti ma che desiderano andare oltre i semplici bike park e risalite furgonate.



ENDURO ›JEKYLL MX

Racer Enduro/SuperD e duri rider all-mountain che hanno bisogno di avanzate possibilità discesistiche bilanciate con la capacità di salire fino in cima.



ALL-MOUNTAIN ›JEKYLL

Per rider tecnicamente aggressivi che amano le arrampicate rapide e le discese ancora più veloci su una vasta gamma di tipologie di terreno.



CROSS-MOUNTAIN ›TRIGGER 29'ER

Per veloci e versatili trail riders che cercano la massima velocità su difficili e tecnici terreni.



CROSS-MOUNTAIN ›TRIGGER

Rider veloci e fluidi, che cercano una miscela agile di velocità cross-country e capacità all-mountain.



TRAVEL: 120 / 70mm [R], 130mm [F]

CLAYMORE

>SIATE LA VOSTRA SEGGIOVIA.

La Big-Mountain Claymore porta una versatilità e una guidabilità senza precedenti nella categoria long-travel. Azionando una levetta si trasforma da un cavallo da battaglia con corsa da 180 mm in un'efficiente trail bike per climbing con corsa di 110 mm. La scelta perfetta per i bike park, le risalite furgonate e per sentieri di esplorazione che nessuna seggiovia servirà mai.



CLAYMORE 1

FRAME	CLAYMORE, 180/110MM, SMARTFORMED ALLOY
SUSPENSION F/R	FOX 36 TALAS R 180MM, 20QR / FOX DYAD RT2 180/110MM
WHEELS	SUN RINGLE CHARGER PRO

TIRES	SCHWALBE HANS DAMPF TRAILSTAR, 2.35" TUBELESS READY
CRANKS	SRAM S1400, BB30, 36/22
DERAILLEUR R/F	SHIMANO XT SHADOW + / SRAM X7

MAGNESIUM WHITE, GLOSS (WHT)

SHIFTERS	SHIMANO XT
BRAKES	SHIMANO XT TRAIL, 203/180MM
SIZES	S, M, L

>REGOLABILITÀ SUPREMA

L'attacco dell'ammortizzatore a 2 posizioni vi consente di scegliere l'altezza iniziale del movimento centrale e gli angoli per adattarsi al vostro stile di guida e al terreno, in più la doppia modalità del DYAD, Elevate (110mm) e Flow (180mm), regola ulteriormente la geometria, l'escursione e la risposta degli ammortizzatori in corsa. È come avere due bike completamente differenti in una.

>ASSI PASSANTI ECS-TC

Una delle motivazioni chiave per l'incredibile reattività della Claymore è il sistema ad asse passante ECS-TC (Enhanced Center-Stiffness – Torsion Control). Il link dell'ammortizzatore e il forcellone sono connessi direttamente a massicci assi passanti da 15mm, eliminando così le flessioni e permettendo alla bici di rispondere instantaneamente ai comandi.

>DOPPI CUSCINETTI

Per incrementare ulteriormente la rigidità e la risposta, Claymore viene dotata di cuscinetti double-stacked sui perni posteriori. Collocando due cuscinetti fianco a fianco eliminiamo il gioco torsionale nei cuscinetti, irrigidendo il braccio oscillante e migliorando la sensibilità e il controllo.



CLAYMORE 2

FRAME	CLAYMORE, 180/110MM, SMARTFORMED ALLOY
SUSPENSION F/R	FOX 36 VAN R, 180MM, 20QR / FOX DYAD RT2 180/110MM
WHEELS	WTB ST i23 TCS W/ FORMULA HUBS

TIRES	WTB VIGILANTE TCS, 2.3", TUBELESS READY
CRANKS	TRUVATIV RUKTION, 34
DERAILLEUR R/F	SRAM X7 / X7

JET BLACK, GLOSS (BLK)

SHIFTERS	SRAM X7 / X7
BRAKES	AVID ELIXIR 5, 200/180MM
SIZES	S, M, L



› AARON CHASE.

“È la mia bici per tutte le occasioni. La pedalo ogni volta, sia con i ragazzi dell'XC che con quelli dello slopestyle. La uso più di qualunque altra!”

JEKYLL MX

>L'ARMA PER LA COMPETIZIONE ENDURO.

Se il vostro stile di guida e di gara mescola climbing e pedalata con tonnellate di discese a tutta birra, la Jekyll MX è la bici che fa per voi. Ispirata dalle configurazioni con cui corre il team OverMountain, la MX prende la reattività istantanea e la versatilità dalla doppia natura della Jekyll e la rende ancora più abile in DH con una specifica completa pronta per l'Enduro.



JEKYLL MX

FRAME	JEKYLL, 150/90MM, SMARTFORMED ALLOY
SUSPENSION F/R	FOX 36 FLOAT R, 160MM, 20QR / FOX DYAD RT2 150/90MM
WHEELS	WTB STRYKER TCS i23

TIRES	WTB VIGILANTE FRONT/ MOTO REAR, TCS, 2.3 , TUBELESS READY
CRANKS	SRAM S1400, BB30, 36/22
DERAILLEUR R/F	SHIMANO XT SHADOW + / SRAM X7

JET BLACK, GLOSS (BLK)	
SHIFTERS	SHIMANO XT
BRAKES	SHIMANO XT TRAIL, 180/180MM
SIZES	S, M, L, XL

>DYAD RT2

I rider OverMountain utilizzano la modalità Elevate del DYAD per più che il semplice climbing. Passano a lei per efficienti partenze veloci, per andare a tavoletta abbassandosi e guadagnare tempo sulle sezioni di pedalata. Poi torna al FLOW per una discesa fluida a tutta birra.

>SPECIFICA ROBUSTA DA ENDURO

La specifica parti ispirata al team OverMountain include una robusta forcella FOX 36 con asse passante da 20mm, ruote resistenti WTB Stryker, guidacatena MRP e reggisella dropper RockShox così la MX è pronta a tutto.

>TELAI IN LEGA SMARTFORMED

SmartForming è un mix sofisticato di idroformatura, sagomatura meccanica, stratificazione progressiva, saldatura liscia a doppio passaggio, forgiatura 3D e trattamento termico in piccoli lotti (un modo complicato di dire che è la struttura in alluminio più aggressiva del pianeta).




>BEN CRUZ.

“È veramente rigida. È precisa e controllabile, anche sui terreni più brutali.”

JEKYLL


>PEDALA OVUNQUE. CAVALCA QUALSIASI OSTACOLO.

La Jekyll è la All-Mountain più versatile in circolazione. Con la sua escursione regolabile in corsa da 90 mm a 150 mm e la geometria che cambia trasformandosi da agile trail-bike a stabile discesista muovendo una levetta, è la macchina perfetta per rider all-mountain tecnicamente aggressivi che scalano in fretta, ma che desiderano scendere persino più velocemente lungo tutti i terreni montani.




>DYAD RT2

La stessa tecnologia DYAD di due ammortizzatori in uno che troviamo nelle altre bici OverMountain, ma con corsa dell'ammortizzatore, volume delle camere e circuiti di smorzamento ottimizzati per la modalità *Elevate* 90 mm e *Flow* 150 mm della Jekyll.



>SISTEMA ECS-TC

Gli assi passanti da 15 mm in corrispondenza del link ammortizzatore e dello snodo principale, insieme ai doppi cuscinetti nei perni dei forcellini posteriori eliminano la flessione e garantiscono una robustezza centrale senza eguali, per un controllo e una reattività totali.



>TELAI ROBUSTI E LEGGERI

Che sia il leggero e incredibilmente resistente carbonio BallisTec o l'insuperabile tecnologia in alluminio della nostra lega SmartFormed, i telai Jekyll offrono una combinazione di peso leggero, durabilità e rigidità che vi consentono di galleggiare sulle salite e bruciare le discese.



JEKYLL CARBON 1

FRAME JEKYLL, 150/90MM, BALLISTEC HI-MOD CARBON

SUSPENSION F/R FOX 34 TALAS FIT, KASHIMA, 160MM, 15QR / FOX DYAD RT2
150/90MM

WHEELS REYNOLDS CARBON AM

TIRES SCHWALBE HANS DAMPF TRAILSTAR, 2.35" TUBELESS READY

CRANKS SRAM S2210, BB30, 36/22

DERAILLEUR R/F SHIMANO XTR SHADOW + / SRAM X0

JET BLACK W/ MAGNESIUM WHITE AND BERSERKER GREEN ACCENTS, GLOSS (BLK)

SHIFTERS SHIMANO XT

BRAKES SHIMANO XTR TRAIL, 180/180MM

SIZES S, M, L, XL



JEKYLL CARBON 2

FRAME Jekyll, 150/90mm, Ballistec Hi-Mod Carbon

SUSPENSION F/R FOX 34 TALAS CTD, 160mm, 15QR / FOX DYAD RT2 150/90mm

WHEELS MAVIC CROSSLINK

JET BLACK, W/ NEARLY BLACK AND I LOVE GOLD ACCENTS (MATTE) (BBQ)

TIRES SCHWALBE HANS DAMPF TRAILSTAR, 2.35" TUBELESS READY

CRANKS SRAM S2210, BB30, 36/22

DERAILLEUR R/F SRAM X9 TYPE 2 / X7

ULTRA BLUE W/ MAGNESIUM WHITE AND 40 ORANGE ACCENTS, GLOSS (BLU)

SHIFTERS SRAM X9

BRAKES MAGURA MT4, 180/180mm

SIZES S, M, L, XL



JEKYLL 3

FRAME Jekyll, 150/90mm, Smartformed Alloy

SUSPENSION F/R FOX 32 FLOAT CTD, 150mm, 15QR / FOX DYAD RT2 150/90mm

WHEELS SHIMANO MT68

JET BLACK, MATTE (BBQ)

TIRES WTB VIGILANTE FRONT/ MOTO REAR, TCS, 2.3 , TUBELESS READY

CRANKS SRAM S1400, BB30, 36/22

DERAILLEUR R/F SHIMANO XT SHADOW + / SRAM X7

SHIFTERS SHIMANO SLX

BRAKES MAGURA MT2 W/BAT, 180/180MM

SIZES S, M, L, XL



JEKYLL 4

FRAME JEKYLL, 150MM, SMARTFORMED ALLOY

SUSPENSION F/R ROCKSHOX SEKTOR TK, 150MM, 15QR / XFUSION P1-RL 150MM

WHEELS WTB ST 119 TCS W/ FORMULA HUBS

TIRES WTB VIGILANTE FRONT/ MOTO REAR, TCS, 2.3", TUBELESS READY

CRANKS SRAM S1000, BB30, 44/33/22

DERAILLEUR R/F SRAM X7/ SRAM X7

MAGNESIUM WHITE, GLOSS (WHT)

SHIFTERS SRAM X5

BRAKES MAGURA MT2, 180/180MM

SIZES S, M, L, XL





> MARK WEIR.

“Sono più veloce ovunque sulla mia Jekyll, sia in salita che in discesa. È incredibile. È decisamente la bici costruita per il tipo di percorsi gi oggi.”

TRIGGER 29ER

> OVERMOUNTAIN. OVER ANYTHING.

Salire con una agile race-bike ultra-efficiente con escursione di 80 mm, scendere con una inarrestabile e precisa macchina da trail con ruote grosse e escursione di 130 mm. La Trigger 29'er combina le personalità doppia escursione/doppia personalità della OverMountain con la trascinante inerzia delle “big wheel” che travolge qualsiasi cosa. È un match perfetto.



> DYAD RT2

Mentre altre 29'er a escursione lunga sono forzate ad accettare un compromesso tra le necessità di salire e di scendere, l'ammortizzatore DYAD della Trigger 29er le consente di modificare l'escursione, lo smorzamento e la geometria per adattarsi al terreno, in modo da risultare nettamente vincente sia nel climbing che nelle discese.

> SISTEMA ECS-TC

La rigidità è persino più importante sulle 29'er. La Trigger 29'er ha gli assi passanti ECS-TC oversize, bloccati sullo snodo principale e i pivot del ammortizzatore, e doppi cuscinetti in corrispondenza di ciascuna estremità dei foderi bassi per ridurre radicalmente la flessione e il gioco per il massimo in materia di reattività e controllo.

> GEOMETRIA IDEALE 29'ER

Il tubo reggisella curvato consente alla Trigger 29'er di presentare foderi alti incredibilmente corti per una manovrabilità e un'agilità fulminea, pur continuando ad ottenere un 'escursione piena di 130 mm in modalità Flow.

LEFTY
HYBRID



Trigger 29er 1

FRAME	Trigger 29er, 130/80mm, Smartformed Alloy
SUSPENSION F/R	Supermax Carbon PBR 130 29 / FOX DYAD RT2 130/80mm
WHEELS	Stan's ZTR CREST 29'er w/ LEFTY & SHIMANO HUBS

TIRES	Schwalbe Hans Dampf, 2.35" Tubeless Ready
CRANKS	SRAM S1400, BB30, 36/22 W/GUARD
DERAILLEUR R/F	SHIMANO XT SHADOW +/- SRAM X7

JET BLACK, MATTE (BBQ)

SHIFTERS	SHIMANO XT
BRAKES	SHIMANO XT TRAIL, 180/160MM
SIZES	S, M, L, X



TRIGGER 29ER 2

FRAME	trigger 29'er, 130/80mm, smartformed alloy
SUSPENSION F/R	FOX 34 FLOAT CTD FIT 29 130MM, 15QR / FOX DYAD RT2 130/80MM
WHEELS	WTB FREQUENCY RACE I23 29'er TCS W/ FORMULA HUBS

TIRES	SCHWALBE HANS DAMPF, 2.35" TUBELESS READY
CRANKS	SRAM S1000, BB30, 36/22 W/GUARD
DERAILLEUR R/F	SRAM X9 TYPE 2/X7

JET BLACK, MATTE (BBQ)

SHIFTERS	SRAM X7
BRAKES	MAGURA MT2 W/BAT, 180/160MM
SIZES	S, M, L, X



TRIGGER 29ER 3

FRAME	trigger 29'er, 130, smartformed alloy
SUSPENSION F/R	ROCKSHOX REVELATION RL 29, 130MM, 15QR / X-FUSION P1-RL 130MM
WHEELS	WTB ST I23 29'er TCS W/ FORMULA HUBS

TIRES	WTB WOLVERINE TCS, 2.25" TUBELESS READY
CRANKS	SRAM S1000, BB30, 36/22 W/GUARD
DERAILLEUR R/F	SHIMANO XT / SRAM X7

MAGNESIUM WHITE W/ JET BLACK AND ULTRA BLUE ACCENTS, GLOSS (BLU)



SHIFTERS	SHIMANO SLX
BRAKES	MAGURA MT2, 180/160MM
SIZES	S, M, L, X



TRIGGER

LA VELOCITÀ DEL CROSS-COUNTRY INCONTRA LA CAPACITÀ DELL'ALL-MOUNTAIN: PREMI IL GRILLETTO.

La Cross-Mountain TRIGGER spazza via il confine tra cross-country e all-mountain. Corsa più breve con una geometria più orientata al fast-trail, Trigger porta la migliore tecnologia OverMountain a rider fluidi e rapidi il cui stile e terreno richiede meno corsa e aggressività della Jekyll.



DYAD RT2

Un ammortizzatore DYAD più piccolo offre gli stessi benefici “due in uno” e prestazioni della Claymore e Jekyll, ma a misura della Trigger. Elevate (70 mm) offre un’efficienza di bike da gara, mentre Flow (120 mm) offre una sensazione all-mountain più morbida.

SISTEMA ECS-TC

Gli assi passanti da 15 mm, bloccati, in corrispondenza del link ammortizzatore e dello snodo principale eliminano la flessione e garantiscono una robustezza centrale senza eguali, per un controllo totale.

SYSTEM INTEGRATION

Riusciamo ad ottenere incredibili risparmi di peso e la massima efficienza progettando componenti e telai che collaborano tra loro. La nostra forcella Lefty e lo stelo Si OPI offrono una rigidità insuperata e peso leggero per una bike con escursione lunga.

LEFTY HYBRID



trigger carbon ultimate

FRAME	trigger, 120/70mm, ballistec hi-mod carbon
SUSPENSION F/R	lefty carbon xlr 130 26 / fox dyad rt2 120/70mm
WHEELS	enve composites twenty6 am w/lefty & dt swiss 240

TIRES	SCHWALBE RACING RALPH EVO, 2.25" TUBELESS READY
CRANKS	CANNONDALE HOLLOWGRAM SI SL2, BB30, 38/24
DERAILLEUR R/F	SRAM XX / XO

EXPOSED CARBON W/ JET BLACK AND CHARCOAL GRAY ACCENTS (CRB)

SHIFTERS	SRAM XX
BRAKES	AVID XO CARBON, 180/160MM
SIZES	S, M, L, XL



LEFTY
HYBRID

TRIGGER CARBON 1

FRAME	trigger, 120/70mm, ballistec hi-mod carbon
SUSPENSION F/R	lefty carbon xlr 130 26 / fox dyad rt2 120/70mm
WHEELS	reynolds am carbon 26 w/ lefty

TIRES	schwalbe racing ralph evo, 2.25" tubeless ready
CRANKS	sram s2210, bb30, 38/24 w/guard
DERAILLEUR R/F	shimano xtr shadow + / sram xo

EXPOSED CARBON W/ MAGNESIUM WHITE AND BERSEKER GREEN ACCENTS, GLOSS (BLK)	
SHIFTERS	SHIMANO XT
BRAKES	SHIMANO XTR TRAIL, 180/160MM
SIZES	S, M, L, XL



LEFTY
HYBRID

TRIGGER CARBON 2

FRAME	trigger, 120/70mm, ballistec hi-mod carbon
SUSPENSION F/R	lefty pbr 130 26 / fox dyad rt2 120/70mm
WHEELS	mavic crosstrail w/ lefty

TIRES	schwalbe racing ralph performance, 2.25"
CRANKS	sram s1400, bb30, 38/24 w/guard
DERAILLEUR R/F	sram x9 type 2/x7

MAGNESIUM WHITE W/ JET BLACK AND ULTRA BLUE ACCENTS, GLOSS (BLU)	
SHIFTERS	SRAM X9
BRAKES	MAGURA MT2 W/BAT, 180/160MM
SIZES	S, M, L, XL



>JEROME CLEMENTZ.

"3 parole per descrivere la Cannondale
Trigger: Efficiente, Regolabile e Divertente"

LEFTY

> PRESTAZIONI SUPERIORI GRAZIE AL DESIGN NON CONVENZIONALE.

La sospensione anteriore PIÙ LEGGERA/RIGIDA/ROBUSTA/MORBIDA –
Ora con TECNOLOGIA A CUSCINETTI AD AGHI IBRIDI SIGILLATI



> LA LEFTY È PIÙ LEGGERA

Il design minimalista a stelo singolo di Lefty le consente di essere più leggera rispetto alla maggior parte delle forcelle da gara XC più leggere della concorrenza.

> LA LEFTY È PIÙ RESISTENTE

Le doppie corone e la struttura oversize invertita di Lefty le danno una tale resistenza che persino la Lefty più leggera può presentare prestazioni superiori alle robuste forcelle all-mountain nei test distruttivi.

> LA LEFTY È PIÙ RIGIDA

La robusta struttura della Lefty, combinata al design “scatolare” dell’ammortizzatore e il cuscinetto di scorrimento inferiore la rendono più rigida a livello torsionale rispetto a qualsiasi forcella al mondo per un’estrema precisione dello sterzo.

> LA LEFTY È PIÙ LINEARE

Il fulcro della Lefty, ovvero la tecnologia con cuscinetti ad aghi ibridi brevettata di Cannondale, garantisce il libero movimento delle sospensioni, indipendentemente dal carico. Anche quando sottoposta alle forze di frenata, impatto e sterzata più intense, la ruota riesce a seguire il terreno in maniera fluida per il massimo controllo.


> LEFTY È SENZA PROBLEMI

Il nuovo design ibrido consente all’intera struttura della forcella di essere completamente sigillata contro gli elementi per una vita di servizio lunga ed è dotata di cuscinetti ad aghi auto-resettanti per eliminare la necessità di ricorrenti reset manuali.



> DDESIGN INVERTITO A DOPPIA CORONA

Con il tubo della forcella più rigido e più grande sulla sommità dove può combattere con maggiore efficacia la flessione e aggiungere resistenza, e doppie corone che lo collegano saldamente al tubo sterzo, il design non convenzionale della Lefty è semplicemente il modo più leggero, rigido e resistente di realizzare una forcella.



> DESIGN "SQUARE IN SQUARE"

Le piste dei cuscinetti ad aghi creano un'interfaccia di tipo "a doppio quadrato concentrico" tra il fodero e lo stelo della forcella , impedendo ai due tubi di ruotare l'uno rispetto all'altro come invece succede con il design delle forcelle tradizionali. E' il motivo per cui Lefty e' cosi' incredibilmente rigida e precisa."



> SISTEMA CON CUSCINETTI AD AGHI IBRIDI

Cuscinetti ad aghi senza frizione offrono una sospensione di una morbidezza impareggiabile in tutte le condizioni di carico, mentre il cuscinetto di scorrimento inferiore fornisce un ulteriore supporto per una maggiore rigidità e precisione di sterzo mano a mano che la forcella avanza nell'escursione.



> SISTEMA DI SIGILLATURA DURATHON

Un vasto sistema di sigillatura interno ed esterno mantiene la roba buona all'interno e la schifezza fuori, consentendo di più che raddoppiare i tempi tra i servizi raccomandati rispetto alla nostra concorrenza.



SUPERMAX 29'ER

› LEFTY DIVENTA GRANDE.

La SuperMax tutta nuova prende tutto ciò che rende grande la Lefty e lo rende ancora più grande. Il risultato: una forcella rigida e forte come la maggior parte delle forcelle DH a doppia piastra, tuttavia più leggera della maggior parte delle forcelle all-mountain. Proprio quel che serve per 29' a escursione più lunga.



› MASSICCIAMENTE OVERSIZE

Lo stelo inferiore della SuperMax misura 36 mm di diametro, mentre l'enorme stelo superiore raggiunge i 46mm per la massima rigidità e precisione di sterzo.

› COMPATIBILE CON ATTACCHI MANUBRIO CORTI

Per accomodare le attuali impostazioni per il riding su trail, l'asse decentrato consente allo stelo della forcella di arretrare ulteriormente, creando uno spazio sufficiente per montare attacchi manubrio corti, anche da 50 mm.

› TAGLIE MULTIPLE

Per garantire che i rider riescano a ottenere la migliore calzata sulle 29'er a escursione lunga, la SuperMax viene proposta con diverse spaziature tra le piastre per adattarsi a differenti lunghezze del tubo sterzo.

› MOZZO PIÙ LARGO

Il nuovo mozzo SuperMax Lefty è dotato di una maggiore distanza tra le flange che consente una migliore angolazione dei raggi per ruote più robuste e più rigide.

> LEFTY OPZIONI.



> SUPERMAX CARBON

- La forcella Lefty più rigida e robusta
- Fodero esterno in carbonio unidirezionale multistrato oversize
- Piastre in lega d'alluminio
- Stelo oversize in lega d'alluminio con asse ruota offset





> LEFTY CARBON

- Le forcella Lefty più leggera
- Fodero esterno in carbonio unidirezionale multistrato
- Piastre in lega d'alluminio
- Stelo/asse ruota in pezzo unico forgiato OPI



> LEFTY OPI ALLOY

- Leggera e resistente, con linee elegantemente raccordate
- Fodero in lega d'alluminio e piastre forgiate in pezzo unico con processo OPI di Cannondale
- Stelo/asse ruota in pezzo unico forgiato OPI



> XLR

- Bloccaggio remoto idraulico "Xloc"® sul manubrio con regolazione separata del ritorno
- Controllo forcella a portata di pollice

*Grazie ai nostri amici di RockShox

> PBR

- Bloccaggio a pulsante con regolazione del ritorno integrati sulla testa della forcella
- Facile da utilizzare (molto più facile da raggiungere di qualsiasi altro lockout posto sulla sommità della forcella)



> PROGRAMM 2013

	CORSA	RUOTA	PESO
SUPERMAX	130	29"	1850
LEFTY CARBON XLR	130	26"	1315
	120	26"	1320
	100	26"	1250
	100	29"	1332
	90	29"	1342
LEFTY XLR	130	26"	1435
	120	26"	1440
	100	26"	1394
	100	29"	1445
	90	29"	1455
LEFTY PBR	130	26"	1381
	120	26"	1391
	100	26"	1334
	100	29"	1408
	90	29"	1418

SCALPEL 29ER

> DISTINGUITI.

Questa 29'er a doppia sospensione, ultraleggera e super maneggevole at-tacca senza il minimo sforzo serpentine, sentieri tortuosi e sfreccia sui rettilinei. Con la sua forcella Lefty ultra precisa e una geometria da 29'er corsaiola e reattiva, la Scalpel 29'er fonde l'inarrestabile inerzia delle 29'er con la velocità e l'agilità di una 26'er - esattamente quello che cercano i rider estremi su trail veloci, gli atleti marathon e i racer XC.



> STRUTTURA SUPERLEGGERA

I telai ultra-leggeri sono disponibili in versione in carbonio BallisTec oppure in lega SmartFormed. Aggiungi System Integration della forcella Lefty, attacco manubrio/canotto sterzo OPI e otterrai un peso complessivo che i nostri concorrenti possono solo sognarsi.

> CARATTERISTICHE DI POTENZIAMENTO DELLA RIGIDITÀ

Una coppia di link ammortizzatore robusti, in alluminio lavorato a macchina con assi passanti ECS-TC da 15 mm bloccati nel link dell'ammortizzatore e nello snodo principale per eliminare flessione e gioco, fornendo un'accelerazione scattante e un controllo preciso.

> FODERI ALTI ZERO-PIVOT

Mediante una stratificazione precisa del carbonio, i foderi bassi sono studiati per flettersi verticalmente pur rimanendo estremamente rigidi lateralmente e a livello torsionale per la migliore miscela di leggerezza e rigidità reattiva. Le Scalpel in lega vengono dotate di doppi cuscinetti ECS-TC, come la Jekyll, nei perni dei forcellini al posto dei foderi di Zero Pivot, per la massima rigidità.

LEFTY
HYBRID



SCALPEL 29ER CARBON ULTIMATE

FRAME	SCALPEL 29ER, 100MM, BALLISTEC HI-MOD CARBON
SUSPENSION F/R	LEFTY CARBON XLR 100 29/ FOX FACTORY CTD KASHIMA 100MM
WHEELS	ENVE TWENTY9 XC CARBON W/LEFTY & DT SWISS 240

TIRES	SCHWALBE RACING RALPH, 2.1" EVO TUBELESS READY
CRANKS	CANNONDALE HOLOGRAM SI SL, 39/26
DERAILLEUR R/F	SHIMANO XTR SHADOW + / SRAM XX

EXPOSED CARBON, MATTE (CRB)

SHIFTERS	SHIMANO XTR
BRAKES	MAGURA MT8 160/160MM
SIZES	S, M, L, X



LEFTY
HYBRID

SCALPEL 29ER CARBON 1

FRAME	SCALPEL 29'ER, 100MM, BALLISTEC HI-MOD CARBON
SUSPENSION F/R	LEFTY CARBON XLR 100 29 / SRAM XX W/ X-LOC 100MM
WHEELS	REYNOLDS XC CARBON 29'ER W/ LEFTY

TIRES	SCHWALBE RACING RALPH, 2.1" EVO TUBELESS READY
CRANKS	SRAM X0, BB30, 38/24
DERAILLEUR R/F	SRAM X0 / SRAM X0

EXPOSED CARBON W/MAGNESIUM WHITE AND ULTRA BLUE (GLOSS) (BLK)

SHIFTERS	SRAM X0
BRAKES	AVID X0 CARBON 180 / 180MM
SIZES	S, M, L, X



LEFTY
HYBRID

SCALPEL 29ER CARBON 2

FRAME	SCALPEL 29'ER, 100MM, BALLISTEC HI-MOD CARBON
SUSPENSION F/R	LEFTY XLR 100 29 / ROCKSHOX MONARCH RT3 100MM
WHEELS	STAN'S ZTR ARCH EX 29'ER W/ LEFTY & SUN RINGLE HUBS

TIRES	SCHWALBE RACING RALPH, 2.1" EVO TUBELESS READY
CRANKS	SRAM S2210, BB30, 38/24
DERAILLEUR R/F	SHIMANO XTR SHADOW + / SRAM X0

EXPOSED CARBON W/ MAGNESIUM WHITE AND BERSERKER GREEN ACCENTS, GLOSS (GRN)

SHIFTERS	SHIMANO XT
BRAKES	AVID ELIXIR 9 CARBON , 180/160MM
SIZES	S, M, L, X



>MANUEL FUMIC.

“Le gare XC sono, in sostanza, una miscela di sofferenza e divertimento. La Scalpel 29er rende la parte di sofferenza più facile ed è davvero costruita per la parte divertente”



SCALPEL 29ER 3

FRAME SCALPEL 29'ER, 100MM, SMARTFORMED ALLOY

SUSPENSION F/R LEFTY PBR 100 29 / FOX PERFORMANCE CTD 100MM

WHEELS WTB ST 119 W/ LEFTY & FORMULA HUBS

TIRES SCHWALBE RACING RALPH PERFORMANCE 2.25"

CRANKS SRAM S1000, BB30, 38/24

DERAILLEUR R/F SRAM X9 / X7

MAGNESIUM WHITE, GLOSS (WHT)

SHIFTERS SRAM X7

BRAKES AVID ELIXIR 5 180/160MM

SIZES S, M, L, X



SCALPEL 29ER 4

FRAME SCALPEL 29'ER, 100MM, SMARTFORMED ALLOY

SUSPENSION F/R ROCKSHOX RECON GOLD TK 29, 80MM / XFUSION E1 RL 100MM

WHEELS SUN RINGLE INFERNO25 W/ FORMULA HUBS

TIRES SCHWALBE RAPID ROB 2.25"

CRANKS FSA COMET ,BB30, 42/32/24

DERAILLEUR R/F SHIMANO XT / SLX

JET BLACK, GLOSS (BLK)

SHIFTERS SHIMANO DEORE

BRAKES AVID ELIXIR 3, 180/160MM

SIZES S, M, L, X

RZ ONE TWENTY

> A PROVA DI QUALSIASI PERCORSO, PRONTA ALLA GARA.

Questo raffinato design single-pivot è il culmine di anni di esperienza nella doppia sospensione. Il telaio leggero e rigido e la sospensione morbida offrono una qualità di guida bilanciata, efficiente e divertente, rendendo la RZ la scelta perfetta per i racer del fine settimana e per rider su trail “all day”. I modelli pronti per la competizione RZ One Twenty XLR sono dotati di specifica componentistica migliorata e una forcella Lefty con escursione di 120 mm.



RZ120 XLR 1

FRAME	RZ ONE TWENTY, 120MM, SMARTFORMED ALLOY
SUSPENSION F/R	LEFTY XLR 120 26 / ROCKSHOX MONARCH RT3
WHEELS	SUN RINGLE BLACK FLAG PRO W/ LEFTY

TIRES	SCHWALBE RACING RALPH PERFORMANCE, 2.25"
CRANKS	SRAM S2210, BB30, 38/24
DERAILLEUR R/F	SRAM XX / XO

JET BLACK W/MAGNESIUM WHITE, RACE RED ACCENTS, GLOSS (BLK)

SHIFTERS	SRAM X0
BRAKES	AVID Elixir 9 CARBON, 180/160MM
SIZES	S,M,L,X

> ESCURSIONE A PIÙ STADI

Un ammortizzatore regolato in modo personalizzato, abbinato a uno swing link di precisione, fornisce 120 mm di corsa perfetta a più stadi, morbida all'inizio, lineare nella fase centrale per una pedalata efficiente e più stabile alla fine per evitare i finocorsi.

> MANOVRARIBILITÀ ECCELLENTE

Miscela perfetta di stabilità e agonismo, la geometria della RZ ti consente di sentirti perfettamente a tuo agio e mantenere il controllo indipendentemente da cosa tiene in serbo per te la montagna, rendendo questa bike da trail una perfetta macchina a tutto tondo.

> ALLUMINIO SMARTFORMED

Un complesso mix di idroformatura, sagomatura meccanica, spessore variabile, saldatura liscia a doppio passaggio e il tubo reggisella Backbone 3D OPI (One Piece Integration) forgiato, scatola del movimento centrale e link ammortizzatore offrono il massimo della resistenza e il minimo del peso.



RZ120 XLR 2

FRAME RZ ONE TWENTY, 120MM, SMARTFORMED ALLOY

SUSPENSION F/R LEFTY XLR 120 26 / FOX FLOAT CTD PERFORMANCE

WHEELS STANS ZTR CREST 26 W/ LEFTY & SUN RINGLE HUBS

TIRES SCHWALBE RACING RALPH PERFORMANCE, 2.25"

CRANKS SRAM S2210, BB30, 44/33/22

DERAILLEUR R/F SHIMANO XTR SHADOW + / SRAM X9

JET BLACK W/ MAG WHITE, ULTRA BLUE, RACE RED ACCENTS, GLOSS (BLU)

SHIFTERS SHIMANO XT

BRAKES MAGURA MT4, 180/160MM

SIZES S,M,L,X



RZ120 XLR 3

FRAME RZ ONE TWENTY, 120MM, SMARTFORMED ALLOY

SUSPENSION F/R LEFTY PBR 120 26 / FOX FLOAT CTD EVOLUTION

WHEELS WTB FREQUENCY RACE 119 W/LEFTY & FORMULA HUBS

TIRES SCHWALBE RACING RALPH PERFORMANCE, 2.25"

CRANKS SRAM S1000, BB30, 44/33/22

DERAILLEUR R/F SRAM X9 / X7

JET BLACK W/ CHARCOAL GRAY AND MAG WHITE ACCENTS, MATTE (BBQ)

SHIFTERS SRAM X9

BRAKES AVID ELIXIR 5, 180/160MM

SIZES S,M,L,X



RZ120 1

FRAME	RZ ONE TWENTY, 120MM, SMARTFORMED ALLOY
SUSPENSION F/R	ROCKSHOX RECON GOLD TK, 120MM / ROCKSHOX MONARCH RL 120MM
WHEELS	MADDUX DC3.0 W/FORMULA HUBS

JET BLACK, GLOSS (BLK)

TIRES	SCHWALBE RAPID ROB 2.25"
CRANKS	SRAM S800 3.2, 44/32/22
DERAILLEUR R/F	SRAM X7 /X5

JET BLACK, MATTE (BBQ)

SHIFTERS	SRAM X5
BRAKES	AVID ELIXIR 3, 180/160MM
SIZES	S,M,L,X



RZ120 2

FRAME	RZ ONE TWENTY, 120MM SMARTFORMED ALLOY
SUSPENSION F/R	X-FUSION VELVET RL, 120MM / X-FUSION E1 RL 120MM
WHEELS	MADDUX DC3.0 W/FORMULA HUBS

MAGNESIUM WHITE, GLOSS (WHT)

TIRES	SCHWALBE RAPID ROB 2.25"
CRANKS	SHIMANO M552 42/32/24
DERAILLEUR R/F	SHIMANO SLX / DEORE

JET BLACK, MATTE (BBQ)

SHIFTERS	SHIMANO DEORE
BRAKES	AVID ELIXIR 1, 180/160MM
SIZES	S,M,L,X

SCALPEL RACE

› LA PIÙ POTENTE ARMA DA COMPETIZIONE CROSS-COUNTRY.

Concepita per i rider XC hardcore che vogliono una performance da doppia sospensione a un peso inferiore di quello della maggior parte delle hardtail. La combinazione di struttura in carbonio BallisTec, foderi Zero Pivot e componenti System Integration come la forcella Lefty e l'attacco/tubo sterzo OPI rendono la Scalpel la bici da gara a doppia sospensione più leggera, rigida e reattiva mai creata.



SCALPEL RACE 2

FRAME	SCALPEL, 80MM, BALLISTEC HI-MOD FULL CARBON, ZERO PIVOT
SUSPENSION F/R	LEFTY XLR 100 26 / ROCKSHOX MONARCH RL 80MM
WHEELS	MAVIC CROSSLINK W/ LEFTY

TIRES	SCHWALBE RACING RALPH EVO, 2.1" TUBELESS READY
CRANKS	SRAM S2210, BB30, 42/28
DERAILLEUR R/F	SRAM X0 / SRAM X9

EXPOSED CARBON W/ MAGNESIUM WHITE AND BERSERKER GREEN ACCENTS, GLOSS (GRN)

SHIFTERS	SRAM X9
BRAKES	AVID ELIXIR 9 CARBON 160/140MM
SIZES	S,M,L,X

› CARBONIO BALLISTEC

Grazie all'uso di fibre sviluppate nel settore militare per le armi balistiche, questa struttura in carbonio estremamente resistente consente di realizzare un telaio ultraleggero ma, in proporzione, più forte dell'acciaio.

› SISTEMA FODERI POSTERIORI ZERO PIVOT

Grazie alla sofisticata stratificazione del carbonio, i foderi bassi e quelli alti sono progettati per flettersi verticalmente, rimanendo invece molto rigidi lateralmente, per fornire 80 mm di corsa effettiva della ruota posteriore, eliminando al contempo il peso dei perni dei cuscinetti.

› SYSTEM INTEGRATION

Progettare la Scalpel Race attorno a componenti System Integration come le nostre forcelle Lefty e gli attacchi/tubi sterzo Si OPI consente ai nostri telai, già i più leggeri della categoria, a diventare bici complete incomparabilmente leggere.



LEFTY
HYBRID

SCALPEL RACE 3

FRAME	SCALPEL, 80MM, BALLISTEC HI-MOD FULL CARBON, ZERO PIVOT
SUSPENSION F/R	LEFTY PBR 100 26 / FOX PERFORMANCE CTD
WHEELS	WTB PHASE II 9

TIRES	SCHWALBE RACING RALPH 2.1" TUBELESS READY
CRANKS	SRAM S1400, BB30, 42/28
DERAILLEUR R/F	SHIMANO XT / SRAM X7

EXPOSED CARBON W/ MAGNESIUM WHITE AND BERSERKER GREEN ACCENTS, GLOSS (GRN)

SHIFTERS	SHIMANO SLX
BRAKES	AVID ELIXIR 7 160/140MM
SIZES	S,M,L,X



F29

>LA 29'ER PIÙ RAFFINATA.

Racer e puristi della hardtail ovunque hanno scoperto che la Cannondale F29s offre il massimo delle prestazioni 29'er. Con i loro telai ultraleggeri, ultra-rigidi, la tecnologia a micro-sospensione SPEED SAVE e la geometria da gara 29'er, le F29 combinano il peso leggero e l'agilità di bike con ruote 26" alla inarrestabile inerzia delle "big wheel".


DISPONIBILE IN 3 OPZIONI TELAIO:

Estremamente leggera Hi-MOD BallisTec Carbon, ultra-leggera BallisTec Carbon, o super-leggera SmartFormed Alloy



>REGGISELLA SAVE

Mediante l'uso di stratificazioni sofisticate del carbonio il nostro reggisella SAVE aggiunge al telaio oltre 20 mm di potenziamento del comfort, assorbimento e smorzamento degli urti. Questo si traduce in una minore fatica e un maggiore comfort, permettendoti di rimanere in sella più a lungo e di andare più veloce.



>LEFTY SYSTEM INTEGRATION

L'estrema leggerezza e precisione delle nostre forcelle Lefty è un vantaggio ancora maggiore sulle 29'er. La sua eccellente rigidità e la sua leggerezza fanno una differenza ancora maggiore sulle bici con le ruote più grandi. Se combinata con il superleggero attacco manubrio/canotto sterzo OPI e l'Hollowgram SL BB30, la System Integration di Cannondale consente di risparmiare centinaia di grammi.



>TECNOLOGIA DI ELIMINAZIONE DELLE VIBRAZIONI SPEED SAVE

I foderi posteriori SPEED SAVE creano un micro sistema di sospensione messo a punto per il riding consentendo alla ruota posteriore di seguire il terreno, migliorando il controllo, la trazione e la manovrabilità. Questo consente alla bici di correre più veloce, accelerare meglio e curvare più intensamente.



F29 CARBON ULTIMATE

FRAME F29, BALLISTIC HI-MOD CARBON, SPEED SAVE

SUSPENSION F/R LEFTY CARBON XLR 90 29

WHEELS ENVE TWENTY9 XC CARBON W/LEFTY & DT SWISS 240

TIRES SCHWALBE RACING RALPH, 2.1" EVO TUBELESS READY

CRANKS CANNONDALE HOLLOGRAM SI SL, 39/26

DERAILLEUR R/F SRAM XX / SRAM XX

EXPOSED CARBON W/ NEARLY BLACK AND CHARCOAL GRAY ACCENTS, MATTE (CRB)

SHIFTERS SRAM XX

BRAKES MAGURA MT8, 160/140MM

SIZES M, L, XL



LEFTY HYBRID

F29 CARBON 1

FRAME	F29, BALLISTEC HI-MOD CARBON, SPEED SAVE
SUSPENSION F/R	LEFTY CARBON XLR 90 29
WHEELS	REYNOLDS XC CARBON 29'ER W/ LEFTY

EXPOSED CARBON W/ BERSERKER GREEN (REP)

TIRES	SCHWALBE RACING RALPH, 2.1" EVO TUBELESS READY
CRANKS	SRAM S2210, BB30, 38/24
DERAILLEUR R/F	SHIMANO XTR SHADOW +/- SRAM XO

MAGNESIUM WHITE W/ RACE RED AND ULTRA BLUE ACCENTS, GLOSS (RED)

SHIFTERS	SHIMANO XTR
BRAKES	SRAM XO CARBON, 180/160MM
SIZES	M, L, XL



LEFTY HYBRID

F29 CARBON 2

FRAME	F29, BALLISTEC CARBON, SPEED SAVE
SUSPENSION F/R	LEFTY XLR 90 29
WHEELS	STAN'S ZTR ARCH EX 29'ER W/ LEFTY & SUN RINGLE HUBS

MAGNESIUM WHITE W/ CHARCOAL GRAY AND RUBY RED ACCENTS (GLOSS) (GRY)

SHIFTERS	SRAM X9
BRAKES	AVID ELIXIR 9 CARBON, 180/160MM
SIZES	M, L, XL



LEFTY
HYBRID

F29 CARBON 3

FRAME F29, BALLISTEC CARBON, SPEED SAVE

SUSPENSION F/R LEFTY PBR 90 29

WHEELS WTB FREQUENCY RACE 119 W/ LEFTY, SHIMANO M525

TIRES SCHWALBE RACING RALPH PERFORMANCE 2.25" TUBLESS READY

CRANKS SRAM S1000, BB30, 38/24

DERAILLEUR R/F SHIMANO XT SHADOW + / SRAM X7

EXPOSED CARBON W/ MAGNESIUM WHITE AND BERSERKER GREEN ACCENTS, GLOSS(WHT)

SHIFTERS SHIMANO SLX

BRAKES AVID Elixir 7, 180/160MM

SIZES M, L, XL

› MARCO FONTANA.

“La F29-er è l’arma perfetta per i più duri percorsi XCO del mondo. Leggera, veloce, confortevole. Bene, credo di aver dimenticato bella e sexy.”





LEFTY
HYBRID

F29 1

FRAME F29, SMARTFORMED ALLOY, SPEED SAVE

SUSPENSION F/R LEFTY PBR 90 29

WHEELS WTB FREQUENCY RACE 119 W/ LEFTY, SRAM X9

TIRES SCHWALBE RAPID ROB 2.25"

CRANKS SRAM S1400 BB30, 38/24

DERAILLEUR R/F SRAM X9 / X7

MAGNESIUM WHITE, GLOSS (WHT)

SHIFTERS SRAM X9

BRAKES AVID ELIXIR 7, 180/160MM

SIZES S, M, L, XL



LEFTY
HYBRID

F29 2

FRAME F29, SMARTFORMED ALLOY, SPEED SAVE

SUSPENSION F/R LEFTY PBR 90 29

WHEELS FREQUENCY RACE 119 W/ LEFTY, SHIMANO M525

JET BLACK, MATTE (BBQ)

TIRES WTB NINE LINE 2.0"

CRANKS SHIMANO M552, 42/32/24

DERAILLEUR R/F SHIMANO XT SHADOW + / DEORE

MAGNESIUM WHITE, GLOSS (WHT)

SHIFTERS SHIMANO SLX

BRAKES MAGURA MT2, 180/160MM

SIZES S, M, L, XL



LEFTY
HYBRID

F26 CARBON 2

FRAME F26, BALLISTEC HI-MOD CARBON, SPEED SAVE

SUSPENSION F/R LEFTY XLR 100 26

WHEELS MAVIC CROSSLINK W/ LEFTY

TIRES SCHWALBE RACING RALPH EVO, 2.1"

CRANKS SRAM S2210, BB30, 42/28

DERAILLEUR R/F SRAM X0 / SRAM X9

EXPOSED CARBON W/MAGNESIUM WHITE AND BERSERKER GREEN ACCENTS, GLOSS (GRN)

SHIFTERS SRAM X9

BRAKES AVID Elixir 9 Carbon 160/140mm

SIZES S, M, L



F26 CARBON 3

FRAME F26, BALLISTEC HI-MOD CARBON, SPEED SAVE

SUSPENSION F/R CANNONDALE FATTY DLR80, 80MM

WHEELS SHIMANO MT-66

TIRES SCHWALBE RACING RALPH 2.1" TUBELESS READY

CRANKS SRAM S1400, BB30, 42/28

DERAILLEUR R/F SHIMANO XT / SRAM X7

SHIFTERS SHIMANO SLX

BRAKES AVID Elixir 7 160/140mm

SIZES S, M, L



LEFTY
HYBRID

F26 1

FRAME	F26, SMARTFORMED ALLOY, SPEED SAVE
SUSPENSION F/R	LEFTY PBR 100 26
WHEELS	MAVIC XM319 W/ LEFTY & SRAM X9

TIRES	SCHWALBE RACING RALPH PACE STAR, 2.1", TUBELESS READY
CRANKS	SRAM S1400, BB30, 39/26
DERAILLEUR R/F	SRAM X9 / X7

MAGNESIUM WHITE, GLOSS (WHT)

SHIFTERS	SRAM X9
BRAKES	MAGURA MT2 W/BAT, 160/160MM
SIZES	S, M, L, XL



F26 3

FRAME	F26, SMARTFORMED ALLOY, SPEED SAVE
SUSPENSION F/R	CANNONDALE FATTY DLR80, 80MM
WHEELS	MADDUX DC3.0 W/ FORMULA HUBS

TIRES	SCHWALBE RAPID ROB 2.1"
CRANKS	SHIMANO M552, 42/32/24
DERAILLEUR R/F	SHIMANO XT SHADOW + / DEORE

JET BLACK, MATTE (BBQ)

SHIFTERS	SHIMANO SLX
BRAKES	SHIMANO M596 DEORE, 160/160MM
SIZES	S, M, L, X

TRAIL SL

› LE SUPERBIKE ACCESSIBILI.

Con caratteristiche di peso e tecnologia che competono con qualsiasi cosa fosse presente sul circuito della World Cup solo pochi anni fa, la serie Trail SL dimostra che non è necessario spendere un mucchio di soldi per avere una performance davvero eccezionale. Disponibile sia nella versione 26" che 29", c'è una Trail SL per tutti, dal rider della prima ora all'esperto veterano del trail.



TRAIL SL 29ER 1

FRAME	TRAIL SL 29ER, OPTIMIZED 6061 ALLOY, SAVE
SUSPENSION F/R	ROCKSHOX RECON GOLD TK 29 80MM, W/ LOCKOUT
WHEELS	MADDUX DC3.0 29ER W/ SHIMANO HUBS

MAGNESIUM WHITE, GLOSS (WHT)

TIRES WTB NINE LINE 2.0"

CRANKS FSA COMET, 42/32/24

DERAILLEUR R/F SHIMANO XT / DEORE

JET BLACK, MATTE (BBQ)

SHIFTERS SHIMANO DEORE

BRAKES SHIMANO BR-M505, 180/160MM

SIZES S, M, L, X, J

› TELAIO NUOVISSIMO

Modellata sulle nostre bike della serie F di alta gamma, i telai Trail SL sono stati completamente ridisegnati per il 2013 con tubazioni nuove più leggere, forcellini più leggeri e caratteristiche SAVE più esagerate. Più leggera, più rigida, più morbida ... migliore.

› MAESTRIA CANNONDALE CON L'ALLUMINIO

Forme delle tubazioni complesse, inspessimento interno morbido e le nostre caratteristiche saldature lisce a doppio passaggio illustrano la maestria nei telai in alluminio Cannondale. Il nostro meticoloso processo elimina molti elementi di stress e punti deboli tradizionalmente tipici dei telai saldati, consentendoci di costruire telai più leggeri e più resistenti.

› GEOMETRIA RACE 29'ER

Nuova per il 2013, la Trail SL 29'er ottiene la nostra geometria da gara 29'er dalla manovrabilità agile. Il passo più breve e l'angolo di testa più stretto le conferiscono una sensazione incredibilmente rapida, agile e precisa.



TRAIL SL 29ER 2

FRAME TRAIL SL 29'ER, OPTIMIZED 6061 ALLOY, SAVE

SUSPENSION F/R ROCKSHOX RECON SILVER TK 29 80MM, W/ LOCKOUT

WHEELS MADDUX DC3.0 29'ER W/ FORMULA HUBS

JET BLACK W/GREEN ACCENTS, GLOSS (BLK)

TIRES WTB NINE LINE 2.0"

CRANKS SHIMANO M522, 42/32/24

DERAILLEUR R/F SHIMANO SLX / DEORE

JET BLACK, GLOSS (BLK)

SHIFTERS SHIMANO DEORE

BRAKES AVID ELIXIR 1, 180/160MM

SIZES S, M, L, X, J



TRAIL SL 29ER 4

FRAME TRAIL SL 29'ER, OPTIMIZED 6061 ALLOY, SAVE

SUSPENSION F/R SR SUNTOUR XCR-LO-29, COIL, 80MM, W/ LOCKOUT

WHEELS MADDUX DC3.0 29'ER W/ C4 HUBS

JET BLACK W/GREEN ACCENTS, GLOSS (BLK)

TIRES WTB NINE LINE 2.0"

CRANKS SHIMANO FC-M391-8, 44/32/22

DERAILLEUR R/F SHIMANO ALIVIO / ALIVIO

MAGNESIUM WHITE, GLOSS (WHT)

SHIFTERS SHIMANO ACERA

BRAKES CANNONDALE HELIX 6 HYDRAULIC DISC, 180/160MM

SIZES S, M, L, X, J



TRAIL SL 1

FRAME TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE

SUSPENSION F/R ROCKSHOX RECON GOLD TK 100MM, W/ LOCKOUT

WHEELS MADDUX DC3.0 W/ SHIMANO HUBS

TIRES SCHWALBE RAPID ROB 2.1"

CRANKS FSA COMET, 42/32/24

DERAILLEUR R/F SHIMANO XT / DEORE

JET BLACK, GLOSS (BLK)

SHIFTERS SHIMANO DEORE

BRAKES SHIMANO BR-M505, 160/160MM

SIZES S, M, L, X



› WORLD OF MTB JUNE 2012.

"Cannondale Can! Sentieri veloci, radici, polverose tagliafuoco e piste innevate. Nulla è impossibile."



TRAIL SL 2

FRAME TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE

SUSPENSION F/R ROCKSHOX RECON SILVER TK 100MM, W/ LOCKOUT

WHEELS MADDUX DC3.0 W/ FORMULA HUBS

TIRES SCHWALBE RAPID ROB 2.1"

CRANKS SHIMANO M522, 42/32/24

DERAILLEUR R/F SHIMANO SLX / DEORE

MAGNESIUM WHITE (GLOSS) (WHT)

SHIFTERS SHIMANO DEORE

BRAKES AVID ELIXIR 1, 160/160MM

SIZES S, M, L, X



TRAIL SL 3

FRAME TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE

SUSPENSION F/R ROCKSHOX XC 30 TK, COIL, 100MM W/ LOCKOUT

WHEELS MADDUX DC3.0 W/ C4 HUBS

TIRES SCHWALBE RAPID ROB 2.1"

CRANKS SHIMANO FC-M430-8, 44/32/22

DERAILLEUR R/F SHIMANO DEORE / ACERA

JET BLACK, MATTE (BBQ)

SHIFTERS SHIMANO ALIVIO

BRAKES SHIMANO BR-M446, 160/160MM

SIZES S, M, L, X



TRAIL SL 4

FRAME TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE

SUSPENSION F/R SR SUNTOUR XCR-LO, COIL, 100MM W/ LOCKOUT

WHEELS MADDUX DC3.0 W/ C4 HUBS

RACE RED, GLOSS (RED)

TIRES SCHWALBE RAPID ROB 2.1"

CRANKS SHIMANO FC-M391-8, 44/32/22

DERAILLEUR R/F SHIMANO ALIVIO / ACERA

JET BLACK, GLOSS (BLK)

SHIFTERS SHIMANO ACERA

BRAKES CANNONDALE HELIX 6 HYDRAULIC DISC, 160/160MM

SIZES S, M, L, X



TRAIL SL 5

FRAME TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE

SUSPENSION F/R SR SUNTOUR XCM-HLO, COIL, 100MM W/ LOCKOUT

WHEELS MADDUX DC3.0 W/ C4 HUBS

TIRES SCHWALBE RAPID ROB 2.1"

CRANKS SHIMANO FC-M311, 42/32/22

DERAILLEUR R/F SHIMANO ACERA / ALTUS

JET BLACK, GLOSS (BLK)

SHIFTERS SHIMANO ALTUS

BRAKES CANNONDALE HELIX 6 HYDRAULIC DISC, 160/160MM

SIZES S, M, L, X

ROAD

BICICLETTE DA STRADA CANNONDALE: PERFORMANCE ALLO STATO PURO.

Dai record delle SuperSix EVO e CAAD10 al comfort dell'uso quotidiano della Synapse, le bici da strada Cannondale sono concepite per fornire performance allo stato puro. Le più leggere nella loro categoria, l'equilibrio perfetto tra rigidità e vivace comportamento di guida in puro stile Cannondale.



› ELITE ROAD

SUPERSIX EVO
SUPERSIX
CAAD10
CAAD8

Biciclette ultra-leggere, efficienti, concepite per la competizione e costruite per farvi tagliare il traguardo per primi.

› PERFORMANCE ROAD

SYNAPSE CARBON
SYNAPSE ALLOY

Prestazioni da gara incontrano il comfort dell'uso quotidiano. Perfette per Gran Fondo, Cyclo-Sportive e lunghe giornate in sella.

› TRIATHLON/TT

SLICE RS
SLICE

Bici aero high-tech studiate per darvi tutto il vantaggio possibile su vento e cronometro.



> CYCLOCROSS

SUPERX
CAADX

Create per dominare nelle battaglie nel fango
del cross racing o per accelerare il vostro
percorso mattutino.



SUPERSIX EVO

› “LA BICI MIGLIORE AL MONDO”


La SuperSix EVO è il massimo che si possa desiderare da una bici da corsa su strada. Progettata per essere la miscela perfetta di tutti i fattori chiave della performance – peso, rigidità, resistenza, assorbimento degli urti, manovrabilità e aerodinamica – la EVO è talmente evoluta da aver ricevuto dal Tour magazine in Germania il riconoscimento di “Migliore bicicletta al mondo” (marzo 2012).

OPZIONI TELAIO EVO

› **EVO NANO:** Il telaio più leggero prodotto sul pianeta utilizza una struttura avanzata in carbonio BallisTec ad alto modulo e resine da nanotecnologia per un massimo risparmio in termini di peso.

› **EVO HI-MOD:** L'EVO originale. La struttura in carbonio BallisTec ad alto modulo garantisce leggerezza e rigidità estreme.

› **EVO CARBON:** EVO Carbon: Una struttura con una percentuale superiore di fibra a modulo intermedio BallisTec espande la linea EVO con un telaio dalla performance super elevata inferiore a 950 grammi.



› BALLISTEC CARBON

La tecnica costruttiva in carbonio High Strength di Cannondale consente di realizzare prodotti estremamente leggeri con una rigidità e una resistenza eccezionali.

› SISTEMA DI MICRO-SOSPENSIONE SPEED SAVE

Sottili zone flettenti integrate nei foderi bassi e alti consentono alla ruota di seguire il tracciato del terreno, migliorando la velocità, la manovrabilità e il comfort. Messa a punto per l'uso con la forcella con forcellini offset SPEED SAVE.

› AREA FRONTALE RIDOTTA

Rispetto alle oversize della concorrenza la EVO presenta il tubo obliquo più piccolo del 20% circa, il tubo dello sterzo più piccolo dell'11%, e i foderi della forcella più sottili del 15%. Questo significa area frontale ridotta e meno resistenza aerodinamica. Infatti, i test dimostrano che la EVO ha pochissima resistenza aerodinamica in più rispetto ai migliori telai "aero", senza il loro peso aggiunto e la loro guida ruvida.



SUPERSIX EVO BLACK EDITION

FRAME	SUPERSIX EVO, BALLISTEC NANO CARBON, SPEED SAVE
FORK	SUPERSIX EVO, SPEED SAVE, BALLISTEC NANO CARBON
WHEELS	ENVE ROAD 25MM 20H FRONT, 24H REAR

TIRES	SCHWALBE ULTREMO LIGHT TUBULAR 22MM
CRANKS	CANNONDALE HOLLOWGRAM SISL2, W/ OPI SPIDERING, 11 SPEED, 53-39 (COMPACT 50/34 INCLUDED)
DERAILLEURS	SHIMANO DURA ACE 9000

JET BLACK W/ 40 BLUE, MATTE (BLE)

SHIFTERS	SHIMANO DURA ACE 9000
BRAKES	SHIMANO DURA ACE 9000
SIZES	48, 50, 52, 54, 56, 58, 60, 63 CM



>PETER SAGAN

“Una bici super leggera rigida negli sprint...e si guida così bene?!
Stupefacente! E le impennate
all’arrivo sono il tocco di classe.”



SUPERSIX EVO HI-MOD DURA ACE DI2

FRAME	SUPERSIX EVO, BALLISTEC HI-MOD CARBON, DI2 SPECIFIC, SPEED SAVE
FORK	SUPERSIX EVO, SPEED SAVE, BALLISTEC HI-MOD CARBON
WHEELS	MAVIC KSYRIUM SLR WTS

TIRES	MAVIC YKSION, GRIPLINK FRONT AND POWERLINK REAR, 700X23C, FOLDING
CRANKS	CANNONDALE HOLLOWGRAM SISL2, W/ OPI SPIDERING, 11 SPEED, 53-39 (COMPACT 50/34 INCLUDED)
DERAILLEURS	SHIMANO DURA ACE DI2 9070

EXPOSED CARBON W/ CHARCOAL GRAY AND RACE RED ACCENTS, MATTE (CRB)

SHIFTERS	SHIMANO DURA ACE DI2 9070
BRAKES	SHIMANO DURA ACE 9000
SIZES	48, 50, 52, 54, 56, 58, 60, 63 CM



SUPERSIX EVO HI-MOD TEAM

FRAME	SUPERSIX EVO, BALLISTEC HI-MOD CARBON, SPEED SAVE
FORK	SUPERSIX EVO, SPEED SAVE, BALLISTEC HI-MOD CARBON
WHEELS	MAVIC COSMIC CARBONE SLR WTS

TIRES	MAVIC YKSION, GRIPLINK FRONT AND POWERLINK REAR, 700X23C, FOLDING
CRANKS	CANNONDALE HOLLOWGRAM SISL2, W/ OPI SPIDERING, 10 SPEED, 53-39 (COMPACT 50/34 INCLUDED)
DERAILLEURS	SRAM RED

Liquigas team replica, gloss (LIQ)

SHIFTERS	SRAM RED DOUBLETAP
BRAKES	SRAM RED
SIZES	48, 50, 52, 54, 56, 58, 60, 63 CM



SUPERSIX EVO DURA ACE

FRAME	SUPERSIX EVO, BALLISTEC HI-MOD CARBON, SPEED SAVE
FORK	SUPERSIX EVO, SPEED SAVE, BALLISTEC HI-MOD CARBON
WHEELS	MAVIC KSYRIUM SLS WTS

TIRES	MAVIC YKSION, GRIPLINK FRONT AND POWERLINK REAR, 700X23C, FOLDING
CRANKS	CANNONDALE HOLLOWGRAM SISL2, W/ OPI SPIDERING, 11 SPEED, 53-39 (COMPACT 50/34 INCLUDED)
DERAILLEURS	SHIMANO DURA ACE 9000

EXPOSED CARBON W/ MAGNESIUM WHITE AND I LOVE GOLD ACCENTS, GLOSS (WHT)

SHIFTERS	SHIMANO DURA ACE 9000
BRAKES	SHIMANO DURA ACE 9000
SIZES	48, 50, 52, 54, 56, 58, 60, 63 CM



SUPERSIX EVO RED RACING EDITION

FRAME	SUPERSIX EVO, BALLISTEC HI-MOD CARBON, SPEED SAVE
FORK	SUPERSIX EVO, SPEED SAVE, BALLISTEC HI-MOD CARBON
WHEELS	VISION TC24, CARBON RIM, 20/24H, TUBULAR

TIRES	SCHWALBE ULTREMO HT TUBULAR 22MM
CRANKS	CANNONDALE HOLLOWGRAM SISL2, FSA CHAINRINGS, 53/39
DERAILLEURS	SRAM RED

EXPOSED CARBON, GLOSS (BLK)

SHIFTERS	SRAM RED DOUBLETAP
BRAKES	SRAM RED
SIZES	48, 50, 52, 54, 56, 58, 60, 63 CM



SUPERSIX EVO ULTEGRA DI2

FRAME	SUPERSIX EVO BALLISTEC CARBON, DI2 SPECIFIC, SPEED SAVE
FORK	SUPERSIX EVO, SPEED SAVE, BALLISTEC CARBON
WHEELS	SHIMANO ULTEGRA 6700

MAGNESIUM WHITE W/JET BLACK AND ULTRA BLUE ACCENTS, GLOSS (WHT)

TIRES	SCHWALBE ULTREMO TUBELESS 700X23C
CRANKS	CANNONDALE HOLLOWGRAM SI, FSA CHAINRINGS, 50/34
DERAILLEURS	SHIMANO ULTEGRA DI2 6770

EXPOSED CARBON, GLOSS (BLK)

SHIFTERS	SHIMANO ULTEGRA DI2 6770
BRAKES	SHIMANO ULTEGRA 6700
SIZES	48, 50, 52, 54, 56, 58, 60, 63 CM



SUPERSIX EVO 2 RED

FRAME	SUPERSIX EVO BALLISTEC CARBON, SPEED SAVE
FORK	SUPERSIX EVO, SPEED SAVE, BALLISTEC CARBON
WHEELS	MAVIC KSYRIUM EQUIPE S WTS

MAGNESIUM WHITE W/BERZERKER GREEN AND NU TEAM BLUE, GLOSS (REP)

TIRES	MAVIC YKSION PRO 700X23C
CRANKS	SRAM S951 CARBON, BB30, 50/34
DERAILLEURS	SRAM RED

EXPOSED CARBON W/CHARCOAL GRAY, MATTE (CRB)

SHIFTERS	SRAM RED DOUBLETAP
BRAKES	SRAM RED
SIZES	48, 50, 52, 54, 56, 58, 60, 63 CM

SUPERSIX

> VINCITRICE PER RAZZA.

Leggera e rigida, con una sensazione incredibilmente vivace e comunicativa in sella, la SuperSix è la discendente diretta del telaio che ha portato il team Liquigas-Cannondale alla vittoria nel Giro d'Italia e nella Vuelta a España. Pronta per la competizione.



SUPERSIX 3 ULTEGRA

FRAME	SUPERSIX, FULL CARBON
FORK	SUPERSIX, FULL CARBON, ALLOY DROPOUTS
WHEELS	MAVIC AKSIUM WTS

MAGNESIUM WHITE W/ STEALTH GRAY AND BERSERKER GREEN ACCENTS, GLOSS (WHT)

TIRES	MAVIC AKSION COMP, 700X23C, FOLDING
CRANKS	FSA SL-K LIGHT CARBON BB30, 50/34 (OPTION: 53/39)
DERAILLEURS	SHIMANO ULTEGRA 6700

JET BLACK W/ CHARCOAL GRAY AND FINE SILVER ACCENTS, MATTE (BBQ)

SHIFTERS	SHIMANO ULTEGRA 6700
BRAKES	SHIMANO ULTEGRA 6700
SIZES	48, 50, 52, 54, 56, 58, 60, 63 CM

> TELAIO LEGGERO

La SuperSix pesa solo 1050 grammi e offre la guida brillante e l'accelerazione esplosiva che distingue le bici Cannondale.

> FODERI ALTI "A CLESSIDRA"

Una sottile curvatura a forma di clessidra e una raffinata stratificazione in carbonio, specifica per il carico, danno ai foderi alti della SuperSix la capacità di assorbire gli urti verticali e le vibrazioni dei fondi accidentati, migliorando sia il comfort che il controllo.

> MOVIMENTO CENTRALE

BEATBOX BB / BB30

13 anni fa Cannondale ha rivoluzionato l'interfaccia pedivella/movimento centrale inventando il BB30. Qui, questo meccanismo è posizionato nella scatola movimento centrale BeatBox massicciamente sovrdimensionata, per ottenere il massimo del trasferimento di potenza.



SUPERSIX 5 105

FRAME	SUPERSIX, FULL CARBON
FORK	SUPERSIX, FULL CARBON, ALLOY DROPOUTS
WHEELS	SHIMANO RS-10

JET BLACK W/ CHARCOAL GRAY AND FINE SILVER ACCENTS, MATTE (BBQ)

TIRES SCHWALBE LUGANO, 700X23C, FOLDING

CRANKS FSA GOSSAMER PRO, BB30, 50/34 (OPTION: 50/39/30)

DERAILLEURS SHIMANO 105 5700

MAGNESIUM WHITE W/BERZERKER GREEN AND NU TEAM BLUE, GLOSS (REP)

SHIFTERS SHIMANO 105 5700

BRAKES SHIMANO 105 5700

SIZES 48, 50, 52, 54, 56, 58, 60, 63 CM



➤ “Il telaio della SuperSix pesa appena 1050 grammi, e offre la pedalata vivace e le accelerazioni esplosive per le quali Cannondale è nota.”

CAAD10

>LA MACCHINA DA GARA SU STRADA IN ALLUMINIO PIÙ RAFFINATA AL MONDO.

Con un telaio che pesa solo 1.150 grammi, la CAAD10 non solo è più leggera di molti dei prestigiosi telai in carbonio della concorrenza, ma è anche più rigida e più morbida, il che la rende la scelta perfetta per aspiranti racer o per chiunque cerchi un'alternativa ad alte prestazioni al carbonio.



CAAD10 BLACK EDITION

FRAME	CAAD10, D12 SPECIFIC, SMARTFORMED 6069 ALLOY, SPEED SAVE
FORK	CAAD10, SPEED SAVE FULL CARBON
WHEELS	SHIMANO ULTEGRA 6700

TIRES	SCHWALBE DURANO S, 700X23C, FOLDING
CRANKS	FSA SL-K LIGHT CARBON BB30, 50/34
DERAILLEURS	SHIMANO ULTEGRA DI2

BLACK ANODIZED, GOLD, MATTE (BLA)	
SHIFTERS	SHIMANO ULTEGRA DI2
BRAKES	SHIMANO ULTEGRA 6700
SIZES	48, 50, 52, 54, 56, 58, 60, 63 CM

>COSTRUZIONE IN LEGA SMARTFORMED 6069

Un insieme di idroformatura, formatura meccanica, ispessimento variabile, saldature lisce a doppio passaggio e trattamento termico: SmartForming è la struttura in alluminio più avanzata al mondo, per telai più leggeri e più forti.

>FODERI SPEED SAVE

La forma appiattita e l'ispessimento interno dei foderi bassi e alti della CAAD10 consentono la flessione verticale, mantenendo la rigidità laterale e torsionale. Questo permette alla ruota posteriore di seguire il tracciato del terreno, migliorando la velocità, il controllo in curva, la tenuta di strada e il comfort.

>FORCELLA SPEED SAVE

La forcella da 390 grammi presenta un canotto sterzo conico da 1-1/8" a 1-1/4" per il bilanciamento ottimale di peso e rigidità, e forcellini in offset, che consentono un angolo più aperto della forcella e l'assorbimento degli urti senza compromettere la maneggevolezza. La forcella SPEED SAVE è adattata ottimamente ai foderi SPEED SAVE come sistema di micro sospensione.



CAAD10 3 ULTEGRA

FRAME	CAAD10, SMARTFORMED 6069 ALLOY, SPEED SAVE
FORK	CAAD10, SPEED SAVE FULL CARBON
WHEELS	MAVIC AKSIUM WTS

JET BLACK W/ MAGNESIUM WHITE AND CHARCOAL GRAY ACCENTS, MATTE (BBQ)

TIRES	MAVIC AKSION, 700X23C, FOLDING
CRANKS	FSA SL-K LIGHT CARBON BB30, 50/34
DERAILLEURS	SHIMANO ULTEGRA 6700

BRUSHED ALUMINUM W/ JET BLACK AND MAGNESIUM WHITE ACCENTS, GLOSS (RAW)

SHIFTERS	SHIMANO ULTEGRA 6700
BRAKES	SHIMANO ULTEGRA 6700
SIZES	48, 50, 52, 54, 56, 58, 60, 63 CM



CAAD10 5 105

FRAME	CAAD10, SMARTFORMED 6069 ALLOY, SPEED SAVE
FORK	CAAD10, SPEED SAVE FULL CARBON
WHEELS	SHIMANO RS-10

MAGNESIUM WHITE W/BERZERKER GREEN AND NU TEAM BLUE, GLOSS (REP)

TIRES	SCHWALBE LUGANO, 700X23C, FOLDING
CRANKS	FSA GOSSAMER PRO, BB30, 50/34 (OPTION: 50/39/30)
DERAILLEURS	SHIMANO 105 5700

BRUSHED ALUMINUM W/ JET BLACK AND MAGNESIUM WHITE ACCENTS, GLOSS (RAW)

SHIFTERS	SHIMANO 105 5700
BRAKES	SHIMANO 105 5700
SIZES	48, 50, 52, 54, 56, 58, 60, 63 CM



CAAD8 5 105

FRAME CAAD8, OPTIMIZED 6061 ALLOY, SAVE, BB30

FORK CANNONDALE ULTRA, CARBON BLADES

WHEELS MADDUX RS 3.0 SPEED, 32 HOLE W/ FORMULA HUBS

BRUSHED ALUMINUM, GLOSS (RAW)

TIRES SCHWALBE LUGANO, 700X23C

CRANKS FSA GOSSAMER, BB30, 50/34 (OPTION: 50/39/30)

DERAILLEURS SHIMANO 105 5700

JET BLACK, MATTE (BBQ)

SHIFTERS SHIMANO 105 5700

BRAKES TEKTRO R540, DUAL PIVOT

SIZES 48, 51, 54, 56, 58, 61 CM



>CYCLO SPORT, JULY 2012

"Il CAAD8 ha tutto per piacere ai neofiti: un prezzo ragionevole e un telaio di alta qualità perfettamente elaborato dal marchio."



CAAD8 6 TIAGRA

FRAME	CAAD8, OPTIMIZED 6061 ALLOY, SAVE, BB30
FORK	CANNONDALE ULTRA, CARBON BLADES
WHEELS	MADDUX RS 3.0, 32 HOLE W/ C4 HUBS

TIRES	SCHWALBE LUGANO, 700X23C
CRANKS	FSA OMEGA BB30, 50/39/30
DERAILLEURS	SHIMANO TIAGRA 4600

MAGNESIUM WHITE, GLOSS (REP)

SHIFTERS	SHIMANO TIAGRA 4600
BRAKES	CANNONDALE C4, DUAL PIVOT
SIZES	48, 51, 54, 56, 58, 61 CM



CAAD8 7 SORA

FRAME	CAAD8, OPTIMIZED 6061 ALLOY, SAVE
FORK	CANNONDALE ULTRA, CARBON BLADES
WHEELS	MADDUX RS 3.0, 32 HOLE W/ C4 HUBS

TIRES	SCHWALBE LUGANO, 700X23C
CRANKS	FSA VERO, 50/39/30
DERAILLEURS	SHIMANO SORA


MAGNESIUM WHITE, GLOSS (WHT)

SHIFTERS	SHIMANO SORA
BRAKES	CANNONDALE C4, DUAL PIVOT
SIZES	48, 51, 54, 56, 58, 61 CM

SYNAPSE CARBON

› LE PRESTAZIONI DA GARA ÉLITE INCONTRANO IL COMFORT DELL'USO QUOTIDIANO.

Come le migliori automobili da grand touring, la nostra linea Synapse di bici da strada unisce una performance aggressiva a un lusso raffinato. Una rigidità di livello professionale e la leggerezza del peso incontrano una morbidezza che assorbe gli urti e una posizione di guida che invita a passare intere giornate in sella. Che scegliate la Synapse Hi-MOD ultra-leggera, la Synapse Carbon dalla guida morbida o la versatile Synapse Alloy, scoprirete che andar VELOCE non ha mai dato vibrazioni tanto positive.



› SAVE PLUS SISTEMA DI MICRO-SOSPENSIONE POSTERIORI

La stratificazione direzionale del carbonio e tubi sagomati per un assorbimento eccezionale delle vibrazioni conferiscono al sistema fodero basso/fodero alto SAVE PLUS un comfort incredibile, migliorando effettivamente la rigidità laterale e torsionale del telaio.

› FORCELLA IN CARBONIO INTEGRALE SAVE PLUS

I forcellini offset consentono ai fodori della forcella di presentare l'assorbimento verticale degli urti di una forcella con rake minimale, mantenendo la guida agile e precisa della Synapse. La raffinata stratificazione del carbonio e la foggiatura SAVE potenziano ulteriormente l'assorbimento verticale degli urti della forcella. Messa a punto per lavorare con il triangolo posteriore SAVE PLUS.

› GEOMETRIA PERFORMANTE

Rispetto alla nostra geometria racing di categoria Elite, la Synapse presenta un tubo sterzo di 2-2,5 cm più alto, un angolo di sterzata leggermente più aperto e un interasse più lungo, per una posizione di guida più rialzata e una sensazione stabile, ma sempre vivace. Ispira fiducia, ma anche relax, senza quella sensazione di scivolamento e la manovrabilità terribile di molte bici da strada "comfort".



SYNAPSE HI-MOD BLACK EDITION

FRAME SYNAPSE HI-MOD FULL CARBON, SAVE PLUS

FORK SYNAPSE SAVE PLUS, HI-MOD FULL CARBON

WHEELS MAVIC KSYRIUM SLS

TIRES MAVIC YKSION, GRIPLINK FRONT AND POWERLINK REAR,
700X25C, FOLDING

CRANKS CANNONDALE HOLLOWGRAM SI SL2, CANNONDALE OPI SPIDER-
ING, 50-34, 11 SPEED

DERAILLEURS SHIMANO DURA ACE 9000

NEARLY BLACK W/MAGNESIUM WHITE, MATTE (BLE)

SHIFTERS SHIMANO DURA ACE 9000

BRAKES SHIMANO DURA ACE 9000

SIZES 48, 51, 54, 56, 58, 61 CM



SYNAPSE HI-MOD RED

FRAME	SYNAPSE HI-MOD FULL CARBON, SAVE PLUS
FORK	SYNAPSE SAVE PLUS, HI-MOD FULL CARBON
WHEELS	MAVIC KSYRIUM ELITE S WTS

MAGNESIUM WHITE W/ BERSERKER GREEN, NU TEAM BLUE, GLOSS (WHT)

TIRES	MAVIC YKSION, GRIPLINK FRONT AND POWERLINK REAR, 700X25C, FOLDING
CRANKS	SRAM S951 CARBON, BB30, 50/34
DERAILLEURS	SRAM RED

EXPOSED CARBON W/ FINE SILVER, MAGNESIUM WHITE, MATTE (BBQ)

SHIFTERS	SRAM RED DOUBLETAP
BRAKES	SRAM RED
SIZES	48, 51, 54, 56, 58, 61 CM



SYNAPSE HI-MOD 3 ULTEGRA

FRAME	SYNAPSE HI-MOD FULL CARBON, SAVE PLUS
FORK	SYNAPSE SAVE PLUS, HI-MOD FULL CARBON
WHEELS	MAVIC KSYRIUM EQUIPE S WTS

MAGNESIUM, WHITE W/ JET BLACK AND ULTRA BLUE ACCENTS, GLOSS (BLU)

TIRES	MAVIC WTS 700X25C
CRANKS	FSA SL-K LIGHT CARBON BB30, 50/34 (OPTION: 52/39/30)
DERAILLEURS	SHIMANO ULTEGRA 6700

EXPOSED CARBON W/ FINE SILVER, MAGNESIUM WHITE, MATTE (BBQ)

SHIFTERS	SHIMANO ULTEGRA 6700
BRAKES	SHIMANO ULTEGRA 6700
SIZES	48, 51, 54, 56, 58, 61 CM



SYNAPSE CARBON 3 ULTEGRA

FRAME	SYNAPSE, FULL CARBON, SAVE PLUS
FORK	SYNAPSE SAVE PLUS, FULL CARBON
WHEELS	MAVIC AKSIUM WTS

EXPOSED CARBON W/ 40 BLUE AND RACE RED ACCENTS, GLOSS (BLU)

TIRES	MAVIC AKSION, 700X25C, FOLDING
CRANKS	FSA SL-K LIGHT CARBON BB30, 50/34 (OPTION: 52/39/30)
DERAILLEURS	SHIMANO ULTEGRA 6700

MAGNESIUM WHITE W/ JET BLACK, GLOSS (WHT)

SHIFTERS	SHIMANO ULTEGRA 6700
BRAKES	SHIMANO ULTEGRA 6700
SIZES	48, 51, 54, 56, 58, 61 CM

➢ “Dai ciottolati del Belgio alle Gran Fondo italiane per tutto quello che c’è mezzo, la Synapse Carbon è fatta per quei ciclisti che cercano l’equilibrio tra performance aggressive e confort.”





CRANK
OPTION

SYNAPSE CARBON 5 105

FRAME	SYNAPSE, FULL CARBON, SAVE PLUS
FORK	SYNAPSE SAVE PLUS, FULL CARBON
WHEELS	SHIMANO RS-10

JET BLACK W/ MAGNESIUM WHITE AND CHARCOAL GRAY ACCENTS, MATTE (BBQ)
TIRES SCHWALBE LUGANO, 700X25C, FOLDING
CRANKS FSA GOSSAMER PRO, BB30, 50/34 (OPTION: 50/39/30)
DERAILLEURS SHIMANO 105 5700

EXPOSED CARBON W/ STEALTH GRAY AND ULTRA BLUE ACCENTS, GLOSS (BLU)
SHIFTERS SHIMANO 105 5700
BRAKES SHIMANO 105 5700
SIZES 48, 51, 54, 56, 58, 61 CM



SYNAPSE CARBON 6 TIAGRA

FRAME	SYNAPSE, FULL CARBON, SAVE PLUS
FORK	SYNAPSE SAVE, CARBON BLADES
WHEELS	SHIMANO R501

TIRES SCHWALBE LUGANO, 700X25C
CRANKS FSA OMEGA, BB30, 50/34
DERAILLEURS SHIMANO TIAGRA 4600

JET BLACK W/ BERSERKER GREEN AND MAGNESIUM WHITE ACCENTS, GLOSS (GRN)
SHIFTERS SHIMANO TIAGRA 4600
BRAKES SHIMANO TIAGRA 4600
SIZES 48, 51, 54, 56, 58, 61 CM



SYNAPSE ALLOY 105

FRAME	SYNAPSE ALLOY, OPTIMIZED 6061 ALLOY, SAVE PLUS, BB30
FORK	SYNAPSE SAVE, CARBON BLADES
WHEELS	SHIMANO RS10

TIRES	SCHWALBE LUGANO, 700X25C
CRANKS	FSA GOSSAMER, BB30, 50/39/30
DERAILLEURS	SHIMANO 105 5700

MAGNESIUM WHITE, GLOSS (WHT)

SHIFTERS	SHIMANO 105 5700
BRAKES	SHIMANO BR-560, DUAL PIVOT, LONG REACH
SIZES	48, 51, 54, 56, 58, 61 CM



SYNAPSE ALLOY TIAGRA

FRAME	SYNAPSE ALLOY, OPTIMIZED 6061 ALLOY, SAVE PLUS, BB30
FORK	SYNAPSE SAVE, CARBON BLADES
WHEELS	MADDUX RS 3.0, 32 HOLE W/ C4 HUBS

TIRES	SCHWALBE LUGANO, 700X25C
CRANKS	FSA OMEGA, BB30, 50/39/30
DERAILLEURS	SHIMANO TIAGRA 4600




JET BLACK, MATTE (BBQ)

SHIFTERS	SHIMANO TIAGRA 4600
BRAKES	SHIMANO BR-451, DUAL PIVOT, LONG REACH
SIZES	48, 51, 54, 56, 58, 61 CM

SLICE RS

>STRETTO È AERO – NARROW IS AERO™

La Slice RS è l'arma definitiva nella gara contro il tempo. Ogni dettaglio della bicicletta, dalla forcella radicale senza tubo di sterzo ai freni aerodinamici fino al tubo reggisella ultra minimalista, è studiato per essere il più sottile possibile, riducendo la resistenza e consentendo a bicicletta e rider di fendere morbidiamente l'aria. Aggiungete caratteristiche come il nostro sistema anti vibrazioni AERO SAVE, il nostro sistema di adattamento modulare CFit e avrete una macchina che taglia il tempo, confortevole come è la aero.



>STRETTO È AERO – NARROW IS AERO™

La forcella del tubo di sterzo esterno e il tubo reggisella Naero-Tec aiutano la Slice RS a opporre al vento un'area frontale di dimensione assolutamente minima. La struttura è anche estremamente rigida, per una precisione di manovrabilità senza eguali.

>FRENI A CONO DI SVENTAMENTO

I freni integrati sono nascosti nel cono di sventramento della forcella e del movimento centrale. La struttura modificata dei freni a V è semplice da regolare e offre tonnellate di potenza frenante.

>SISTEMA ANTI VIBRAZIONE AERO SAVE / WINDTUNNEL

La stratificazione del carbonio e le forme angolate dei foderi alti AERO SAVE interagiscono con i foderi bassi Naero Plane per assorbire gli urti, riducendo l'affaticamento e ottimizzando il controllo. Il canale WindTunnel dietro al tubo verticale riduce la resistenza aerodinamica da pressione causata dall'aria che si ferma tra la ruota in movimento e il telaio.



SLICE RS BLACK EDITION

FRAME	SLICE RS, FULL CARBON, AERO SAVE, NAERO-TEC
FORK	SLICE RS NAERO-TEC CARBON W/ INTEGRATED EXTERNAL STEERER
WHEELS	ZIPP 808 FIRECREST TUBULAR

TIRES	SCHWALBE ULTREMO HT TUBULAR 700X22C
CRANKS	CANNONDALE HOLLOWGRAM SISL2, AERO SPIDER, 54/42
DERAILLEURS	SRAM RED

NEARLY BLACK W/ BERSERKER GREEN, MATTE (BLE)

SHIFTERS	SRAM RED
BRAKES	CANNONDALE NAERO-TEC INTEGRATED MINI-V, CARBON ARMS
SIZES	50,52,54,56,58 CM



SLICE RS ULTEGRA DI2

FRAME	SLICE RS, FULL CARBON, AERO SAVE, NAERO-TEC
FORK	SLICE RS NAERO-TEC CARBON W/ INTEGRATED EXTERNAL STEERER
WHEELS	VISION TRIMAX T42

TIRES	SCHWALBE ULTREMO ZX 700X23C
CRANKS	FSA TRIMAX CARBON RINGS, BB30
DERAILLEURS	SHIMANO ULTEGRA DI2

MAGNESIUM WHITE W/ JET BLACK AND RACE RED, GLOSS (WHT)

SHIFTERS	SHIMANO ULTEGRA DI2
BRAKES	CANNONDALE NAERO-TEC INTEGRATED MINI-V
SIZES	50,52,54,56,58 CM



SLICE RS ULTEGRA

FRAME	SLICE RS, FULL CARBON, AERO SAVE, NAERO-TEC
FORK	SLICE RS NAERO-TEC CARBON W/ INTEGRATED EXTERNAL STEERER
WHEELS	MAVIC COSMIC ELITE

TIRES	SCHWALBE DURANO S, 700X23C, FOLDING
CRANKS	FSA TRIMAX ALLOY RINGS, BB30
DERAILLEURS	SHIMANO ULTEGRA 6700

MAGNESIUM WHITE W/ JET BLACK AND RACE RED, GLOSS (WHT)

SHIFTERS	SHIMANO DURA-ACE, BAR-END
BRAKES	CANNONDALE NAERO-TEC INTEGRATED MINI-V
SIZES	50,52,54,56,58 CM



SLICE HI-MOD RED

FRAME	SLICE, HI-MOD CARBON, AERO SAVE
FORK	SLICE AERO, HI-MOD CARBON
WHEELS	FULCRUM RACING 7

TIRES	SCHWALBE DURANO S, 700X23C, FOLDING
CRANKS	NEW CANNONDALE HOLLOWGRAM SI, FSA CHAINRINGS, 53/39T
DERAILLEURS	SRAM RED

MARINER BLUE W/ RACE RED AND 40 BLUE ACCENTS, GLOSS (BLU)

SHIFTERS	SRAM TT 900 CARBON
BRAKES	MAGURA RT-6 TT HYDRAULIC CALIPER
SIZES	51, 54, 56, 58, 60 CM





SLICE ULTEGRA

FRAME	SLICE, FULL CARBON, AERO SAVE
FORK	SLICE AERO, FULL CARBON
WHEELS	FULCRUM RACING 7

TIRES	SCHWALBE LUGANO, 700X23C, FOLDING
CRANKS	FSA GOSSAMER TT, BB30, 52/38
DERAILLEURS	SHIMANO ULTEGRA 6700

MAGNESIUM WHITE W/ PROCESS CYAN, GLOSS (WHT)

SHIFTERS	SHIMANO DURA-ACE, BAR-END
BRAKES	SHIMANO ULTEGRA 6700
SIZES	51, 54, 56, 58, 60 CM



SLICE 105

FRAME	SLICE, FULL CARBON, AERO SAVE
FORK	SLICE AERO, FULL CARBON
WHEELS	SHIMANO RS-10

TIRES	SCHWALBE LUGANO, 700X23C
CRANKS	FSA GOSSAMER PRO, BB30, 53/39
DERAILLEURS	SHIMANO 105 5700

JET BLACK W/ CHARCOAL GRAY, MATTE (BBQ)

SHIFTERS	MICROSHIFT BAR-END
BRAKES	SHIMANO 105 5700
SIZES	51, 54, 56, 58, 60 CM

SUPERX

>SEMPLICEMENTE LA MACCHINA DA CYCLOCROSS PIÙ AVANZATA AL MONDO.

La SuperX è più leggera della maggior parte delle road bike, ineguagliata nel rapporto rigidità-peso e più fluida di una birra belga. Nulla accelera più rapidamente, curva con maggiore durezza o è più facile da caricare in spalla della SuperX – l'arma da gara definitiva per quelli che vivono per combattere nel glorioso fango ghiacciato del cyclocross.



SUPERX HI-MOD DISC

FRAME	SUPERX DISC, BALLISTEC HI-MOD CARBON, SPEED SAVE
FORK	SUPERX, BALLISTEC HI-MOD CARBON
WHEELS	STANS ALPHA 340 DISC, TUBELESS, 24H FRONT, 28H REAR

TIRES	SCHWALBE RACING RALPH 700X33C
CRANKS	FSA SL-K LIGHT CARBON BB30, 46/36
DERAILLEURS	SRAM RED

JET BLACK W/ BERSERKER GREEN (GLOSS) (GRN)	SHIFTERS	SRAM RED DOUBLETAP
BRAKES	AVID BB7 ULTIMATE	
SIZES	44, 48, 52, 54, 56, 58 CM	

>BALLISTEC CARBON

La nostra struttura in carbonio ad alta resistenza e ad alto impatto prova che i telai in carbonio possono essere sia ultraleggeri che super-duraturi. SuperX è disponibile sia nell'opzione in carbonio BallisTec ad alto modulo di una leggerezza pazzesca, che nella versione leggera standard semplicemente straordinaria.

>TECNOLOGIA DI SOPPRESSIONE DELLE VIBRAZIONI SPEED SAVE

Sezioni trasversali appiattite e una sofisticata stratificazione del carbonio consentono alle caratteristiche SPEED SAVE di agire come un sistema di micro-sospensione, deflettendo verticalmente per assorbire gli urti e le vibrazioni del fondo stradale, pur rimanendo estremamente rigide lateralmente per il trasferimento della forza e per manovre sicure in curva.

>FRENI A DISCO

Per la prima volta l'eccezionale performance della SuperX nel ciclocross sarà disponibile con potenza d'arresto in qualsiasi condizione meteo, espulsione del fango e modulazione controllata dei freni a disco.



SUPERX HI-MOD DI2 ULTEGRA

FRAME	SUPERX, DI2 SPECIFIC, BALLISTEC HI-MOD CARBON, SPEED SAVE
FORK	SUPERX, BALLISTEC HI-MOD CARBON
WHEELS	SHIMANO ULTEGRA 6700 TUBELESS

JET BLACK W/ BERSERKER GREEN, GLOSS (GRN)

TIRES	SCHWALBE RACING RALPH 700X33C
CRANKS	FSA SL-K LIGHT CARBON BB30, 46/36
DERAILLEURS	SHIMANO ULTEGRA DI2

SHIFTERS	SHIMANO ULTEGRA DI2
BRAKES	TRP EURO-X ALLOY
SIZES	44, 48, 52, 54, 56, 58 CM



SUPERX ULTEGRA

FRAME	SUPERX, BALLISTEC CARBON, SPEED SAVE
FORK	SUPERX, BALLISTEC CARBON
WHEELS	MAVIC KSYRIUM EQUIPE

MAGNESIUM WHITE W/ JET BLACK, GLOSS (WHT)

TIRES	SCHWALBE RAPID ROB, 700X35C
CRANKS	FSA GOSSAMER PRO, BB30, 46/36
DERAILLEURS	SHIMANO ULTEGRA 6700

SHIFTERS	SHIMANO ULTEGRA 6700
BRAKES	TRP EURO-X ALLOY
SIZES	44, 48, 52, 54, 56, 58 CM

› TIM JOHNSON

“È una bici innovativa che fa uscire le bici da cross dagli anni '60. La SuperX Disc sposa le migliori tecnologie del carbonio con il cyclocross. Con i freni a disco è una leggera, veloce e rigida macchina per vincere”.



SUPERX RIVAL

FRAME	SUPERX, BALLISTEC CARBON, SPEED SAVE
FORK	SUPERX, BALLISTEC CARBON
WHEELS	FULCRUM RACING 7 CX

TIRES	SCHWALBE RAPID ROB, 700X35C
CRANKS	FSA GOSSAMER PRO, BB30, 46/36
DERAILLEURS	SRAM RIVAL

MAGNESIUM WHITE W/ JET BLACK, GLOSS (WHT)

SHIFTERS	SRAM RIVAL DOUBLETAP
BRAKES	TRP EURO-X ALLOY
SIZES	44, 48, 52, 54, 56, 58 CM



CAADX DISC ULTEGRA

FRAME	CAADX CYCLOCROSS DISC, OPTIMIZED 6061 ALLOY, BB30
FORK	CANNONDALE ULTRA X, CARBON BLADES
WHEELS	MADDUX CX 2.0 DISC W/ FORMULA HUBS

TIRES	SCHWALBE SAMMY SLICK, 700X35C
CRANKS	FSA GOSSAMER PRO, BB30, 46/36
DERAILLEURS	SHIMANO ULTEGRA 6700

BLACK ANODIZED (BLA)

SHIFTERS	SHIMANO ULTEGRA 6700
BRAKES	CANNONDALE MB700T DISC
SIZES	44, 48, 51, 54, 56, 58, 61 CM





CAADX 105

FRAME	CAADX CYCLOCROSS, OPTIMIZED 6061 ALLOY, BB30
FORK	CANNONDALE ULTRA X, CARBON BLADES
WHEELS	MADDUX DRX 6000, 32 HOLE W/ FORMULA HUBS

TIRES	SCHWALBE SAMMY SLICK, 700X35C
CRANKS	FSA GOSSAMER, BB30, 46/36
DERAILLEURS	SHIMANO 105 5700

BRUSHED ALUMINUM, GLOSS (RAW)

SHIFTERS	SHIMANO 105 5700
BRAKES	TEKTRO CR710
SIZES	44, 48, 51, 54, 56, 58, 61 CM



CAADX TIAGRA

FRAME	CAADX CYCLOCROSS, OPTIMIZED 6061 ALLOY, BB30
FORK	CANNONDALE ULTRA X, CARBON BLADES
WHEELS	MADDUX DRX 6000, 32 HOLE W/ C4 HUBS

TIRES	SCHWALBE SAMMY SLICK, 700X35C
CRANKS	FSA OMEGA BB30, 46/36
DERAILLEURS	SHIMANO TIAGRA 4600


JET BLACK, MATTE (BBQ)

SHIFTERS	SHIMANO TIAGRA 4600
BRAKES	TEKTRO CR520
SIZES	44, 48, 51, 54, 56, 58, 61 CM

URBAN

CANNONDALE RECREATION / URBAN

La nostra passione è creare l'assetto di guida perfetto per ogni tipo di rider. Le prestazioni elevate, le caratteristiche di adattamento e lo stile delle nostre biciclette Recreation e Urban vi saranno di ispirazione per restare più in forma, muoversi tra casa a lavoro e passare più tempo sulle due ruote.



> E-SERIES

E-SERIES WOMEN'S

E-SERIES MEN'S

> STREET

BAD BOY

BAD GIRL

HOOLIGAN

> RECREATION

QUICK SPEED

QUICK CX

TESORO

E-SERIES / E-SERIES WOMEN'S: Velocità resa davvero semplice. La popolare soluzione di mobilità urbana elettrica.

BAD BOY / BAD GIRL: Trasporto urbano sobrio, stiloso, high-tech.

HOOLIGAN: Un modo divertente, «funky» e funzionale per muoversi in città.

QUICK SPEED / QUICK SPEED WOMEN'S: La velocità e l'agilità di una bici da strada con il comfort di una posizione sportiva verticale.

QUICK CX / QUICK CX MIXTE: L'efficienza su strada incontra la resistenza off-road per adventuring, guida su fondi misti e commuting.

TESORO: Super commuter a pieno carico.



E-SERIES

› PURA EFFICIENZA.

Intuitiva, potente e facile, la E-Series è progettata per chiunque si concentri sulle prestazioni. Dotata della coppia motrice migliore in assoluto, di un'erogazione ultra-morbida, di un peso straordinariamente leggero e di una impareggiabile System Integration, la E-Series di Cannondale preannuncia una nuova era del ciclismo.



E-SERIES WOMEN'S ALFINE 8

FRAME	E-SERIES SI HEADSHOK, WOMEN'S SPECIFIC W/ INTEGRATED RACK
FORK	HEADSHOK FATTY DL50, 50MM W/LOCKOUT, (DL50 XL FOR SIZE 50, 55)
TIRES	SCHWALBE MARATHON SUPREME 700X35C

JET BLACK, MATTE (BBQ)

CRANKS	FSA METROPOLIS, BOSCH SPECIFIC
DERAILLEURS R/F	N/A
SHIFTERS	SHIMANO ALFINE 8

MAGNESIUM WHITE, GLOSS (WHT)

HANDLEBAR/STEM	CANNONDALE TREKKING / C3 ADJUSTABLE
BRAKES	MAGURA MT2 HYDRAULIC DISC, 160/160MM
SIZES	45, 50, 55

› MAESTRIA CANNONDALE CON L'ALLUMINIO


La leggendaria maestria Cannondale con l'alluminio. Saldature estremamente lisce, attacchi interni conici e lineari, tubi idroformati e l'innovativo puntone del portapacchi del tubo verticale suddiviso con instradamento interno dei cavi contraddistinguono la E-Series.

› PORTAPACCHI/SUPPORTO BATTERIA INTEGRATO

Il portapacchi dai colori abbinati visivamente elegante e lineare integra il supporto della batteria con cavi nascosti, parafango/supporto luci e pompa. Stabile, sicuro e comodo.

› LUCCHETTO BLOCCA - RUOTA POSTERIORE INTEGRATO E SI KICKSTAND

Facile da usare, il blocco ruote posteriore di colore abbinato utilizza la stessa chiave del blocco batteria. Così semplice, pulito e sicuro quando si lascia la bicicletta incustodita. Il Si Kickstand integrato montato posteriormente è stabile, visivamente e funzionalmente integrato: un dettaglio innovativo.



> SISTEMA DI TRASMISSIONE BOSCH A INSTALLAZIONE CENTRALE

Cannondale ha collaborato con Bosch per un periodo di oltre due anni per sviluppare questo rivoluzionario sistema di trasmissione. Il design con installazione centrale assicura una distribuzione ottimale del peso, la massima efficienza e la migliore coppia in assoluto. I sensori misurano richiesta e velocità duecento volte al secondo per garantire che la potenza venga erogata con una morbidezza perfetta in tutte le situazioni.

> COMANDI SEMPLICI E INTUITIVI

Il sistema offre quattro diversi livelli di assistenza, ECO, Tour, SPORT e SPEED per adattarsi alle tue esigenze in sella. I comandi montati al manubrio ti consentono di passare facilmente da una modalità all'altra, senza dover spostare le mani.

> PRESTAZIONI MIGLIORI GRAZIE ALLA SYSTEM INTEGRATION

La nostra forcella integrata HeadShok DL50 è ultraleggera e scorre su cuscinetti ad aghi per una morbidezza e una precisione di sterzo impareggiabili. La batteria a rilascio rapido si integra senza soluzione di continuità nel portapacchi posteriore, per un aspetto sobrio ed elegante.



E-SERIES MEN'S ALFINE 8

FRAME	E-SERIES SI HEADSHOK, MEN'S SPECIFIC W/ INTEGRATED RACK
FORK	HEADSHOK FATTY DL50, 50MM W/LOCKOUT, (DL50 XL FOR SIZE 55, 60)
TIRES	SCHWALBE MARATHON SUPREME 700X35C

CRANKS	FSA METROPOLIS, BOSCH SPECIFIC
DERAILLEURS R/F	N/A
SHIFTERS	SHIMANO ALFINE 8

JET BLACK, MATTE (BBQ)

HANDLEBAR/STEM	CANNONDALE TREKKING / C3 ADJUSTABLE
BRAKES	MAGURA MT2 HYDRAULIC DISC, 160/160MM
SIZES	50, 55, 60



E-SERIES MEN'S

FRAME	E-SERIES SI HEADSHOK, MEN'S W/ INTEGRATED RACK
FORK	HEADSHOK FATTY DL50, 50MM W/LOCKOUT
TIRES	SCHWALBE MARATHON SUPREME 700X35C

CRANKS	FSA METROPOLIS, BOSCH SPECIFIC
DERAILLEURS R/F	SHIMANO SLX / N/A
SHIFTERS	SHIMANO DEORE

JET BLACK, MATTE (BBQ)

HANDLEBAR/STEM	CANNONDALE TREKKING / C3 ADJUSTABLE
BRAKES	MAGURA MT2 HYDRAULIC DISC, 160/160MM
SIZES	50, 55, 60



E-SERIES WOMEN'S

FRAME	E-SERIES SI HEADSHOK, WOMEN'S W/ INTEGRATED RACK
FORK	HEADSHOK FATTY DL50, 50MM W/LOCKOUT
TIRES	SCHWALBE MARATHON SUPREME 700X35C

MAGNESIUM WHITE, GLOSS (WHT)

CRANKS	FSA METROPOLIS, BOSCH SPECIFIC
DERAILLEURS R/F	SHIMANO SLX / N/A
SHIFTERS	SHIMANO DEORE

JET BLACK, MATTE (BBQ)

HANDLEBAR/STEM	CANNONDALE TREKKING / C3 ADJUSTABLE
BRAKES	MAGURA MT2 HYDRAULIC DISC, 160/160MM
SIZES	45, 50, 55

> CANNONDALE E-SERIES.


E-Bike dell'anno 2012.



BAD BOY

>URBANE LEGENDE.

Come un caccia stealth con ruote 700c, la Bad Boy è un modo rapido, stilosso, funzionale e high-tech per spostarsi in città. Più veloce della metropolitana, più trendy di un taxi, Bad Boy aggiunge un pizzico di brivido anticonformista a ogni spostamento urbano.



>OPZIONI FORCELLA UNICHE

La HeadShok Solo DL50, dal look radicale, leggerissima e monofodero, offre 50 mm di corsa fluida, smorzamento idraulico e un comodo bloccaggio, mentre le forcelle rigide non-suspension Solo o Fatty sono superleggere e precise.

>GEOMETRIA SU MISURA

Non sorprende quindi che, nella sua geometria urbana, Bad Boy abbia un'inclinazione un po' più aggressiva della media. La sua posizione e i suoi angoli forniscono una rapida reattività, mantenendo una buona visibilità al rider nel traffico.

>FODERI BASSI SAVE

I foderi bassi dalla forma ottimizzata aggiungono l'assorbimento verticale degli urti e comfort senza compromettere il trasferimento della forza.



BAD BOY O ALFINE 11

FRAME BAD BOY STEALTH, HEADSHOK, EBB

FORK HEADSHOK SOLO DL50, 50MM W/LOCKOUT, OPI

TIRES SCHWALBE KOJAK RACE GUARD, 700X28C

CRANKS TRUVATIV FIREX, 42T

DERAILLEURS R/F N/A

SHIFTERS SHIMANO ALFINE 11 RAPIDFIRE PLUS

BLACK ANODIZED W/REFLECTIVE DECALS, MATTE (BBQ)

HANDLEBAR/STEM URBAN OPI STEM/HANDLEBAR W/ SI LIGHT

BRAKES MAGURA MT2 HYDRAULIC DISC

SIZES S, M, L, X



BAD BOY 2 SLX

FRAME	BAD BOY STEALTH, HEADSHOK, OPTIMIZED 6061 ALLOY
FORK	HEADSHOK FATTY DL50, 50MM W/LOCKOUT, OPI
TIRES	SCHWALBE KOJAK RACE GUARD, 700X28C

CRANKS	SHIMANO DEORE, 42/32/24
DERAILLEURS R/F	SHIMANO SLX / DEORE
SHIFTERS	SHIMANO DEORE

BLACK ANODIZED W/REFLECTIVE DECALS, MATTE (BBQ)

HANDLEBAR/STEM	URBAN OPI STEM/HANDLEBAR W/ SI LIGHT
BRAKES	MAGURA MT2 HYDRAULIC DISC
SIZES	S, M, L, X



BAD BOY 4 DEORE

FRAME	BAD BOY, 1.5" HT, OPTIMIZED 6061 ALLOY
FORK	CANNONDALE FATTY RIGID OPI, 1.5"
TIRES	SCHWALBE KOJAK RACE GUARD, 700X28C

CRANKS	SHIMANO DEORE, 48/36/26
DERAILLEURS R/F	SHIMANO SLX / DEORE
SHIFTERS	SHIMANO DEORE

JET BLACK W/REFLECTIVE DECALS, MATTE (BBQ)

HANDLEBAR/STEM	URBAN OPI STEM/HANDLEBAR W/ SI LIGHT
BRAKES	MAGURA MT2 HYDRAULIC DISC
SIZES	S, M, L, X



BAD BOY 6 ALIVIO

FRAME BAD BOY, OPTIMIZED 6061 ALLOY

FORK "CANNONDALE FATTY RIGID, 26"

TIRES SCHWALBE KOJAK RACE GUARD, 700X28C

CRANKS SHIMANO M431, BAD BOY, 48/36/26

DERAILLEURS R/F SHIMANO DEORE / ACERA

SHIFTERS SHIMANO ACERA

JET BLACK W/REFLECTIVE DECALS, MATTE (BBQ)

HANDLEBAR/STEM CANNONDALE C4

BRAKES SHIMANO M395 HYDRAULIC DISC

SIZES S, M, L, X

➤ “Molto di più che una semplice urban-bike, la Badboy è una urban-legend.”





BAD BOY 7 26"

FRAME	"BAD BOY 26\"", OPTIMIZED 6061 ALLOY
FORK	"CANNONDALE FATTY RIGID, 26"
TIRES	"SCHWALBE KOJAK RACE GUARD, 26X2.0"

CRANKS	SHIMANO ACERA 48/36/26
DERAILLEURS R/F	SHIMANO ACERA
SHIFTERS	SHIMANO ACERA

JET BLACK W/REFLECTIVE DECALS, MATTE (BBQ)

HANDLEBAR/STEM	CANNONDALE C4
BRAKES	CANNONDALE C4 V-BRAKE
SIZES	S, M, L, X



BAD GIRL 2

FRAME	BAD GIRL, OPTIMIZED 6061 ALLOY
FORK	CANNONDALE FATTY RIGID
TIRES	FREEDOM THICK SLICK, 700X28C

CRANKS	FSA VERO SINGLE SPEED, 42
DERAILLEURS R/F	SHIMANO DEORE / N/A
SHIFTERS	SHIMANO DEORE

JET BLACK W/REFLECTIVE DECALS, MATTE (BBQ)

HANDLEBAR/STEM	CANNONDALE C3
BRAKES	CANNONDALE HELIX 6 HYDRAULIC DISC, 160/160MM
SIZES	S, T



“Alla moda, funzionale e veloce, la BadGirl è una vetrina di rapida tecnologia e design affilato che si fa notare ovunque.”



Hooligan 1

FRAME	NEW HOOLIGAN DELTA V, URBAN COMPACT, 20" WHEEL
SUSPENSION, R/F	CANNONDALE SOLO RIGID, OPI, 1.5"
WHEELS	KENDA QUEST, 20 X 1.5"

CRANKS	FSA VERO, SINGLE RING, DUAL ALLOY CHAINGUARD, 48T
DERAILLEURS, R/F	N/A
SHIFTERS	SHIMANO NEXUS REVO 3-SPEED

JET BLACK, MATTE (BBQ)

BRAKES	CANNONDALE URBAN / C3 ADJUSTABLE
TIRES	SHIMANO M375 MECHANICAL DISC, 160/160MM
SIZES	ONE SIZE

QUICK SPEED

> CONFORTEVOLMENTE VELOCE.

Seguendo il percorso del tour attraverso i Pirenei o passando da un caffè all'altro sulla Costiera Amalfitana, lasciate che i chilometri scorrono via mentre vi godete il panorama. La Quick SPEED coniuga la velocità e l'agilità di una bici da strada con una posizione eretta sportiva e la versatilità degli pneumatici 700x28c. Se un «credit card tour» è la vostra idea di vacanza alla grande, o semplicemente al mattino vi piace prendere la strada più lunga per andare al lavoro, la Quick Speed è una compagna perfetta.



> GEOMETRIA SU MISURA DEL RIDER: QUICK

Per le Quick "geometria su misura del rider" significa equilibrio tra una posizione sportiva ed efficiente e la comodità e il comfort della guida ad assetto rialzato.

> FORCELLE SU MISURA

Ogni Quick è abbinata a una forcella Cannondale specificamente progettata per il telaio, per un look inimitabile e un'eccezionale guidabilità.

> CARATTERISTICHE DI COMFORT

Tutte le Quick hanno caratteristiche SAVE nel triangolo posteriore per assorbire gli urti, pedali piani soft-grip e manopole e sella ergonomiche per il massimo comfort.



QUICK SPEED 1 CARBON

FRAME QUICK FULL CARBON, W/ SAW FEATURES

FORK QUICK FULL CARBON SI

TIRES SCHWALBE MARATHON SUPREME, 700X28C

CRANKS FSA SL-K, BB30, 50/34

DERAILLEURS R/F SHIMANO ULTEGRA

SHIFTERS SHIMANO RL-770

BLACK CARBON (MATTE)

HANDLEBAR/STEM CANNONDALE C2

BRAKES TEKTRO TRP CX9

SIZES 46, 51, 57



QUICK SPEED 2 105/WOMEN'S

FRAME	QUICK SL, OPTIMIZED 6061 ALLOY, SAVE
FORK	QUICK SI, CARBON BLADES, W/ LOW RIDER MOUNTS
TIRES	SCHWALBE MARATHON SUPREME, 700X28C

BRUSHED ALUMINUM, GLOSS (RAW)

CRANKS SHIMANO 105 5700, 50/34

DERAILLEURS R/F SHIMANO 105 5700

SHIFTERS SHIMANO TIAGRA 4600 FLATBAR

BRUSHED ALUMINUM, GLOSS (RAW) WOMEN'S

HANDLEBAR/STEM CANNONDALE C2 / C3

BRAKES CANNONDALE C2 MINI V, CARTRIDGE PADS

SIZES MEN'S: 48, 52, 56, 60 CM / WOMEN'S 42, 46, 52 CM



QUICK SPEED 3 NEXUS/WOMEN'S

FRAME	QUICK SL, EBB, OPTIMIZED 6061 ALLOY
FORK	QUICK SI, CARBON BLADES, W/ LOW RIDER MOUNTS
TIRES	SCHWALBE MARATHON SUPREME, 700X28C

CHARCOAL GREY, MATTE (GRY)

CRANKS TRUVATIV FIREX 1.1G, 42T

DERAILLEURS R/F N/A

SHIFTERS SHIMANO NEXUS 8-SPEED

JET BLACK GLOSS, GLOSS (BLK) WOMEN'S

HANDLEBAR/STEM CANNONDALE C3 / FSA VARIUS ADJUSTABLE

BRAKES CANNONDALE C2 MINI V, CARTRIDGE PADS

SIZES MEN'S: 48, 52, 56, 60 CM / WOMEN'S 42, 46, 52 CM



QUICK SPEED 4 TIAGRA/WOMEN'S

FRAME	QUICK SL, OPTIMIZED 6061 ALLOY, SAVE
FORK	QUICK SI, CARBON BLADES, W/ LOW RIDER MOUNTS
TIRES	SCHWALBE MARATHON SUPREME, 700X28C

JET BLACK, MATTE (BBQ)

CRANKS SHIMANO TIAGRA, 50/34

DERAILLEURS R/F SHIMANO TIAGRA

SHIFTERS SHIMANO TIAGRA 4600 FLATBAR

MAGNESIUM WHITE, GLOSS (WHT) WOMEN'S

HANDLEBAR/STEM CANNONDALE C3

BRAKES CANNONDALE C2 MINI V, CARTRIDGE PADS

SIZES MEN'S: 48, 52, 56, 60 CM / WOMEN'S 42, 46, 52 CM





QUICK CX 1

FRAME	QUICK CX, OPTIMIZED 6061 ALLOY, SAVE, HEADSHOK
FORK	HEADSHOK FATTY DL50, 50MM W/LOCKOUT, OPI
TIRES	SCHWALBE SAMMY SLICK, 700X35C

BRUSHED ALUMINUM, GLOSS (RAW)

CRANKS	SHIMANO SLX, 42/32/22
DERAILLEURS R/F	SHIMANO XT / SLX
SHIFTERS	SHIMANO SLX

BRUSHED ALUMINUM, GLOSS (RAW) MIXTE

HANDLEBAR/STEM	CANNONDALE C3
BRAKES	MAGURA MT4 HYDRAULIC DISC
SIZES	MEN'S: 48, 52, 56, 60 CM / MIXTE: 48, 53, 55



QUICK CX 2/MIXTE

FRAME	QUICK CX, OPTIMIZED 6061 ALLOY, SAVE
FORK	RST NEON PLS 1.5" TNL, 50MM W/LOCKOUT
TIRES	SCHWALBE SAMMY SLICK, 700X35C

MAGNESIUM WHITE, GLOSS (WHT)

CRANKS	SHIMANO DEORE M591, 48/36/26
DERAILLEURS R/F	SHIMANO SLX / DEORE
SHIFTERS	SHIMANO DEORE

MAGNESIUM WHITE, GLOSS (WHT) MIXTE

HANDLEBAR/STEM	CANNONDALE C4
BRAKES	MAGURA MT2 HYDRAULIC DISC
SIZES	MEN'S: 48, 52, 56, 60 CM / MIXTE: 48, 53, 55



QUICK CX 3/MIXTE

FRAME	QUICK CX, OPTIMIZED 6061 ALLOY, SAVE
FORK	RST NEON PLS 1.5" MNL, 50MM W/LOCKOUT
TIRES	SCHWALBE SAMMY SLICK, 700X35C

JET BLACK, MATTE (BBQ)

CRANKS	SHIMANO ACERA M391, 48/36/26
DERAILLEURS R/F	SHIMANO DEORE / ACERA
SHIFTERS	SHIMANO ACERA

JET BLACK, MATTE (BBQ) MIXTE

HANDLEBAR/STEM	CANNONDALE C3
BRAKES	TEKTRO 855 V-BRAKE
SIZES	MEN'S: 48, 52, 56, 60 CM / MIXTE: 48, 53, 55



QUICK CX 4/MIXTE

FRAME	QUICK CX RIGID, OPTIMIZED 6061 ALLOY, SAVE
FORK	FATTY RIGID DISC, ALLOY
TIRES	SCHWALBE SAMMY SLICK, 700X35C

STEALTH GREY, MATTE (GRY)

CRANKS	SHIMANO M171 48/38/28
DERAILLEURS R/F	SHIMANO ACERA / ALIVIO
SHIFTERS	SHIMANO ALTUS

STEALTH GREY, MATTE (GRY) MIXTE

HANDLEBAR/STEM	CANNONDALE C4
BRAKES	TEKTRO 855 V-BRAKE
SIZES	MEN'S: 48, 52, 56, 60 CM / MIXTE: 48, 53, 55

TESORO/MIXTE


> PERFORMANCE A PIENO CARICO.

In un mondo pieno di pesanti e lenti cavalli da lavoro urbani, Tesoro è un vivace purosangue. Completamente equipaggiata con parafango, portapacchi, luci e manubrio arretrato, la sensazione di elevata performance e la precisione della manovrabilità di questa super-commuter sono caratteristiche tutte Cannondale.



> PERFETTAMENTE EQUIPAGGIATA

I modelli Tesoro vengono forniti già equipaggiati di parafanghi di categoria premium, portapacchi posteriori, lucchetto alla ruota, affidabili generatori per i fari e cavalletti, per nominare solo alcuni accessori.



> MAESTRIA CANNONDALE CON L'ALLUMINIO

La nostra esperienza trentennale nella lavorazione dell'alluminio è evidente nelle forme eleganti dei tubi e nelle saldature lisce a doppio passaggio della Tesoro.



> COCKPIT CONFORTEVOLI

Un attacco del manubrio facilmente regolabile, e il manubrio ribassato su misura consentono al rider di trovare la "giusta posizione".



TESORO 0 ALFINE 11/MIXTE

FRAME	TESORO SI, HEADSHOK, OPTIMIZED 6061 ALLOY, SAVE, EBB
FORK	HEADSHOK FATTY DL50, 50MM W/LOCKOUT, OPI
TIRES	SCHWALBE MARATHON SUPREME, 700X35C

BRUSHED ALUMINUM, GLOSS (RAW) MIXTE

CRANKS	TRUVATIV FIREX, 42T
DERAILLEURS R/F	N/A
SHIFTERS	SHIMANO ALFINE 11

BRUSHED ALUMINUM, GLOSS (RAW)

HANDLEBAR/STEM	CANNONDALE TREKKING / UP C3 ADJUSTABLE
BRAKES	MAGURA MT2
SIZES	MEN'S: 48, 52, 56, 60 / WOMEN'S 48, 53, 55



TESORO 1/MIXTE

FRAME	TESORO SL, HEADSHOK, OPTIMIZED 6061 ALLOY, SAVE
FORK	HEADSHOK FATTY DL50, 50MM W/LOCKOUT, OPI
TIRES	SCHWALBE MARATHON SUPREME, 700X35C

JET BLACK, GLOSS (BLK)

CRANKS	FSA COMET 46/36/28
DERAILLEURS R/F	SHIMANO XT / SLX
SHIFTERS	SHIMANO SLX

JET BLACK, GLOSS (BLK) MIXTE

HANDLEBAR / STEM	CANNONDALE TREKKING / UP C3 ADJUSTABLE
BRAKES	MAGURA HS11
SIZES	MEN'S: 48, 52, 56, 60 / WOMEN'S 48, 53, 55



TESORO 2/MIXTE

FRAME	TESORO SL, OPTIMIZED 6061 ALLOY, SAVE
FORK	CANNONDALE SI CARBON BLADES
TIRES	SCHWALBE MARATHON SUPREME, 700X35C

CHARCOAL GRAY (GRY)

CRANKS	SHIMANO DEORE
DERAILLEURS R/F	SHIMANO SLX / SLX
SHIFTERS	SHIMANO DEORE

CHARCOAL GRAY (GRY) MIXTE

HANDLEBAR/STEM	CANNONDALE TREKKING / UP C3 ADJUSTABLE
BRAKES	AVID SINGLE DIGIT 5
SIZES	MEN'S: 48, 52, 56, 60 / WOMEN'S 48, 53, 55



TESORO 3/MIXTE

FRAME	TESORO SI, OPTIMIZED 6061 ALLOY, SAVE
FORK	CANNONDALE FATTY RIGID ALLOY
TIRES	SCHWALBE MARATHON SUPREME, 700X35C

FINE SILVER, GLOSS (SLV)

CRANKS SHIMANO ALIVIO

DERAILLEURS R/F SHIMANO ALIVIO / ACERA

SHIFTERS SHIMANO ACERA

FINE SILVER, GLOSS (SLV) MIXTE

HANDLEBAR/STEM CANNONDALE TREKKING / UP C3 ADJUSTABLE

BRAKES AVID SINGLE DIGIT 5

SIZES MEN'S: 48, 52, 56, 60 / WOMEN'S 48, 53, 55





WOMEN'S

I prodotti Cannondale per la donna sono creati per le donne, dalle donne, tutti guidati dalla filosofia per cui tutte le biciclette devono essere una miscela perfetta di adattabilità, caratteristiche tecniche e stile.



> OVERMOUNTAIN

SCARLET

2 bici in una, versatilità all-mountain per rider che pedalano duro.

> CROSS COUNTRY

LEXI

Bici a doppia sospensione agili e leggere per riding veloce su trail e avventure.

> TRAIL HARDTAIL

TRAIL SL 29'ER WOMEN'S

TRAIL SL WOMEN'S

TRAIL WOMEN'S

Mountain bike ad alte prestazioni per un trail riding a 360 gradi e divertimento off-road.



CALZATA: Ogni bici, sia che sia pensata per una racer avanzata oppure per una principiante, dovrebbe essere costruita per quella donna in particolare. Dalla geometria alla gamma dimensionale, il nostro impegno è volto a fornire il migliore adattamento alle donne di qualsiasi statura.

CARATTERISTICHE TECNICHE: Dai manubri più piccoli alle tarature idrauliche specifiche per ogni taglia, il nostro obiettivo è quello di

rendere queste bici utilizzabili così come sono al momento dell'acquisto. Meno interventi di regolazione e sostituzione significa poter uscire a pedalare quanto prima.

STILE: Il nostro team di designer per i prodotti da donna cercano l'ispirazione su più fronti: dai colori della moda ai nostri stessi atleti. Il risultato? Un aspetto grafico che ti invita ad esplorare la vita su due ruote.



> ELITE ROAD

SUPERSIX EVO WOMEN'S

SUPERSIX WOMEN'S

CAAD10 WOMEN'S

Bici da strada ultra-leggere ad alte prestazioni per atlete e donne che pedalano come atlete.

> PERFORMANCE ROAD

SYNAPSE CARBON WOMEN'S

SYNAPSE ALLOY WOMEN'S

Bici da strada ad alte prestazioni orientate al comfort studiate per incoraggiare a passare tempo in sella.

> TRIATHLON/TIME TRIAL

SLICE WOMEN'S



Bici aero leggere e confortevoli per correre contro il tempo.



SCARLET

> GUARDATE RAGAZZI... LA JEKYLL HA UNA SORELLA.

Con la sua doppia escursione OverMountain, capacità di due bici in una la Scarlet è la bike perfetta per la tipa che picchia duro, con la voglia di salire rapidamente e scendere ancora più rapidamente.



> DOPPIO AMMORTIZZATORE DYAD RT2

Due ammortizzatori in uno. ELEVATE - un ammortizzatore cross-country a corsa corta e FLOW - un ammortizzatore DH a corsa lunga, entrambi disponibili muovendo una semplice levetta.

> DOPPIA PERSONALITÀ

Cambia le modalità del DYAD e cambierà anche la geometria della bici. Più ripida e agile in modalità Elevate, più bassa e stabile in modalità Flow, in questo modo si mantiene sempre la migliore manovrabilità per il terreno.

> GEOMETRIA DA DONNA

Concepita per le donne. Taglie più piccole, tubi orizzontali più corti e uno standover maggiore rispetto alla Jekyll.



SCARLET 1

FRAME SCARLET, 150/90MM, SMARTFORMED ALLOY

SUSPENSION, R/F FOX 32 FLOAT CTD 150MM, 15QR / FOX DYAD RT2 150/90MM

WHEELS WTB ST123 W/ FORMULA HUBS

CRANKS SCHWALBE HANS DAMPF, 2.35" TUBELESS READY

DERAILLEURS, R/F SRAM S1000, BB30, 36/22 W/GUARD

SHIFTERS SHIMANO XT SHADOW + / SRAM X7

JET BLACK, MATTE (BBQ)

BRAKES SHIMANO SLX

TIRES MAGURA MT2 W/BAT HYDRAULIC DISC, 180/180MM

SIZES P, S, M

LEXI

>SEMPLICEMENTE GIUSTA.

Con la sua geometria specifica per donna e un raffinato design monocross, la Lexi è una compagna di viaggio a tutto tondo leggera, agile e divertente che offre una performance su trail a tutta birra, che sia in gara o pedalando con le amiche.



LEXI 2

FRAME	LEXI, 120MM, SMARTFORMED ALLOY
SUSPENSION F/R	ROCKSHOX RECON GOLD TK, 120MM / ROCKSHOX MONARCH RL 120MM
WHEELS	MADDUX DC3.0 W/ FORMULA HUBS

TIRES	SCHWALBE RACING RALPH PERFORMANCE, 2.1"
CRANKS	SRAM S1000, BB30, 38/24
DERAILLEUR R/F	SRAM X9 / X7

MAGNESIUM WHITE, GLOSS (WHT)

SHIFTERS	SRAM X7
BRAKES	AVID ELIXIR 3, 180/160MM
SIZES	P,S,M

>SOSPENSIONE SPECIFICA PER TAGLIA

Attacchi ammortizzatore e sospensione specifici per la taglia significa che i rapporti di leva e le prestazioni degli ammortizzatori sono coerenti e precisi per tutte le taglie.

>ALLUMINIO SMARTFORMED

Un insieme di idroformatura, formatura meccanica, spessore variabile, saldature lisce a doppio passaggio e trattamento termico: SmartForming è la struttura in alluminio più avanzata al mondo, per telai più leggeri e più forti.

>TUBO STERZO SI DA 1,5"

Il tubo dello sterzo oversize agisce insieme alle forcelle del canotto sterzo da 1,5" per fornire un treno anteriore forte e super preciso nella sterzata.





TRAIL SL 29 WOMEN'S 2

FRAME TRAIL SL 29'ER, OPTIMIZED 6061 ALLOY, SAVE

SUSPENSION F/R ROCKSHOX RECON SILVER TK 29 80MM, W/ LOCKOUT

WHEELS MADDUX DC3.0 29'ER W/ FORMULA HUBS

TIRES KENDA SMALL BLOCK 8, 2.1"

CRANKS SHIMANO FC-M391-8, 44/32/22

DERAILLEUR R/F SHIMANO DEORE / ALIVIO

MAGNESIUM WHITE, GLOSS (WHT)

SHIFTERS SHIMANO ALIVIO

BRAKES CANNONDALE HELIX 6 HYDRAULIC DISC, 180/160MM

SIZES S,M,T



TRAIL SL 3 WOMEN'S

FRAME TRAIL SL, WOMEN'S, OPTIMIZED 6061 ALLOY, SAVE

SUSPENSION F/R ROCKSHOX XC 30 TK, COIL, 100MM W/ LOCKOUT

WHEELS MADDUX DC3.0 W/ C4 HUBS

TIRES SCHWALBE RAPID ROB 2.1"

CRANKS SHIMANO FC-M430-8, 44/32/22

DERAILLEUR R/F SHIMANO DEORE / ACERA

MAGNESIUM WHITE, GLOSS (WHT)

SHIFTERS SHIMANO ALIVIO

BRAKES SHIMANO BR-M446, 160/160MM

SIZES P,S,M,T



TRAIL SL 4 WOMEN'S

FRAME	TRAIL SL, WOMEN'S, OPTIMIZED 6061 ALLOY, SAVE
SUSPENSION F/R	SR SUNTOUR XCR-LO, COIL, 100MM W/ LOCKOUT
WHEELS	MADDUX DC3.0 W/ C4 HUBS

TIRES	SCHWALBE RAPID ROB 2.1"
CRANKS	SHIMANO FC-M391-8, 44/32/22
DERAILLEUR R/F	SHIMANO ALIVIO / ALTUS

NIAGARA BLUE, GLOSS (BLU)

SHIFTERS	SHIMANO ACERA
BRAKES	CANNONDALE HELIX 6 HYDRAULIC DISC, 160/160MM
SIZES	P,S,M,T



TRAIL SL 5 WOMEN'S

FRAME	TRAIL SL, WOMEN'S, OPTIMIZED 6061 ALLOY, SAVE
SUSPENSION F/R	SR SUNTOUR XCM-HLO, COIL, 100MM W/ LOCKOUT
WHEELS	MADDUX DC3.0 W/ C4 HUBS

TIRES	SCHWALBE RAPID ROB 2.1"
CRANKS	SHIMANO FC-M311-8, 44/32/22
DERAILLEUR R/F	SHIMANO ACERA / ALTUS

JET BLACK, GLOSS (BLK)

SHIFTERS	SHIMANO ALTUS
BRAKES	CANNONDALE HELIX 6 HYDRAULIC DISC, 160/160MM
SIZES	P,S,M,T

SUPERSIX EVO WOMEN'S

› LA MACCHINA DA STRADA DA DONNA PIÙ AVANZATA MAI CREATA.

La “migliore bici al mondo”, ridisegnata specificamente per la donna. Con la sua miscela quasi perfetta di peso estremamente leggero, vivace efficienza, calzata ideale e morbido comfort di guida, la EVO è la macchina definitiva per le racer d’élite (o quelle che vogliono guidare come se lo fossero).

DUE OPZIONI DI TELAIO IN CARBONIO BALLISTEC

› EVO HI-MOD: Il più leggero telaio da corsa da donna al mondo. La struttura in carbonio BallisTec ad alto modulo garantisce leggerezza e rigidità estreme.

› EVO CARBON: La stessa struttura ma con una percentuale superiore di fibra a modulo intermedio. Con un peso inferiore ai 900 grammi, è ancora uno dei telai da donna più leggeri al mondo.



› GEOMETRIA RACING ELITE

Nuova geometria elite women's basata su altezza e lunghezza offre un margine omogeneo tra ciascuna delle 5 taglie disponibili (48-56), assicurando che ciascuna di loro offra la calzata e la manovrabilità ideali.

› SISTEMA DI MICRO-SOSPENSIONE SPEED SAVE

Sottili zone flettenti integrate nei foderi bassi e alti consentono alla ruota di seguire il tracciato del terreno, migliorando la velocità, la manovrabilità e il comfort. Adattata per l'uso con la forcella SPEED SAVE.

› FORCELLA SPEED SAVE

Una stratificazione direzionale del carbonio BallisTec e i forcellini offset conferiscono alla forcella la capacità di assorbire gli urti, pur mantenendo una manovrabilità affilata come una lama. Disponibile in 2 rake per eliminare la l'interferenza della punta del piede nelle taglie più piccole.



SUPERSIX EVO DI2 ULTEGRA WOMEN'S

FRAME	SUPERSIX EVO WOMEN'S, BALLISTEC CARBON, DI2 SPECIFIC, SPEED SAVE
FORK	SUPERSIX EVO, SPEED SAVE, BALLISTEC CARBON
WHEELS	SHIMANO ULTEGRA 6700 TUBELESS

TIRES	SCHWALBE ULTREMO TUBELESS 700X23C
CRANKS	CANNONDALE HOLLOWGRAM SI, FSA CHAINRINGS, 50/34
DERAILLEURS	SHIMANO ULTEGRA DI2 6770

EXPOSED UNI-DIRECTIONAL CARBON W/ HOLLYWOOD SILVER, GLOSS (BLK)

SHIFTERS	SHIMANO ULTEGRA DI2 6770
BRAKES	SHIMANO ULTEGRA 6700
SIZES	44, 48, 51, 54, 56



SUPERSIX 5 105 WOMEN'S

FRAME	SUPERSIX WOMEN'S, FULL CARBON
FORK	SUPERSIX, FULL CARBON, ALLOY DROPOUTS
WHEELS	SHIMANO RS-10

TIRES	SCHWALBE LUGANO, 700X23C, FOLDING
CRANKS	FSA GOSSAMER PRO, BB30, 50/34
DERAILLEURS	SHIMANO 105 5700

EXPOSED UNI-DIRECTIONAL CARBON W/ LIME FROST, GLOSS (BLK)

SHIFTERS	SHIMANO 105 5700
BRAKES	SHIMANO 105 5700
SIZES	44, 48, 51, 54



>REVE TOUR.

"21 tappe, 3479km, 25 passi di montagna;
Reve tour."



CAAD10 3 ULTEGRA WOMEN'S

FRAME	CAAD10 WOMEN'S, SMARTFORMED 6069 ALLOY, SPEED SAVE
FORK	CAAD10, SPEED SAVE FULL CARBON
WHEELS	MAVIC AKSION WTS

TIRES	MAVIC AKSION, 700X23C, FOLDING
CRANKS	FSA SL-K LIGHT CARBON BB30, 50/34
DERAILLEURS	SHIMANO ULTEGRA 6700

MAGNESIUM WHITE W/ NIAGRA BLUE, GLOSS (WHT)

SHIFTERS	SHIMANO ULTEGRA 6700
BRAKES	SHIMANO ULTEGRA 6700
SIZES	44, 48, 51, 54



CAAD10 5 105 WOMEN'S

FRAME	CAAD10 WOMEN'S, SMARTFORMED 6069 ALLOY, SPEED SAVE
FORK	CAAD10, SPEED SAVE FULL CARBON
WHEELS	SHIMANO RS-10

TIRES	SCHWALBE LUGANO, 700X23C, FOLDING
CRANKS	FSA GOSSAMER PRO, BB30, 50/34
DERAILLEURS	SHIMANO 105 5700

MAGNESIUM WHITE W/ LIME FROST, GLOSS (WHT)

SHIFTERS	SHIMANO 105 5700
BRAKES	SHIMANO 105 5700
SIZES	44, 48, 51, 54

SYNAPSE CARBON WOMEN'S

›MORBIDA COME LA SETA. STRAORDINARIAMENTE VELOCE.

La Synapse è una potente miscela di velocità a peso leggero e comfort per tutta la giornata. Disponibile come Synapse Carbon ultra-leggera o versatile Synapse Alloy, è la scelta perfetta per le gran fondo, il triathlon e tutto ciò che ci sta in mezzo.



SYNAPSE CARBON ULTEGRA WOMEN'S

FRAME	SYNAPSE WOMEN'S, FULL CARBON, SAVE PLUS
FORK	SYNAPSE, FULL CARBON, SAVE PLUS
WHEELS	MAVIC AKSIUM WTS

TIRES	MAVIC AKSION, 700X25C, FOLDING
CRANKS	FSA SL-K LIGHT CARBON BB30, 52/39/30
DERAILLEURS	SHIMANO ULTEGRA 6700

MAGNESIUM WHITE W/ TANGERINE DREAM, GLOSS (WHT)

SHIFTERS	SHIMANO ULTEGRA 6700
BRAKES	SHIMANO ULTEGRA 6700
SIZES	44, 48, 51, 54

›GEOMETRIA PERFORMANTE PER LA DONNA

La nostra geometria a testa alta Women's Performance offre una posizione di guida più eretta e confortevole ed una manovrabilità vivace ma stabile, grazie a un tubo verticale più alto, un tubo orizzontale dalla curva morbida, angolo dello sterzo leggermente rilassato ed un passo leggermente più lungo rispetto alla nostra geometria elite.

›SAVE PLUS SISTEMA DI MICRO-SOSPENSIONE

Il triangolo posteriore SAVE PLUS è progettato per riuscire a flettersi leggermente in modo da assorbire urti e vibrazioni della strada, pur rimanendo rigido per l'erogazione della potenza e una manovrabilità sicura.

›FORCELLA IN CARBONIO INTEGRALE SAVE PLUS

La forcella SAVE PLUS è messa a punto per lavorare come sistema con i foderi posteriori SAVE PLUS, assorbendo gli urti e lasciando al rider il controllo in modo confortevole.



SYNAPSE CARBON 5 105 WOMEN'S

FRAME	SYNAPSE WOMEN'S, FULL CARBON, SAVE PLUS
FORK	SYNAPSE, FULL CARBON, SAVE PLUS
WHEELS	SHIMANO RS-10

TIRES	SCHWALBE LUGANO, 700X25C, FOLDING
CRANKS	FSA GOSSAMER PRO, BB30, 50/39/30
DERAILLEURS	SHIMANO 105 5700

MAGNESIUM WHITE W/ HOLLYWOOD SILVER, GLOSS (WHT)

SHIFTERS	SHIMANO 105 5700
BRAKES	SHIMANO 105 5700
SIZES	44, 48, 51, 54



SYNAPSE 6 TIAGRA WOMEN'S

FRAME	WOMEN'S SYNAPSE ALLOY, OPTIMIZED 6061 ALLOY, SAVE PLUS, BB30
FORK	SYNAPSE SAVE, CARBON BLADES
WHEELS	MADDUX R3.0, 32 HOLE W/ C4 HUBS

TIRES	SCHWALBE LUGANO, 700X25C
CRANKS	FSA OMEGA, BB30, 50/39/30
DERAILLEURS	SHIMANO TIAGRA 4600

MAGNESIUM WHITE W/ ROSY TOMORROW, GLOSS (WHT)

SHIFTERS	SHIMANO SORA
BRAKES	CANNONDALE C4, DUAL PIVOT, LONG REACH
SIZES	44, 48, 51, 54, 56

SLICE WOMEN'S

> VELOCE. FEMMINILE.

Più volte vincitrice della gara di Kona. Detentrice del record mondiale. La Slice si presenta da sola. Questa struttura super leggera a prova di gara abbina un'elevata aerodinamicità, una calzata perfetta e una morbidezza confortevole, tutto in un pacchetto semplice da regolare, da utilizzare e da manutenere.



SLICE 3 ULTEGRA WOMEN'S

FRAME	SLICE WOMEN'S, FULL CARBON, AERO SAVE
FORK	SLICE AERO, FULL CARBON
WHEELS	VISION TEAM 30

TIRES	SCHWALBE LUGANO, 700X23C, FOLDING (VITTORIA RUBINO 650X23C, FOLDING)
CRANKS	FSA SL-K LIGHT CARBON BB30, 50/34
DERAILLEURS	SHIMANO ULTEGRA 6700

CHARCOAL GRAY W/ PORCELAIN BLUE, MATTE (GRY)

SHIFTERS	SHIMANO ULTEGRA 6700
BRAKES	SHIMANO ULTEGRA 6700
SIZES	47, 51, 54

> SISTEMA DI MICROSOSPENSIONE AERO SAVE

Un'elegante combinazione di formatura direzionale dei tubi e di sofisticata stratificazione del carbonio consente ai foderi bassi posteriori e a quelli alti di flettersi insieme verticalmente, in modo che sia la bici ad assorbire gli urti, e non il ciclista. Per essere aerodinamici più a lungo e scendere più velocemente dalla bici.

> RUOTE DA 650C

Le ruote da 650c sulla nostra taglia da 47cm significa che il tubo dello sterzo è più basso rispetto alle bici con ruote da 700c, in questo modo anche le rider più basse possono trovare il perfetto adattamento aero. Inoltre per queste la sovrapposizione della punta del piede è inferiore e possono ottenere una migliore aerodinamicità rispetto alle bici con ruote più grandi.

> STRUTTURA DI FACILE MANUTENZIONE

Freni standard da strada, normale struttura attacco manubrio/canotto sterzo, passaggio diretto dei cavi e forcellini posteriori verticali: tutto contribuisce a un vantaggio puramente aero del design di questa superbike, ma con facilità di regolazione, uso e manutenzione.



> BETH WELSH.

“È così leggera e morbida. La Slice mi aiuta ad andare più forte.”

KIDS

>LA TECNOLOGIA E IL DESIGN DEI TELAI CANNONDALE È ORA DISPONIBILE PER I BAMBINI.

Offriamo bici da 16" e 24" belle, sicure e confortevoli con una ineguagliabile identità Cannondale. I nostri modelli dispongono di passaggio cavi interno, stand-over e top-tubes adeguati e leggere forcelle in alluminio. Con dettagli come leve dei freni facili da raggiungere, componentistica leggera e parti marchiate Cannondale come manopole e selle che assicurano al tuo bambino la miglior pedalata di sempre. Nelle pagine seguenti troverete una selezione della nostra linea. Per maggiori informazioni non esitate a visitare il nostro sito internet.



RACE, BOY'S 24" 21 SPEED

FRAME	CANNONDALE SHAPED AND OPTIMIZED 6061 ALLOY
FORK	RST FIRST24 AIR WALLOY STEERER
TIRES	CANNONDALE 24X2.0", FOLDING

CRANKS	SUNTOUR ALLOY 152MM CRANK, 24/34/42T
DERAILLEURS R/F	SHIMANO, TX-35, 7 SPEED, MEGARANGE / SHIMANO, TX-50, 31.8 BAND
SHIFTERS	SHIMANO, RS-36, REVO TWIST

JET BLACK W/BERSERKER GREEN, GLOSS	
HANDLEBAR/STEM	ALLOY, 580MM WIDE, 25.4MM AVID ELIXIR 9 CARBON / CANNONDALE CUSTOM
BRAKES	V-BRAKE, ALLOY LINEAR PULL
SIZES	MEDIUM, LARGE

>SALDATURE LISCE

Il marchio di fabbrica Cannondale delle saldature lisce a doppio passaggio elimina i punti di stress e i punti deboli che si possono trovare sui telai saldati in modo tradizionale, permettendoci di costruire telai più leggeri e più resistenti.

>SERIE STERZO INTEGRATA

La serie sterzo integrata dona alle nostre bici da bambino un minor peso e la finitura che ci si aspetta su biciclette di alto livello.

>CASCHI

Per garantire la sicurezza, assicurati di indossare un casco Cannondale. La tecnologia di stampo In Fusion e il Easy Fit System assicurano durata, leggerezza e confort.



RACE, GIRL'S 24" 21 SPEED

FRAME CANNONDALE SHAPED AND OPTIMIZED 6061 ALLOY
FORK RST FIRST24 AIR W/ALLOY STEERER
TIRES CANNONDALE 24X2.0", FOLDING

CRANKS SUNTOUR ALLOY 152MM CRANK, 24/34/42T STEEL
DERAILLEURS R/F SHIMANO, TX-35, 7 SPEED, MEGARANGE / SHIMANO, TX-50, 31.8 BAND
SHIFTERS SHIMANO ACERA

CHARCOAL GRAY W/ CORAL PINK, GLOSS

HANDLEBAR/STEM CANNONDALE C4
BRAKES SHIMANO M395 HYDRAULIC DISC
SIZES S, M, L, X



› **QUICK KIDS BOYS**



TRAIL, BOY'S / GIRLS 20" 6 SPEED

FRAME	CANNONDALE SHAPED AND OPTIMIZED 6061 ALLOY
FORK	SUNTOUR XCT-JR 20, 1-1/8" STEERER
TIRES	CANNONDALE 20X20.", WIRE BEAD

BRUSHED ALUMINUM W/ BERSERKER GREEN, GLOSS

CRANKS	ALLOY 152MM CRANK, 36T STEEL CHAINRING
DERAILLEURS R/F	SHIMANO, TX-35, 6-7 SPEED, MEGARANGE / N/A
SHIFTERS	SHIMANO, RS-36, REVO TWIST

WHITE W/ULTRA BLUE, GLOSS (WHT)

HANDLEBAR/STEM	ALLOY, 560MM WIDE, 25.4MM / CANNONDALE CUSTOM
BRAKES	V-BRAKE, ALLOY LINEAR PULL
SIZES	ONE SIZE



TRAIL, GIRLS / BOYS 20" 1 SPEED

FRAME	CANNONDALE SHAPED AND OPTIMIZED 6061 ALLOY
FORK	6061 ALLOY RIGID, 1-1/8" STEERER
TIRES	CANNONDALE 20X2.0", WIRE BEAD

SUNRISE W/ HOT MAGENTA, GLOSS

CRANKS	36T STEEL RING
DERAILLEURS R/F	N/A / N/A
SHIFTERS	N/A

JET BLACK W/REFLECTIVE DECALS, MATTE (BBQ)

HANDLEBAR/STEM	ALLOY, 560MM WIDE, 25.4MM / CANNONDALE CUSTOM
BRAKES	V-BRAKE FRONT, COASTER REAR
SIZES	ONE SIZE



QUICK KIDS GIRLS



TRAIL, BOYS / GIRLS 16" 1 SPEED

FRAME CANNONDALE SHAPED AND OPTIMIZED 6061 ALLOY

FORK 6061 ALLOY RIGID, 1-1/8" STEERER

TIRES CANNONDALE 16X2.0", WIRE BEAD

JET BLACK, MATTE (BBQ)

CRANKS 28T STEEL RING

DERAILLEURS R/F N/A / N/A

SHIFTERS N/A

CHARCOAL GRAY W/ PINK, GLOSS (PNK)

HANDLEBAR/STEM ALLOY RISER, 80MM RISE, 520MM WIDE, 22.2MM /
ALLOY AHEAD, 37MM

BRAKES N/A / N/A

SIZES ONE SIZE

HELMETS

PROTEZIONE. PERFETTA. Novità per il 2013



CYPHER

ANDRAI COSÌ VELOCE CHE LA GENTE PENSERÀ CHE LO HAI RUBATO.

La tecnologia del guscio con Protezione massima utilizza una schiuma EPS a doppia densità per ridurre il peso e mantenere al contempo i più elevati standard di sicurezza industriali.

La gabbia interna in policarbonato rinforza le prese d'aria per renderlo il migliore in quanto a sicurezza e ventilazione.

La tecnologia del guscio in policarbonato a catalizzazione multipla lega il guscio esterno alla schiuma EPS per creare un design unico integrato.

La vestibilità con micro-regolazione integrata con cuscinetto occipitale EVA Ergo-Fit offre un comfort senza precedenti e una vestibilità personalizzabile.

23 prese di aeratione in grado di mantenere un flusso d'aria all'interno del casco e mantenere la temperatura costante, mentre le imbottiture sigillate a caldo assorbono il sudore.

Una comoda rete morbida al tatto con divisorii bloccanti assicura una regolazione sicura e comfort per tutto il giorno.





TERAMO

La tecnologia del guscio con Protezione massima utilizza una schiuma EPS a doppia densità per ridurre il peso e mantenere al contempo i più elevati standard di sicurezza industriali.

La gabbia interna in policarbonato rinforza le prese d'aria per renderlo il migliore in quanto a sicurezza e ventilazione.

La tecnologia del guscio in policarbonato a catalizzazione multipla lega il guscio esterno alla schiuma EPS per creare un design unico integrato.

La vestibilità con micro-regolazione integrata con cuscinetto occipitale EVA Ergo-Fit offre un comfort senza precedenti e una vestibilità personalizzabile.

23 prese di aerazione in grado di mantenere un flusso d'aria all'interno del casco e mantenere la temperatura costante, mentre le imbottiture sigillate a caldo assorbono il sudore.

Una comoda rete morbida al tatto con divisorì bloccanti assicura una regolazione sicura e comfort per tutto il giorno.



WHT/BL



SLV



CFR

RYKER

La vestibilità con micro-regolazione integra con cuscinetto occipitale EVA Ergo-Fit offre un comfort senza precedenti e una vestibilità personalizzabile

19 prese di aerazione distribuite all'interno del casco mantengono fresco il ciclista su qualsiasi terreno

Le imbottiture saldate a caldo mantengono il sudore sotto controllo

La tecnologia del guscio in policarbonato a catalizzazione singola lega il guscio esterno alla schiuma EPS per creare un design unico integrato

Una comoda rete morbida al tatto con divisorì bloccanti assicura una regolazione sicura e comfort per tutto il giorno

Visiera rimovibile



BLK/SLV

MOUNTAIN

SPECIFICATIONS

CLAYMORE 1		CLAYMORE 2		JEKYLL MX		JEKYLL CARBON 1	
PRODUCT CODE	C13VA1	C13VA2	C13VNA	JEKYLL, 150/90MM, SMARTFORMED ALLOY, BB30, ISCG03, 1.5SI HEAD TUBE	JEKYLL, 150/90MM, SMARTFORMED ALLOY, BB30, ISCG03, 1.5SI HEAD TUBE	C13VN1	JEKYLL, 150/90MM, BALLISTEC HI-MOD CARBON, BB30, ISCG03, 1.5 SI HEADTUBE
FRAME	CLAYMORE, 180/110MM, SMARTFORMED ALLOY, BB30, ISCG03, DIABLO 1.5 SI HEAD TUBE	CLAYMORE, 180/110MM, SMARTFORMED ALLOY, BB30, ISCG03, DIABLO 1.5 SI HEAD TUBE	FOX 36 VAN R 0/B, PERFORMANCE, 180MM, 20QR THRU AXLE, 1.5"	FOX 36 FLOAT R, O/C, PERFORMANCE, 160MM, 20QR THRU AXLE, 1.5"	FOX 36 FLOAT R, O/C, PERFORMANCE, 160MM, 20QR THRU AXLE, 1.5"	FOX 36 FLOAT R, O/C, PERFORMANCE, 160MM, 20QR THRU AXLE, 1.5"	JEKYLL, 150/90MM, BALLISTEC HI-MOD CARBON, BB30, ISCG03, 1.5 SI HEADTUBE
FORK	FOX 36 TALAS R, PERFORMANCE, 180MM, 20QR THRU AXLE, 1.5"	FOX 36 VAN R 0/B, PERFORMANCE, 180MM, 20QR THRU AXLE, 1.5"	WTB ST 36 TCS, TUBELESS READY	WTB STRYKER TCS 123, TUBELESS READY	WTB STRYKER TCS 123, TUBELESS READY	WTB STRYKER TCS 123, TUBELESS READY	FOX 36 FLOAT R, O/C, PERFORMANCE, 160MM, 20QR THRU AXLE, 1.5"
REAR SHOCK	FOX DYAD RT2 DUAL SHOCK, 180/110MM, W/REMOTE LEVER	FOX DYAD RT2 DUAL SHOCK, 180/110MM, W/REMOTE LEVER	WTB ST 123 TCS, TUBELESS READY	WTB STRYKER TCS 123, TUBELESS READY	WTB STRYKER TCS 123, TUBELESS READY	WTB STRYKER TCS 123, TUBELESS READY	REYNOLDS CARBON AM, TUBELESS READY
RIMS	SUN RINGLE CHARGER PRO, TUBELESS READY	SUN RINGLE CHARGER PRO, 20MM FRONT, 142X12MM REAR	FORMULA, 32 HOLE, 20MM THRU AXLE FRONT, 142X12MM REAR	WTB SWISS CHAMPION	WTB SWISS CHAMPION	WTB SWISS CHAMPION	REYNOLDS CARBON AM, 15MM FRONT, 142X12MM REAR
HUBS	SUN RINGLE CHARGER PRO, 20MM FRONT, 142X12MM REAR	SUN RINGLE CHARGER PRO, 20MM FRONT, 142X12MM REAR	WTB VIGILANTE TCS, 2.3, TUBELESS READY	N/A	WTB VIGILANTE 2.3 TCS FRONT, MOTO 2.3 TCS REAR, TUBELESS READY	WTB VIGILANTE 2.3 TCS FRONT, MOTO 2.3 TCS REAR, TUBELESS READY	REYNOLDS CARBON AM
SPOKES	SUN RINGLE CHARGER PRO	SUN RINGLE CHARGER PRO	N/A	N/A	N/A	N/A	SCHWALBE HANS DAMPF SNAKESKIN TRAILSTAR, 2.35* TUBELESS READY
TIRES	SCHWALBE HANS DAMPF SNAKESKIN TRAILSTAR, 2.35* TUBELESS READY	SCHWALBE HANS DAMPF SNAKESKIN TRAILSTAR, 2.35* TUBELESS READY	N/A	N/A	N/A	N/A	N/A
PEDALS	N/A	N/A	N/A	N/A	N/A	N/A	N/A
CRANKS	SRAM S1400, BB30, 36/22	TRUVATIV HUSSENFELT, 36/24	SRAM S1400, BB30, 36/22	SRAM BB30	SRAM S1400, BB30, 36/22	SRAM S2210, BB30, 36/22	SRAM S2210, BB30, 36/22
BOTTOM BRACKET	SRAM BB30	TRUVATIV HOWITZER	SRAM BB30	KMC X10SL	SRAM BB30	SRAM BB30	SRAM BB30
CHAIN	KMC X10	KMC X10	KMC X10SL	KMC X10	KMC X10SL	KMC X10SL	KMC X10SL
REAR COGS	SRAM PG-1070, 11-36, 10-SPEED	SRAM PG-1030, 11-36, 10-SPEED	SHIMANO M771, 11-36, 10-SPEED	SHIMANO XTR 11-36, 10-SPEED	SHIMANO XTR 11-36, 10-SPEED	SHIMANO XTR 11-36, 10-SPEED	SHIMANO XTR 11-36, 10-SPEED
FRONT DERAILLEUR	SRAM X7, DIRECT MOUNT	SRAM X7, DIRECT MOUNT	SRAM X7, DIRECT MOUNT	SRAM X7, DIRECT MOUNT	SRAM X7, DIRECT MOUNT	SRAM X7, DIRECT MOUNT	SRAM X7, DIRECT MOUNT
REAR DERAILLEUR	SHIMANO XT SHADOW+	SHIMANO XT SHADOW+	SHIMANO XT SHADOW+	SHIMANO XT SHADOW+	SHIMANO XT SHADOW+	SHIMANO XT SHADOW+	SHIMANO XT SHADOW+
SHIFTERS	SHIMANO XT, W/1-SPEC	SHIMANO XT, W/1-SPEC	SHIMANO XT, W/1-SPEC	SHIMANO XT, W/1-SPEC	SHIMANO XT, W/1-SPEC	SHIMANO XT, W/1-SPEC	SHIMANO XT, W/1-SPEC
HANDLEBAR	FSA GRAVITY LITE ALLOY, 740X15MM RISE	CANNONDALE C3 RISER, 740X18MM, 2014 ALLOY	CANNONDALE C3 RISER, 740X18MM, 2014 ALLOY	CANNONDALE C3 RISER, 740X18MM, 2014 ALLOY	CANNONDALE C3 RISER, 740X18MM, 2014 ALLOY	CANNONDALE C3 RISER, 740X18MM, 2014 ALLOY	CANNONDALE C3 RISER, 740X15MM RISE
GRIPS	CANNONDALE DUAL LOCKING GRIPS	CANNONDALE DUAL LOCKING GRIPS	CANNONDALE DUAL LOCKING GRIPS	CANNONDALE DUAL LOCKING GRIPS	CANNONDALE DUAL LOCKING GRIPS	CANNONDALE DUAL LOCKING GRIPS	CANNONDALE DUAL LOCKING GRIPS
STEM	FSA GRAVITY LITE, 1.5*, 31.8	CANNONDALE C3, 1.5*, 31.8	CANNONDALE C3, 1.5*, 31.8	CANNONDALE C3, 1.5*, 31.8	CANNONDALE C3, 1.5*, 31.8	CANNONDALE C3, 1.5*, 31.8	CANNONDALE C3, 1.5*, 31.8
HEADSET	TANGE SEIKI 1.5*, SI ANGULAR CONTACT	TANGE SEIKI 1.5*, SI ANGULAR CONTACT	TANGE SEIKI 1.5*, SI ANGULAR CONTACT	TANGE SEIKI 1.5*, SI ANGULAR CONTACT	TANGE SEIKI 1.5*, SI ANGULAR CONTACT	TANGE SEIKI 1.5*, SI ANGULAR CONTACT	TANGE SEIKI 1.5*, SI ANGULAR CONTACT
BRAKES	SHIMANO XT TRAIL, 203/180MM	AVID Elixir 5, 200/180MM	AVID Elixir 5, 200/180MM	AVID Elixir 5, 200/180MM	AVID Elixir 5, 200/180MM	AVID Elixir 5, 200/180MM	AVID Elixir 5, 200/180MM
Brake Levers	SHIMANO XT TRAIL	AVID Elixir 5	AVID Elixir 5	AVID Elixir 5	AVID Elixir 5	AVID Elixir 5	AVID Elixir 5
SADDLE	PROLOGO SCRATCH X18	CANNONDALE STAGE 3 CROMO	CANNONDALE STAGE 3 CROMO	CANNONDALE STAGE 3 CROMO	CANNONDALE STAGE 3 CROMO	CANNONDALE STAGE 3 CROMO	CANNONDALE STAGE 3 CROMO
SEATPOST	ROCKSHOX REVERB, 31.6X385MM HEIGHT ADJUSTABLE	CANNONDALE C3, 31.6X350MM	CANNONDALE C3, 31.6X350MM	CANNONDALE C3, 31.6X350MM	CANNONDALE C3, 31.6X350MM	CANNONDALE C3, 31.6X350MM	CANNONDALE C3, 31.6X350MM
SIZES	S, M, L	S, M, L	S, M, L	S, M, L	S, M, L	S, M, L	S, M, L
COLOR (CODE)	MAGNESIUM WHITE, GLOSS (WHT)	JET BLACK, GLOSS (BLK)	JET BLACK, GLOSS (BLK)	JET BLACK, GLOSS (BLK)	JET BLACK, GLOSS (BLK)	JET BLACK, GLOSS (BLK)	JET BLACK/W MAGNESIUM WHITE AND BERSERKER GREEN ACCENTS, GLOSS (BLK)
EXTRAS	HIGH PRESSURE SHOCK PUMP, SYNTACE X-12MM REAR AXLE, MRP 2X GUIDE	HIGH PRESSURE SHOCK PUMP, SYNTACE X-12MM REAR AXLE, MRP 2X GUIDE	HIGH PRESSURE SHOCK PUMP, SYNTACE X-12MM REAR AXLE, MRP 2X GUIDE	HIGH PRESSURE SHOCK PUMP, SYNTACE X-12MM REAR AXLE, MRP 2X GUIDE	HIGH PRESSURE SHOCK PUMP, SYNTACE X-12MM REAR AXLE, MRP 2X GUIDE	HIGH PRESSURE SHOCK PUMP, SYNTACE X-12MM REAR AXLE, MRP 2X GUIDE	HIGH PRESSURE SHOCK PUMP, SYNTACE X-12MM REAR AXLE, MRP 2X GUIDE
JEKYLL CARBON 2		JEKYLL 3		JEKYLL 4		TRIGGER 29'ER 1	
PRODUCT CODE	C13VN2	C13VN3	C13VN4	JEKYLL, 150/90MM, SMARTFORMED ALLOY, BB30, ISCG03, 1.5SI HEAD TUBE	JEKYLL, 150/90MM, SMARTFORMED ALLOY, BB30, ISCG03, 1.5SI HEAD TUBE	C13VZ1	TRIGGER 29'ER, 130/80MM, SMARTFORMED ALLOY, BB30, ISCG03, 1.5SI HEAD TUBE
FRAME	JEKYLL, 150/90MM, BALLISTEC HI-MOD CARBON, BB30, ISCG03, 1.5 SI HEADTUBE	JEKYLL, 150/90MM, SMARTFORMED ALLOY, BB30, ISCG03, 1.5SI HEAD TUBE	JEKYLL, 150/90MM, SMARTFORMED ALLOY, BB30, ISCG03, 1.5SI HEAD TUBE	JEKYLL, 150/90MM, SMARTFORMED ALLOY, BB30, ISCG03, 1.5SI HEAD TUBE	JEKYLL, 150/90MM, SMARTFORMED ALLOY, BB30, ISCG03, 1.5SI HEAD TUBE	JEKYLL, 150/90MM, SMARTFORMED ALLOY, BB30, ISCG03, 1.5SI HEAD TUBE	JEKYLL, 150/90MM, SMARTFORMED ALLOY, BB30, ISCG03, 1.5 SI HEADTUBE
FORK	FOX 34 TALAS CTD, O/C, EVOLUTION, 160MM, 15QR THRU AXLE, 1.5"	FOX 32 FLOAT CTD O/C, EVOLUTION, 150MM, 15QR THRU AXLE, 1.5"	ROCKSHOX SEKTOR TK DPC, 150MM, 15QR THRU AXLE, 1.5"	ROCKSHOX SEKTOR TK DPC, 150MM, 15QR THRU AXLE, 1.5"	ROCKSHOX SEKTOR TK DPC, 150MM, 15QR THRU AXLE, 1.5"	ROCKSHOX SEKTOR TK DPC, 150MM, 15QR THRU AXLE, 1.5"	ROCKSHOX SEKTOR TK DPC, 150MM, 15QR THRU AXLE, 1.5"
REAR SHOCK	FOX DYAD RT2 DUAL SHOCK, 150/90MM, W/REMOTE LEVER	FOX DYAD RT2 DUAL SHOCK, 150/90MM, W/REMOTE LEVER	WTB ST 119 TCS, TUBELESS READY				
RIMS	MAVIC CROSSTRAIL, TUBELESS READY	SHIMANO MT68, TUBELESS READY	SHIMANO MT68, 15MM FRONT, 142X12MM REAR	SHIMANO MT68	SHIMANO MT68	SHIMANO MT68	SHIMANO MT68
HUBS	MAVIC CROSSTRAIL, 15MM FRONT, 142X12MM REAR	SHIMANO MT68, 15MM FRONT, 142X12MM REAR	SHIMANO MT68				
SPOKES	MAVIC CROSSTRAIL	SHIMANO MT68	WTB VIGILANTE 2.3 TCS FRONT, MOTO 2.3 TCS REAR, TUBELESS READY	WTB VIGILANTE 2.3 TCS FRONT, MOTO 2.3 TCS REAR, TUBELESS READY	WTB VIGILANTE 2.3 TCS FRONT, MOTO 2.3 TCS REAR, TUBELESS READY	WTB VIGILANTE 2.3 TCS FRONT, MOTO 2.3 TCS REAR, TUBELESS READY	WTB VIGILANTE 2.3 TCS FRONT, MOTO 2.3 TCS REAR, TUBELESS READY
TIRES	SCHWALBE HANS DAMPF SNAKESKIN TRAILSTAR, 2.35* TUBELESS READY	SCHWALBE HANS DAMPF SNAKESKIN TRAILSTAR, 2.35* TUBELESS READY	N/A	N/A	N/A	N/A	N/A
PEDALS	N/A	SRAM S2210, BB30, 36/22	SRAM BB30	SRAM S1000, BB30, 44/33/22	SRAM BB30	SRAM BB30	SRAM BB30
CRANKS	SRAM S2210, BB30, 36/22	SRAM BB30	KMC X10	SRAM BB30	KMC X10	KMC X10	KMC X10
BOTTOM BRACKET	SRAM BB30	SRAM BB30	SRAM PG-1070, 11-36, 10-SPEED	SRAM PG-1030, 11-36, 10-SPEED			
CHAIN	KMC X10SL	KMC X10	SRAM X7, DIRECT MOUNT				
REAR COGS	SRAM PG-1070, 11-36, 10-SPEED	SRAM PG-1030, 11-36, 10-SPEED	SHIMANO XT SHADOW+				
FRONT DERAILLEUR	SRAM X7, DIRECT MOUNT	SRAM X7, DIRECT MOUNT	SHIMANO XT SHADOW+				
REAR DERAILLEUR	SRAM X9 TYPE2 RBC	SRAM X9 TYPE2 RBC	SHIMANO SLX				
SHIFTERS	SRAM X9	SRAM X9	CANNONDALE C3 RISER, 740X18MM, 2014 ALLOY	CANNONDALE C3 RISER, 740X15MM RISE			
HANDLEBAR	FSA GRAVITY LITE ALLOY, 740X15MM RISE	CANNONDALE C3 DUAL LOCK ON	CANNONDALE C3 DUAL LOCK ON	CANNONDALE C3 DUAL LOCK ON	CANNONDALE C3 DUAL LOCK ON	CANNONDALE C3 DUAL LOCK ON	CANNONDALE C3 DUAL LOCK ON
GRIPS	CANNONDALE DUAL LOCKING GRIPS	CANNONDALE C3, 1.5*, 31.8	CANNONDALE C3, 1.5*, 31.8	CANNONDALE C3, 1.5*, 31.8	CANNONDALE C3, 1.5*, 31.8	CANNONDALE C3, 1.5*, 31.8	CANNONDALE C3, 1.5*, 31.8
STEM	CANNONDALE C3, 1.5*, 31.8	TANGE SEIKI 1.5*, INTEGRATED	TANGE SEIKI 1.5*, INTEGRATED	TANGE SEIKI 1.5*, INTEGRATED	TANGE SEIKI 1.5*, INTEGRATED	TANGE SEIKI 1.5*, INTEGRATED	TANGE SEIKI 1.5*, INTEGRATED
HEADSET	TANGE SEIKI 1.5*, INTEGRATED	MAGURA MT2 W/BAT, 180/160MM	MAGURA MT2 W/BAT, 180/160MM	MAGURA MT2 W/BAT, 180/160MM	MAGURA MT2 W/BAT, 180/160MM	MAGURA MT2 W/BAT, 180/160MM	MAGURA MT2 W/BAT, 180/160MM
Brakes	MAGURA MT4, 180/160MM	MAGURA MT2 W/BAT, 180/160MM	MAGURA MT2 W/BAT, 180/160MM	MAGURA MT2 W/BAT, 180/160MM	MAGURA MT2 W/BAT, 180/160MM	MAGURA MT2 W/BAT, 180/160MM	MAGURA MT2 W/BAT, 180/160MM
Brake Levers	MAGURA MT4	WTB VOLT SATIN STEEL	WTB VOLT SATIN STEEL	WTB VOLT SATIN STEEL	WTB VOLT SATIN STEEL	WTB VOLT SATIN STEEL	WTB VOLT SATIN STEEL
SADDLE	WTB VOLT SATIN STEEL	XFUSION HILO W/REMOTE	XFUSION HILO W/REMOTE	XFUSION HILO W/REMOTE	XFUSION HILO W/REMOTE	XFUSION HILO W/REMOTE	XFUSION HILO W/REMOTE
SEATPOST	XFUSION HILO W/REMOTE	CANNONDALE C2, 31.6X350MM	CANNONDALE C2, 31.6X350MM	CANNONDALE C2, 31.6X350MM	CANNONDALE C2, 31.6X350MM	CANNONDALE C2, 31.6X350MM	CANNONDALE C2, 31.6X350MM
SIZES	S, M, L, XL	S, M, L, XL	S, M, L, XL	S, M, L, XL	S, M, L, XL	S, M, L, XL	S, M, L, XL
COLOR 1 (CODE)	JET BLACK, MATTE (BBQ)	JET BLACK, MATTE (BBQ)	JET BLACK, MATTE (BBQ)	JET BLACK, MATTE (BBQ)	JET BLACK, MATTE (BBQ)	JET BLACK, MATTE (BBQ)	JET BLACK/W MAGNESIUM WHITE AND BERSERKER GREEN ACCENTS, GLOSS (BLK)
COLOR 2 (CODE)	N/A	N/A	N/A	N/A	N/A	N/A	N/A
EXTRAS	HIGH PRESSURE SHOCK PUMP, SYNTACE X-12MM REAR AXLE	HIGH PRESSURE SHOCK PUMP, SYNTACE X-12MM REAR AXLE	HIGH PRESSURE SHOCK PUMP, SYNTACE X-12MM REAR AXLE	HIGH PRESSURE SHOCK PUMP, SYNTACE X-12MM REAR AXLE	HIGH PRESSURE SHOCK PUMP, SYNTACE X-12MM REAR AXLE	HIGH PRESSURE SHOCK PUMP, SYNTACE X-12MM REAR AXLE	HIGH PRESSURE SHOCK PUMP, SYNTACE X-12MM REAR AXLE
TRIGGER 29'ER 2		TRIGGER 29'ER 3		TRIGGER ULTIMATE		TRIGGER 1	
PRODUCT CODE	C13VZ9	C13VZ9	C13VMO	TRIGGER, 120/70MM, BALLISTEC HI-MOD CARBON, BB30, 1.5 SI HEAD TUBE	TRIGGER, 120/70MM, BALLISTEC HI-MOD CARBON, BB30, 1.5 SI HEAD TUBE	C13VM1	TRIGGER, 120/70MM, BALLISTEC HI-MOD CARBON, BB30, 1.5 SI HEAD TUBE
FRAME	TRIGGER 29'ER, 130/80MM, SMARTFORMED ALLOY, BB30, ISCG03, 1.5SI HEAD TUBE	TRIGGER 29'ER, 130/80MM, SMARTFORMED ALLOY, BB30, ISCG03, 1.5SI HEAD TUBE	TRIGGER, 120/70MM, BALLISTEC HI-MOD CARBON, BB30, 1.5 SI HEAD TUBE	TRIGGER, 120/70MM, BALLISTEC HI-MOD CARBON, BB30, 1.5 SI HEAD TUBE	TRIGGER, 120/70MM, BALLISTEC HI-MOD CARBON, BB30, 1.5 SI HEAD TUBE	C13VZ1	TRIGGER, 120/70MM, SMARTFORMED ALLOY, BB30, ISCG03, 1.5 SI HEAD TUBE
FORK	FOX 34 FLOAT 29' CT, PERFORMANCE, 130MM, 15QR THRU AXLE, 1.5"	FOX 32 FLOAT CTD O/C, EVOLUTION, 130MM, 15QR THRU AXLE, 1.5"	ROCKSHOX REVELATION RL 29, 130MM, 15QR THRU AXLE, 1.5"	ROCKSHOX REVELATION RL 29, 130MM, 15QR THRU AXLE, 1.5"	ROCKSHOX REVELATION RL 29, 130MM, 15QR THRU AXLE, 1.5"	ROCKSHOX REVELATION RL 29, 130MM, 15QR THRU AXLE, 1.5"	ROCKSHOX REVELATION RL 29, 130MM, 15QR THRU AXLE, 1.5"
REAR SHOCK	FOX DYAD RT2 DUAL SHOCK, 130/80MM, W/REMOTE LEVER	XFUSION PI-1 R 130MM, W/REMOTE LEVER	WTB ST 123 29'ER TCS, 32 HOLE, TUBELESS READY	WTB ST 123 29'ER TCS, 32 HOLE, TUBELESS READY	WTB ST 123 29'ER TCS, 32 HOLE, TUBELESS READY	WTB ST 123 29'ER TCS, 32 HOLE, TUBELESS READY	WTB ST 123 29'ER TCS, 32 HOLE, TUBELESS READY
RIMS	WTB FREQUENCY RACE 123 29'ER TCS, 32 HOLE, TUBELESS READY	WTB ST 123 29'ER TCS, 32 HOLE, TUBELESS READY	WTB ST 123 29'ER TCS, 32 HOLE, TUBELESS READY	WTB ST 123 29'ER TCS, 32 HOLE, TUBELESS READY	WTB ST 123 29'ER TCS, 32 HOLE, TUBELESS READY	WTB ST 123 29'ER TCS, 32 HOLE, TUBELESS READY	WTB ST 123 29'ER TCS, 32 HOLE, TUBELESS READY
HUBS	FORMULA, 32 HOLE, 15MM THRU AXLE FRONT, 142X12MM REAR	WTB SWISS CHAMPION	WTB SWISS CHAMPION	WTB SWISS CHAMPION	WTB SWISS CHAMPION	WTB SWISS CHAMPION	WTB SWISS CHAMPION
SPOKES	DT SWISS CHAMPION	WTB VIGILANTE TCS, 29X2.25*	N/A	N/A	N/A	N/A	N/A
TIRES	SCHWALBE HANS DAMPF SNAKESKIN, 29X2.35*, FOLDING	N/A	CANNONDALE HOLLOWGRAM SL, BB30, 38/24 W/GUARD	CANNONDALE HOLLOWGRAM SL, BB30, 38/24 W/GUARD	CANNONDALE BB30	CANNONDALE BB30	CANNONDALE BB30
PEDALS	N/A	SRAM S1000, BB30, 36/22 W/GUARD	KMC X10, 10-SPEED	KMC X10, 10-SPEED	KMC X10SL	KMC X10SL	KMC X10SL
CRANKS	SRAM S1000, BB30, 36/22 W/GUARD	SRAM BB30	SRAM PG 1030, 11-36, 10-SPEED	SRAM X0, DIRECT MOUNT			
BOTTOM BRACKET	SRAM BB30	SRAM BB30	SRAM X7, DIRECT MOUNT	SRAM XX	SRAM XX	SRAM XX	SRAM XX
CHAIN	KMC X10, 10-SPEED	SHIMANO XT	SHIMANO XT	SHIMANO XT	SHIMANO XT	SHIMANO XT	SHIMANO XT
REAR COGS	SRAM PG 1030, 11-36, 10-SPEED	SHIMANO XT	SHIMANO XT	SHIMANO XT	SHIMANO XT	SHIMANO XT	SHIMANO XT
FRONT DERAILLEUR	SRAM X7, DIRECT MOUNT	SHIMANO XT	SHIMANO XT	SHIMANO XT	SHIMANO XT	SHIMANO XT	SHIMANO XT
REAR DERAILLEUR	SRAM X9 TYPE2 RBC	SHIMANO SLX	SHIMANO SLX	SHIMANO SLX	SHIMANO SLX	SHIMANO SLX	SHIMANO SLX
SHIFTERS	SRAM X9, W/MAGURA SHIFTMIX	CANNONDALE C2 RISER, 700X20MM, 6061 ALLOY	CANNONDALE C2 RISER, 700X20MM, 6061 ALLOY	CANNONDALE C2 RISER, 700X20MM, 6061 ALLOY	CANNONDALE C2 RISER, 700X20MM, 6061 ALLOY	CANNONDALE C2 RISER, 700X20MM, 6061 ALLOY	CANNONDALE C2 RISER, 700X20MM, 6061 ALLOY
HANDLEBAR	CANNONDALE C2 RISER, 700X20MM, 6061 ALLOY	CANNONDALE C3 DUAL LOCK ON	CANNONDALE C3 DUAL LOCK ON	CANNONDALE C3 DUAL LOCK ON	CANNONDALE C3 DUAL LOCK ON	CANNONDALE C3 DUAL LOCK ON	CANNONDALE C3 DUAL LOCK ON
GRIPS	CANNONDALE C3 DUAL LOCK ON	CANNONDALE C4, 1.5*, 31.8	CANNONDALE C4, 1.5*, 31.8	CANNONDALE C4, 1.5*, 31.8	CANNONDALE C4, 1.5*, 31.8	CANNONDALE C4, 1.5*, 31.8	CANNONDALE C4, 1.5*, 31.8
STEM	CANNONDALE C3, 1.5*, 31.8	TANGE SEIKI 1.5*, INTEGRATED	TANGE SEIKI 1.5*, INTEGRATED	TANGE SEIKI 1.5*, INTEGRATED	TANGE SEIKI 1.5*, INTEGRATED	TANGE SEIKI 1.5*, INTEGRATED	TANGE SEIKI 1.5*, INTEGRATED
HEADSET	TANGE SEIKI 1.5*, INTEGRATED	MAGURA MT2 W/BAT, 180/160MM	MAGURA MT2 W/BAT, 180/160MM	MAGURA MT2 W/BAT, 180/160MM	MAGURA MT2 W/BAT, 180/160MM	MAGURA MT2 W/BAT, 180/160MM	MAGURA MT2 W/BAT, 180/160MM
Brakes	MAGURA MT2 W/BAT, 180/160MM	MAGURA MT2 W/BAT, 180/160MM	MAGURA MT2 W/BAT, 180/160MM	MAGURA MT2 W/BAT, 180/160MM	MAGURA MT2 W/BAT,		

MOUNTAIN SPECIFICATIONS

TRIGGER 2		SCALPEL 29'ER CARBON ULTIMATE		SCALPEL 29'ER CARBON 1		SCALPEL 29'ER CARBON 2	
PRODUCT CODE	C13VM2	C13VP90	SCALPEL 29'ER, 100MM, BALLISTEC HI-MOD CARBON, BB30, 1.5 SI HEAD TUBE	C13VP91	SCALPEL 29'ER, 100MM, BALLISTEC HI-MOD CARBON, ZERO PIVOT SEATSTAY, BB30, 1.5 SI HEAD TUBE,	C13VP92	SCALPEL 29'ER, 100MM, BALLISTEC HI-MOD CARBON, ZERO PIVOT SEATSTAY, BB30, 1.5 SI HEAD TUBE,
FRAME	TRIGGER, 120/70MM, BALLISTEC HI-MOD CARBON, BB30, 1.5 SI HEAD TUBE		LEFTY CARBON XLR 100 29, HYBRID NEEDLE BEARING TECHNOLOGY		LEFTY CARBON XLR 100 29, HYBRID NEEDLE BEARING TECHNOLOGY		LEFTY CARBON XLR 100 29, HYBRID NEEDLE BEARING TECHNOLOGY
FORK	LEFTY PBR 130 26, HYBRID NEEDLE BEARING TECHNOLOGY		FOX FACTORY CTD W/BOOST VALVE, KASHIMA COATING		SRAM XX SHOCK WX-LOC REMOTE LOCKOUT		ROCKSHOX MONARCH RT3
REAR SHOCK	FOX DYAD RT2 DUAL SHOCK, 120/70MM, W/REMOTE LEVER		ENVE CARBON, TUBELESS READY		REYNOLDS CARBON 29'ER, TUBELESS READY		STAN'S ZIR ARCH EX 29'ER, 32 HOLE
RIMS	MAVIC CROSSTRAIL, TUBELESS READY		LEFTY SL FRONT, DT SWISS 240S 142X12MM REAR		REYNOLDS LEFTY, REYNOLDS 142X12MM REAR		LEFTY SI FRONT, SUN RINGLE DIRTY FLEA REAR 142X12MM REAR
HUBS	MAVIC CROSSTRAIL, LEFTY FRONT, 135X9MM REAR		DT SWISS AEROLITE		REYNOLDS		DT SWISS SUPER COMP
SPOKES	MAVIC CROSSTRAIL		SCHWALBE RACING RALPH, 29X2.1 EVO, FOLDING		SCHWALBE RACING RALPH, 29X2.1 EVO, FOLDING		SCHWALBE RACING RALPH, 29X2.1 EVO, FOLDING
TIRES	SCHWALBE RACING RALPH PERFORMANCE, 2.25"		N/A		N/A		N/A
PEDALS	N/A		CANNONDALE HOLLOWGRAM SL, 39/26		SRAM XO, BB30, 38/24		SRAM S2210, BB30, 38/24
CRANKS	SRAM S1400, BB30, 38/24 W/GUARD		CANNONDALE PISSFIT BB30		SRAM PRESSFIT BB30		SRAM PRESS FIT BB30
BOTTOM BRACKET	SRAM BB30		KMC X10SL		KMC X10SL		KMC X10
CHAIN	KMC X10		SHIMANO CS-M980, 11-36, 10-SPEED		SRAM PG-1070, 11-36, 10-SPEED		SRAM PG-1070, 11-36, 10-SPEED
REAR COGS	SRAM PG-1070, 11-36, 10-SPEED		SRAM XX, S3		SRAM, X0, S3		SRAM, X9, S3
FRONT DERAILLEUR	SRAM X7, DIRECT MOUNT		SHIMANO XTR		SRAM, X0		SHIMANO XTR
REAR DERAILLEUR	SRAM X9 TYPE2 RBC		SHIMANO XTR		SRAM XO		SHIMANO XT
SHIFTERS	SRAM X9 W/MAGURA SHIFTMIX		ENVE, FLAT, 700MM		TRU VATI V NOIR FLAT, 700X10MM		TRU VATI V NOIR FLAT, 700X10MM
HANDLEBAR	CANNONDALE C2 RISER, 700X20MM, 2014 ALLOY		CANNONDALE LOCKING GRIPS		CANNONDALE DUAL-DENSITY GRIP		CANNONDALE DUAL-DENSITY GRIP
GRIPS	CANNONDALE DUAL LOCKING GRIPS		CANNONDALE OPI ADJUSTABLE, +6 DEGREE, 31.8		CANNONDALE OPI ADJUSTABLE, -15 DEGREE, 31.8		CANNONDALE OPI ADJUSTABLE, -15 DEGREE, 31.8
STEM	CANNONDALE OPI ADJUSTABLE, +6 DEGREE, 31.8		CANNONDALE HEADSHOK SI		CANNONDALE HEADSHOK SI		CANNONDALE HEADSHOK SI
HEADSET	CANNONDALE HEADSHOK SI		MAGURA MTB 160/160MM		AVID X0 CARBON 180 / 180MM		AVID ELIXIR 9 CARBON, 180/160MM
BRAKES	MAGURA MT2 W/BAT, 180/160MM		MAGURA CARBON		AVID X0 CARBON		AVID ELIXIR 9 CARBON
Brake Levers	MAGURA MT2 W/BAT		PROLOGO SCRATCH X8 CBN RAIL		PROLOGO SCRATCH X8 PRO		PROLOGO X8
SADDLE	PROLOGO X8 PRO TI.4		FI 'ZI-K CYRANO , 31.6X400MM		FI 'ZI-K CYRANO , 31.6X400MM		FI 'ZI-K CYRANO , 31.6X400MM
SEATPOST	CANNONDALE C2, 31.6X400MM		S, M, L, X		S, M, L, X		S, M, L, X
SIZES	S, M, L, X		EXPOSED CARBON, MATTE (CRB)		EXPOSED CARBON W/ MAGNESIUM WHITE AND ULTRA BLUE, GLOSS (BLK)		EXPOSED CARBON W/ MAGNESIUM WHITE AND BERSERKER GREEN ACCENTS, GLOSS (GRN)
COLOR (CODE)	MAGNESIUM WHITE W/ JET BLACK AND ULTRA BLUE ACCENTS, GLOSS (BLU)		SINGLE RING CONVERSION KIT (MRP 36T RING & MRP SINGLE GUIDE) INCLUDED		N/A		EXPOSED CARBON W/ BERSERKER GREEN (REP)
EXTRAS	HIGH PRESSURE SHOCK PUMP						
SCALPEL 29'ER 3		SCALPEL 29'ER 4		SCALPEL 2		SCALPEL 3	
PRODUCT CODE	C13VP93	C13VP94	SCALPEL 29'ER, 100MM, SMARTFORMED ALLOY, BB30, 1.5 SI HEAD TUBE	C13VP2	SCALPEL 80MM, BALLISTEC HI-MOD FULL CARBON, ZERO PIVOT, BB30, 1.5 SI HEAD TUBE	C13VP3	SCALPEL 80MM, BALLISTEC HI-MOD FULL CARBON, ZERO PIVOT, BB30, 1.5 SI HEAD TUBE
FRAME	SCALPEL 29'ER, 100MM, SMARTFORMED ALLOY, BB30, 1.5 SI HEAD TUBE		ROCKSHOX RECON GOLD TK 29, 80MM , SOLO AIR , LOCKOUT, REBOUND, 1.5"		LEFTY XLR 100 26, HYBRID NEEDLE BEARING TECHNOLOGY		LEFTY PBR 100 26, HYBRID NEEDLE BEARING TECHNOLOGY
FORK	LEFTY PBR 100 29, HYBRID NEEDLE BEARING TECHNOLOGY		X FUSION E1 RL		ROCKSHOX MONARCH RL 80MM		FOX PERFORMANCE CTD
REAR SHOCK	FOX, PERFORMANCE, CTD		SUN RINGLE INFERNO25, WELDED, W/EYELET, 32 HOLE		MAVIC CROSSTRAIL, TUBELESS READY		WTB PHASE I19 TCS, TUBELESS READY
RIMS	WTB ST 119, TCS, 32 HOLE, TUBELESS READY		FORMULA 15MM FRONT , 142X12MM REAR		MAVIC CROSSTRAIL LEFTY FRONT, CROSSTRAIL 135X9MM REAR		WTB LEFTY FRONT, WTB PHASE I19 135X9MM REAR
HUBS	LEFTY SL FRONT , FORMULA DHL-142 142X12MM REAR		DT SWISS		MAVIC CROSSTRAIL		WTB
SPOKES	DT SWISS SUPER COMP		KENDA SMALL BLOC K 8, 2.1" FOLDING		SCHWALBE RACING RALPH EVO FOLDING 26X2.1, TUBELESS READY		SCHWALBE RACING RALPH 26X2.1
TIRES	SCHWALBE RACING RALPH PERFORMANCE, FOLDING		N/A		N/A		N/A
PEDALS	N/A		FSA COMET, BB30, 42/32/24		SRAM S2210, BB30, 42/28		SRAM S1400, BB30, 42/28
CRANKS	SRAM S1000, BB30, 38/24		FSA BB30		SRAM BB30		SRAM BB30
BOTTOM BRACKET	SRAM BB30		KMC X10		KMC X10SL		KMX X10
CHAIN	KMC X10		SHIMANO TIAGRA 4600, 12-28, 10-SPEED		SHIMANO 105 5700, 11-28, 10-SPEED		SRAM PG-1030, 11-36, 10-SPEED
REAR COGS	SRAM PG-1030, 11-36, 10-SPEED		SHIMANO HG-62, 11-36, 10-SPEED		SRAM PG-1070, 11-36, 10-SPEED		SRAM PG-1030, 11-36, 10-SPEED
FRONT DERAILLEUR	SRAM T7, S3		SHIMANO SLX, E-TYPE		SRAM X0, 10-SPEED		SRAM X7, S3
REAR DERAILLEUR	SRAM, X9		SHIMANO XT / SHIMANO DEORE		SHIMANO X9, 10-SPEED / SRAM X9		SHIMANO XT SHADOW PLUS / SHIMANO SLX I-SPEC
SHIFTERS	SRAM X7		CANNONDALE C3 RISER , 700X15MM , 6061		TRUVATIV NOIR RISER, 680X20		CANNONDALE C2 RISER , 700X20MM , 2014 ALLOY
HANDLEBAR	CANNONDALE C2 FLAT , 680X3MM , 2014 ALLOY		CANNONDALE DUAL-DENSITY GRIP		CANNONDALE FOAM LOCKING GRIPS		CANNONDALE DUAL-DENSITY GRIP
GRIPS	CANNONDALE DUAL-DENSITY GRIP		CANNONDALE C3, 1.5", 31.8		CANNONDALE OPI ADJUSTABLE -5(S-L), +(XL) 31.8		CANNONDALE OPI ADJUSTABLE -5(S-L), +(XL) 31.8
STEM	CANNONDALE C1 HEADSHOK, 31.8		TANGE 1.5 SI		CANNONDALE HEADSHOK SI		CANNONDALE HEADSHOK
HEADSET	CANNONDALE HEADSHOK SI		AVD Elixir 3 , 180/160MM		AVD Elixir 9 CARBON 160/140MM		AVD Elixir 7 160/140MM
Brakes	AVD Elixir 5 180/160MM		AVD Elixir 3		AVD Elixir 9 CARBON		AVD Elixir 7
Brake Levers	AVD Elixir 5		CANNONDALE STAGE 3 CROMO		FI 'ZI-K TUNDRA2 MAG		FI 'ZI-K TUNDRA 2
Saddle	FI 'ZI-K TUNDRA 2		CANNONDALE C3, 31.6X400MM		FI 'ZI-K CYRANO , 31.6X400MM		CANNONDALE C2, 31.6X400MM
Seatpost	CANNONDALE C3, 31.6X400MM		S, M, L, X		S.M.L.X		S.M.L.X
Sizes	S, M, L, X		JET BLACK, GLOSS (BLK)		EXPOSED CARBON W/ MAGNESIUM WHITE AND BERSERKER GREEN ACCENTS, GLOSS (GRN)		EXPOSED CARBON W/ MAGNESIUM WHITE AND BERSERKER GREEN ACCENTS, GLOSS (GRN)
Color 1 (Code)	MAGNESIUM WHITE, GLOSS (WHT)		N/A		N/A		HIGH PRESSURE SHOCK PUMP, DYAD REMOTE LEVER, SYNTACE X-12 142 MM REAR AXLE
Color 2 (Code)	N/A						
RZ120 XLR 1		RZ120 XLR 2		RZ120 XLR 3		RZ120 1	
PRODUCT CODE	C13VX1	C13VLX2	RZ ONE TWENTY, 120MM, SMARTFORMED ALLOY, BB30, 1.5 SI HEAD TUBE	C13VLX3	RZ ONE TWENTY, 120MM, SMARTFORMED ALLOY, BB30, 1.5 SI HEAD TUBE	C13VL1	RZ ONE TWENTY, 120MM SMARTFORMED ALLOY, BB30, 1.5 SI HEAD TUBE
FRAME	RZ ONE TWENTY, 120MM, SMARTFORMED ALLOY, BB30, 1.5 SI HEAD TUBE		LEFTY XLR 120 26, HYBRID NEEDLE BEARING TECHNOLOGY		LEFTY PBR 120 26, HYBRID NEEDLE BEARING TECHNOLOGY		ROCKSHOX RECON GOLD TK, 120MM, SOLO AIR, TURN KEY LOCKOUT, REBOUND, 1.5"
FORK	LEFTY XLR 120 26, HYBRID NEEDLE BEARING TECHNOLOGY		FOX FLOAT CTD PERFORMANCE		FOX FLOAT CTD EVOLUTION		ROCKSHOX MONARCH RL 120MM
REAR SHOCK	ROCKSHOX MONARCH RT3		STANS ZTR CREST 26, 32H, TUBELESS READY		WTB FREQUENCY RACE 119, 32H, TCS, TUBELESS READY		MADDUX DC3.0, DOUBLE WALL W/ EYELET
RIMS	SUN RINGLE BLACK FLAG PRO, 24 HOLE, TUBELESS READY		LEFTY SL FRONT, SUN RINGLE DIRTY FLEA 135X9MM REAR		LEFTY SL FRONT, FORMULA DC22 135X9MM REAR		FORMULA DC20 FRONT , DC22 135X9MM REAR
HUBS	SUN RINGLE BLACK FLAG PRO LEFTY FRONT, 135X9MM REAR		DT SWISS		DT SWISS		DT SWISS COMPETITION
Spokes	SUN RINGLE BLACK FLAG PRO		SCHWALBE RACING RALPH 26X2.25		SCHWALBE RACING RALPH 26X2.25		SCHWALBE RAPID ROB 26X2.25
Tires	SUN RINGLE BLACK FLAG PRO 2.25		N/A		N/A		N/A
Pedals	N/A		SRAM S2210, BB30, 44/32/22		SRAM S1000, BB30, 44/32/22		SRAM S800 3.2, 44/32/22
Cranks	SRAM S2210, BB30, 38/24		SRAM BB30		SRAM BB30		TRUVATIV POWERSPLINE
Bottom Bracket	SRAM BB30		KMC X10SL, 10-SPEED		KMC X10, 10-SPEED		KMC X10
Chain	KMC X10SL, 10-SPEED		SRAM PG 1030, 11-36, 10-SPEED		SRAM PG 1030, 11-36, 10-SPEED		SRAM PG-1030, 11-36, 10-SPEED
Rear Cogs	SRAM PG 1070, 11-36, 10-SPEED		SRAM X9, DIRECT MOUNT		SRAM X7, DIRECT MOUNT		SRAM X5, 34.9 HIGH CLAMP
Front Derailleur	SRAM X0, DIRECT MOUNT		SHIMANO XTR, SHADOW+		SHIMANO X9 CARBON		SRAM X7, 10-SPEED
Rear Derailleur	SRAM XX, LONG CAGE		SHIMANO XT		SHIMANO X9		SRAM X5
Shifters	SRAM X0		CANNONDALE C2 RISER, 680X20MM, 2014 ALLOY		CANNONDALE C2 RISER, 680X20MM, 2014 ALLOY		CANNONDALE DUAL-DENSITY GRIPS
Handlebar	TRUVATIV T30 RISER, 700X25MM		CANNONDALE DUAL LOCKING GRIPS		CANNONDALE DUAL LOCKING GRIPS		CANNONDALE DUAL-DENSITY GRIPS
Grips	CANNONDALE DUAL LOCKING GRIPS		CANNONDALE OPI ADJUSTABLE, +6 DEGREE, 31.8MM		CANNONDALE OPI ADJUSTABLE, +6 DEGREE, 31.8MM		CANNONDALE C3, 1.5", 31.8
stem	CANNONDALE OPI ADJUSTABLE, +6 DEGREE, 31.8MM		CANNONDALE HEADSHOK SI		CANNONDALE HEADSHOK SI		TANGE SEIKI, 1.5", 31.8
Headset	CANNONDALE HEADSHOK SI		MAGURA MT4, 180/160MM		AVID Elixir 5, 180/160MM		AVID Elixir 3, 180/160MM
Brakes	AVID Elixir 9 CARBON, 180/160MM		MAGURA MT4		AVID Elixir 5		AVID Elixir 3
Brake Levers	AVID Elixir 9 CARBON		FI 'ZI-K TUNDRA2 MG		FI 'ZI-K TUNDRA2 MG		CANNONDALE STAGE 3
Saddle	FI 'ZI-K TUNDRA2 KM		CANNONDALE C2, 31.6X400MM		CANNONDALE C3, 31.6X400MM		CANNONDALE C3, 31.6X350MM
Seatpost	FI 'ZI-K CYRANO CARBON, 31.6X400MM		S.M.L.X		S.M.L.X		S.M.L.X
Sizes	S.M.L.X		JET BLACK W/MAGNESIUM WHITE, ULTRA BLUE, RACE RED ACCENTS, GLOSS (BLU)		JET BLACK W/CHARCOAL GRAY AND MAG WHITE ACCENTS, MATTE (BBQ)		JET BLACK, MATTE (BLK)
Color 1 (Code)	JET BLACK W/MAGNESIUM WHITE, RACE RED ACCENTS, GLOSS (BLU)		N/A		N/A		JET BLACK, MATTE (BBQ)
Color 2 (Code)	N/A						

MOUNTAIN

SPECIFICATIONS

RZ120 2

PRODUCT CODE	C13VL2
FRAME	RZ ONE TWENTY, 120MM SMARTFORMED ALLOY, BB30, 1.5 SI HEAD TUBE
FORK	X-FUSION ENIX RL, 120MM, LOCKOUT, REBOUND, 1.5"
REAR SHOCK	X-FUSION E1 RL 120MM
RIMS	MADDUX DC3.0, DOUBLE WALL W/EYELET
HUBS	FORMULA DC20 FRONT, DC22 135X9MM REAR
SPOKES	DT SWISS CHAMPION
TIRES	SCHWALBE RAPID ROB 26X2.25
PEDALS	N/A
CRANKS	SHIMANO M552 42/32/24
BOTTOM BRACKET	FSA
CHAIN	KMC X10
REAR COGS	SRAM PG-1030, 11-36, 10-SPEED
FRONT DERAILLEUR	SHIMANO DEORE, 34.9 DOWN SWING
REAR DERAILLEUR	SHIMANO SLX, 10-SPEED
SHIFTERS	SHIMANO DEORE W/GEAR DISPLAY
HANDLEBAR	CANNONDALE C3, 700X20, 6061 DOUBLE-BUTTED ALLOY
GRIPS	CANNONDALE LOCKING GRIPS
STEM	CANNONDALE C4, 1.5", 31.8"
HEADSET	TANGE SEIKI, 1.5", 31.8"
BRAKES	AVID ELIXIR 1, 180/160MM
Brake Levers	AVID ELIXIR 1
SADDLE	CANNONDALE STAGE 3
SEATPOST	CANNONDALE C3, 31.6X350MM
SIZES	S, M, L
COLOR 1 (CODE)	MAGNESIUM WHITE, GLOSS (WHT)
COLOR 2 (CODE)	JET BLACK, MATTE (BBQ)
EXTRAS	N/A

F29 CARBON HI-MOD ULTIMATE

PRODUCT CODE	C13FS2905
FRAME	F29, BALLISTEC HI-MOD CARBON, SPEED SAVE, BB30, 1.5 SI HEAD TUBE
FORK	LEFTY CARBON XLR 90 29, HYBRID NEEDLE BEARING TECHNOLOGY
REAR SHOCK	N/A
RIMS	ENVE CARBON, TUBELESS READY
HUBS	LEFTY SL FRONT, DT SWISS 2405 142X12MM REAR
SPOKES	DT SWISS AEROLITE
TIRES	SCHWALBE RACING RALPH EVO, 29X2.1" EVO TUBELESS READY
PEDALS	N/A
CRANKS	CANNONDALE HOLLOWGRAM SL, 39/26
BOTTOM BRACKET	CANNONDALE SI BB30
CHAIN	KMC X10SL
REAR COGS	SRAM XX, 11-36, 10-SPEED
FRONT DERAILLEUR	SRAM XX S3
REAR DERAILLEUR	SRAM XX, 10-SPEED
SHIFTERS	SRAM XX
HANDLEBAR	ENVE CARBON FLAT, 700MM
GRIPS	CANNONDALE FOAM LOCKING GRIPS
STEM	CANNONDALE OPI ADJUSTABLE, 31.8, -15 DEGREE(M-L), -5 DEGREE(X)
HEADSET	TANGE HS BEARINGS 2X
Brakes	MAGURA MT8, 160/140MM
Brake Levers	MAGURA MT8
Saddle	Fi'ZiK TUNDRA 2
Seatpost	CANNONDALE SAVE POST, 27.2X420MM
Sizes	M, L, XL
Color 1 (Code)	EXPOSED CARBON W/ NEARLY BLACK AND CHARCOAL GRAY ACCENTS, MATTE (CRB)
Color 2 (Code)	N/A
Extras	SINGLE RING CONVERSION KIT (MRP 36T RING & MRP SINGLE GUIDE) INCLUDED

F29 CARBON HI-MOD 1

PRODUCT CODE	C13FS291S
FRAME	F29, BALLISTEC HI-MOD CARBON, SPEED SAVE, BB30, 1.5 SI HEAD TUBE
FORK	LEFTY CARBON XLR 90 29, HYBRID NEEDLE BEARING TECHNOLOGY
REAR SHOCK	N/A
RIMS	REYNOLDS CARBON WHEELSET, TUBELESS READY
HUBS	REYNOLDS CARBON WHEELSET
SPOKES	REYNOLDS CARBON WHEELSET
TIRES	SCHWALBE RACING RALPH EVO, 29X2.1" EVO TUBELESS READY
PEDALS	N/A
CRANKS	SRAM S2210, BB30, 38/24
BOTTOM BRACKET	SRAM BB30
CHAIN	KMC X10SL
REAR COGS	SRAM XX, 11-36, 10-SPEED
FRONT DERAILLEUR	SRAM X0, S3
REAR DERAILLEUR	SHIMANO XTR, SHADOW PLUS, 11-36, 10-SPEED
SHIFTERS	SHIMANO XTR
HANDLEBAR	TRUVATIV NOIR CARBON, T30 FLAT, 700X10MM
GRIPS	CANNONDALE FOAM LOCKING GRIPS
STEM	CANNONDALE OPI ADJUSTABLE, 31.8, -15 DEGREE(M-L), -5 DEGREE(X)
HEADSET	TANGE HS BEARINGS 2X
Brakes	TRUVATIV NOIR CARBON, T30 FLAT, 700X10MM
Brake Levers	AVOID ELX 9, 180/160MM
Saddle	Fi'ZiK TUNDRA KM KIUM RAIL
Seatpost	CANNONDALE SAVE POST, 27.2X420MM
Sizes	M, L, XL
Color 1 (Code)	MAGNESIUM WHITE W/ RACE RED AND ULTRA BLUE ACCENTS, GLOSS (CRB)
Color 2 (Code)	EXPOSED CARBON W/ BERSERKER GREEN (REP)
Extras	N/A

F29 CARBON 2

PRODUCT CODE	C13FS292S
FRAME	F29, BALLISTEC CARBON, SPEED SAVE, BB30, 1.5 SI HEAD TUBE
FORK	LEFTY XLR 90 29, HYBRID NEEDLE BEARING TECHNOLOGY
REAR SHOCK	N/A
RIMS	NOTUBES ZTR ARCH EX 29"ER, 32-HOLE, TUBELESS READY
HUBS	FORMULA LEFTY SL FRONT, SUN RINGLE DIRTY FLEA REAR
SPOKES	DT SWISS AEROSPEED
TIRES	SCHWALBE RACING RALPH EVO, 29X2.1" EVO TUBELESS READY
PEDALS	N/A
CRANKS	SRAM S2210, BB30, 38/24
BOTTOM BRACKET	SRAM BB30
CHAIN	KMC X10
REAR COGS	SRAM XX, 11-36, 10-SPEED
FRONT DERAILLEUR	SRAM X7, S3
REAR DERAILLEUR	SRAM X0, 10-SPEED
SHIFTERS	SRAM X9
HANDLEBAR	TRUVATIV NOIR CARBON, T30 FLAT, 700X10MM
GRIPS	CANNONDALE FOAM LOCKING GRIPS
STEM	CANNONDALE OPI ADJUSTABLE, 31.8, -15 DEGREE(M-L), -5 DEGREE(X)
HEADSET	TANGE HS BEARINGS 2X
Brakes	TRUVATIV NOIR CARBON, T30 FLAT, 700X10MM
Brake Levers	AVOID ELX 9, 180/160MM
Saddle	Fi'ZiK TUNDRA 2 MG, MANGANESE RAIL
Seatpost	CANNONDALE SAVE POST, 27.2X420MM
Sizes	M, L, XL
Color 1 (Code)	MAGNESIUM WHITE W/ CHARCOAL GRAY AND RUBY RED ACCENTS, GLOSS (GRY)
Color 2 (Code)	N/A
Extras	N/A

F29 CARBON 3

PRODUCT CODE	C13FS293S
FRAME	F29, BALLISTEC CARBON, SPEED SAVE, BB30, 1.5 SI HEAD TUBE
FORK	LEFTY PBR 90 29, HYBRID NEEDLE BEARING TECHNOLOGY
REAR SHOCK	N/A
RIMS	WTB FREQUENCY RACE I19, TCS, 32-HOLE, TUBELESS READY
HUBS	FORMULA LEFTY SL FRONT, SHIMANO FH-M525, REAR
SPOKES	DT SWISS COMPETITION
TIRES	SCHWALBE RACING RALPH PERFORMANCE, 29X2.5" EVO TUBELESS READY
PEDALS	N/A
CRANKS	SRAM S1000, BB30, 38/24
BOTTOM BRACKET	SRAM BB30
CHAIN	KMC X10
REAR COGS	SRAM PG-1030, 11-36, 10-SPEED
FRONT DERAILLEUR	SRAM X7, S3
REAR DERAILLEUR	SHIMANO XT, 10-SPEED
SHIFTERS	SHIMANO SLX
HANDLEBAR	CANNONDALE C2, 680X10, 2014 DOUBLE-BUTTED ALLOY
GRIPS	CANNONDALE LOCKING GRIPS
STEM	CANNONDALE OPI ADJUSTABLE, 31.8, -15 DEGREE(M-L), -5 DEGREE(X)
HEADSET	TANGE HS BEARINGS 2X
Brakes	AVID ELIXIR 7, 180/160MM
Brake Levers	AVID ELIXIR 7
Saddle	Fi'ZiK TUNDRA 2
Seatpost	CANNONDALE C2, 27.2MMX400MM,
Sizes	S, M, L, XL
Color 1 (Code)	EXPOSED CARBON W/ MAGNESIUM WHITE AND BERSERKER GREEN ACCENTS, GLOSS (WHT)
Color 2 (Code)	N/A
Extras	N/A

F29 1

PRODUCT CODE	C13FA291
FRAME	F29, SMARTFORMED ALLOY, SPEED SAVE, BB30, 1.5 SI HEAD TUBE
FORK	LEFTY PBR 90 29, HYBRID NEEDLE BEARING TECHNOLOGY
REAR SHOCK	N/A
RIMS	WTB ST I19, WELDED, EYELET, 32 HOLE, TUBELESS READY
HUBS	FORMULA LEFTY SL FRONT, SRAM X9, REAR
SPOKES	DT SWISS COMPETITION
TIRES	SCHWALBE RAPID ROB, 29X2.5"
PEDALS	N/A
CRANKS	SRAM S1400, BB30, 38/24
BOTTOM BRACKET	SRAM BB30
CHAIN	KMC X10
REAR COGS	SRAM PG 1030, 11-36, 10-SPEED
FRONT DERAILLEUR	SRAM X7, 31.6 CLAMP
REAR DERAILLEUR	SRAM X9, 10-SPEED
SHIFTERS	SRAM X9
HANDLEBAR	CANNONDALE C2, 680X10, 2014 DOUBLE-BUTTED ALLOY
GRIPS	CANNONDALE DUAL-DENSITY GRIP
STEM	CANNONDALE OPI ADJUSTABLE, 31.8, -15 DEGREE(M-L), -5 DEGREE(X)
HEADSET	TANGE HS BEARINGS 2X
Brakes	AVID ELIXIR 7, 180/160MM
Brake Levers	AVID ELIXIR
Saddle	Fi'ZiK TUNDRA 2
Seatpost	CANNONDALE STAGE 3
Sizes	S, M, L, XL
Color 1 (Code)	EXPOSED CARBON W/ MAGNESIUM WHITE AND BERSERKER GREEN ACCENTS, GLOSS (WHT)
Color 2 (Code)	N/A
Extras	N/A

F29 2

PRODUCT CODE	C13FA292
FRAME	F29, SMARTFORMED ALLOY, SPEED SAVE, BB30, 1.5 SI HEAD TUBE
FORK	LEFTY PBR 90 29, HYBRID NEEDLE BEARING TECHNOLOGY
REAR SHOCK	N/A
RIMS	WTB FREQUENCY RACE I19, WELDED, EYELET, 32 HOLE, TUBELESS READY
HUBS	FORMULA LEFTY SL FRONT, SHIMANO FH-M525, REAR
SPOKES	DT SWISS COMPETITION
TIRES	WTB NINE LINE 29X2.0" TCS
PEDALS	N/A
CRANKS	SRAM S1400, BB30, 42/28
BOTTOM BRACKET	SRAM BB30
CHAIN	KMC X10
REAR COGS	SRAM PG-1030, 11-36, 10-SPEED
FRONT DERAILLEUR	SRAM X9, S3
REAR DERAILLEUR	SRAM X0, 10-SPEED
SHIFTERS	SRAM X9
HANDLEBAR	TRUVATIV NOIR T30 CARBON, 700X10
GRIPS	CANNONDALE FOAM LOCKING GRIPS
STEM	CANNONDALE OPI, 1.5", 31.8, -5 (S-L), +6 (L)
HEADSET	TANGE HEADSHOK BEARINGS
Brakes	AVID ELIXIR 9, 160/140MM
Brake Levers	AVID ELIXIR 9
Saddle	Fi'ZiK TUNDRA 2 MG RAIL
Seatpost	CANNONDALE CARBON SAVE, 27.2X420MM
Sizes	S, M, L
Color 1 (Code)	EXPOSED CARBON W/ MAGNESIUM WHITE AND BERSERKER GREEN ACCENTS, GLOSS (GRN)
Color 2 (Code)	N/A
Extras	N/A

F26 HI-MOD CARBON 2

PRODUCT CODE	C13FS2S2
FRAME	F26, HI-MOD BALLISTEC CARBON, SPEED SAVE, BB30, 1.5 SI HEAD TUBE
FORK	LEFTY XLR 100 26, HYBRID NEEDLE BEARING TECHNOLOGY
REAR SHOCK	N/A
RIMS	MAVIC CROSSTRAIL WHEELSET
HUBS	MAVIC CROSSTRAIL WHEELSET
SPOKES	SCHWALBE RACING RALPH EVO, 26X2.1" TUBELESS READY
TIRES	N/A
PEDALS	SRAM S1400, BB30, 42/28
CRANKS	SRAM BB30
BOTTOM BRACKET	KMC X10
CHAIN	SRAM PG-1030, 11-36, 10-SPEED
REAR COGS	SRAM X9, S3
FRONT DERAILLEUR	SRAM X0, 10-SPEED
REAR DERAILLEUR	SRAM X9
SHIFTERS	SRAM X9
HANDLEBAR	TRUVATIV NOIR T30 CARBON, 700X10
GRIPS	CANNONDALE FOAM LOCKING GRIPS
STEM	CANNONDALE C3 HEADSHOK, 31.8
HEADSET	TANGE HEADSHOK BEARING
Brakes	AVID ELIXIR 9, 160/140MM
Brake Levers	AVID ELIXIR 9
Saddle	Fi'ZiK TUNDRA 2 MG RAIL
Seatpost	CANNONDALE CARBON SAVE, 27.2X420MM
Sizes	S, M, L
Color 1 (Code)	EXPOSED CARBON W/ MAGNESIUM WHITE AND BERSERKER GREEN ACCENTS, GLOSS (GRN)
Color 2 (Code)	N/A
Extras	N/A

F26 CARBON 3

PRODUCT CODE	C13FS3S
FRAME	F26, BALLISTEC CARBON, SPEED SAVE, BB30, 1.5 SI HEAD TUBE
FORK	CANNONDALE FATTY DLR80, 80MM
REAR SHOCK	N/A
RIMS	SHIMANO MT66
HUBS	SHIMANO MT66
SPOKES	SHIMANO MT66
TIRES	SCHWALBE RACING RALPH PERFORMANCE, 26X2.1"
PEDALS	N/A
CRANKS	SRAM S1400, BB30, 42/28
BOTTOM BRACKET	SRAM BB30
CHAIN	KMC X10SL
REAR COGS	SRAM PG-1030, 11-36, 10-SPEED
FRONT DERAILLEUR	SRAM X7, S3
REAR DERAILLEUR	SHIMANO XT SHADOW PLUS, 10-SPEED
SHIFTERS	SHIMANO SLX
HANDLEBAR	CANNONDALE C2, 680X20, 2014 DOUBLE-BUTTED ALLOY
GRIPS	CANNONDALE LOCKING GRIPS
STEM	CANNONDALE C1 HEADSHOK, 5 DEGREE, 31.8
HEADSET	TANGE HEADSHOK BEARING
Brakes	AVID ELIXIR 7, 160/140MM
Brake Levers	AVID ELIXIR 7
Saddle	Fi'ZiK TUNDRA 2 MG RAIL
Seatpost	CANNONDALE C2, 27.2X400MM
Sizes	S, M, L
Color 1 (Code)	EXPOSED CARBON W/ MAGNESIUM WHITE AND BERSERKER GREEN ACCENTS, GLOSS (GRN)
Color 2 (Code)	N/A
Extras	N/A

F26 1

PRODUCT CODE	C13FA1
FRAME	F26, SMARTFORMED ALLOY, SPEED SAVE, BB30, 1.5 SI HEAD TUBE
FORK	LEFTY PBR 100 26, HYBRID NEEDLE BEARING TECHNOLOGY
REAR SHOCK	N/A
RIMS	MADDUX DC20 W/EYELET, 28 HOLE FRONT, 32 HOLE REAR
HUBS	FORMULA DC20LW FRONT, DC22 REAR
SPOKES	DT SWISS CHAMPION
TIRES	SCHWALBE RACING RALPH, 26X2.1" PACE STAR
PEDALS	N/A
CRANKS	SRAM S1400, BB30, 39/26
BOTTOM BRACKET	SRAM BB30
CHAIN	KMC X10
REAR COGS	SRAM PG-1030, 11-36, 10-SPEED
FRONT DERAILLEUR	SRAM X7, 31.8 CLAMP
REAR DERAILLEUR	SRAM X9, 10-SPEED
SHIFTERS	SRAM X9
HANDLEBAR	CANNONDALE C2, 680X20, 2014 DOUBLE-BUTTED ALLOY
GRIPS	CANNONDALE DUAL-DENSITY GRIPS
STEM	CANNONDALE OPI 1.5", 31.8, -5 DEGREE
HEADSET	TANGE HS BEARINGS 2X
Brakes	MAGURA MT2, 160/140MM
Brake Levers	MAGURA MT2
Saddle	SHIMANO DEORE, 31.8 CLAMP
Seatpost	SHIMANO XT, SHADOW DESIGN, 10-SPEED
Sizes	S, M, L, XL
Color 1 (Code)	EXPOSED CARBON W/ MAGNESIUM WHITE AND BERSERKER GREEN ACCENTS, GLOSS (WHT)
Color 2 (Code)	N/A
Extras	N/A

F26 3

PRODUCT CODE	C13FA3
FRAME	F26, SMARTFORMED ALLOY, SPEED SAVE, BB30, 1.5 SI HEAD TUBE
FORK	CANNONDALE FATTY DLR80, 80MM, 1.5"
REAR SHOCK	N/A
RIMS	MADDUX DC20 W/EYELET, 28 HOLE FRONT, 32 HOLE REAR
HUBS	SHIMANO HB-RM66 FRONT, FH-RM66 REAR, CENTER LOCK
SPOKES	STAINLESS STEEL, 15G BLACK
TIRES	WTB NINELINE, 29X2.0"
PEDALS	FPD PLATFORM

MOUNTAIN

SPECIFICATIONS

TRAIL SL 29'ER 2		TRAIL SL 29'ER 4		TRAIL SL 1		TRAIL SL 2	
PRODUCT CODE	C13FS292	C13FS294	TRAIL SL 29'ER, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE	TRAIL SL 29'ER, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE	C13FS2	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE
FRAME	TRAIL SL 29'ER, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE	SR SUNTOUR XCR-LO-29, 80MM, SOLO AIR, LOCKOUT, REBOND, 1.5"	ROCKSHOX RECON GOLD TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"	N/A	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
FORK	ROCKSHOX RECON SILVER TK 29, 80MM, SOLO AIR, LOCKOUT, REBOND, 1.5"	N/A	MADDUX DC3.0 DOUBLE WALL W/EYELET, 32 HOLE	MADDUX DC3.0 DOUBLE WALL W/EYELET, 32 HOLE	MADDUX DC3.0 DOUBLE WALL W/EYELET, 32 HOLE	N/A	MADDUX DC3.0 DOUBLE WALL W/EYELET, 28 HOLE FRONT, 32 HOLE REAR
REAR SHOCK	N/A	MADDUX DC3.0 DOUBLE WALL W/EYELET, 32 HOLE	CANNONDALE C4 FRONT AND REAR	STAINLESS STEEL, 15G BLACK	SHIMANO HB-RM66 FRONT, FH-RM66 REAR, CENTER LOCK	C13FS1	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE
RIMS	MADDUX DC3.0 29'ER, DOUBLE WALL W/EYELET, 32 HOLE	CANNONDALE C4 FRONT AND REAR	STAINLESS STEEL, 15G BLACK	WTB NINELINE, 29X2.0"	STAINLESS STEEL, 15G BLACK	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
HUBS	FORMULA CDH20 FRONT, FORMULA CDH22 REAR	STAINLESS STEEL, 15G BLACK	WTB NINELINE, 29X2.0"	FPD PLATFORM	SCHWALBE RAPID ROB, 26X2.1	N/A	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
SPOKES	STAINLESS STEEL, 15G BLACK	FPD PLATFORM	SCHWALBE RAPID ROB, 26X2.1	SHIMANO FC-M391-8, 44/32/22	FSA COMET, 42/32/24	N/A	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
TIRES	WTB NINELINE, 29X2.0"	SHIMANO FC-M391-8, 44/32/22	SHIMANO HG53	SHIMANO BB-E525, OCTALINK	FSA CN910	MADDUX DC3.0 DOUBLE WALL W/EYELET, 28 HOLE FRONT, 32 HOLE REAR	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
PEDALS	FPD PLATFORM	SHIMANO HG53	SHIMANO HG53	SHIMANO ACERA, 31.8 CLAMP	SHIMANO HG62-10, 11-36, 10-SPEED	SHIMANO BB-E525, OCTALINK	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
CRANKS	SHIMANO MS22, 42/32/24	SHIMANO ACERA, 31.8 CLAMP	SHIMANO ACERA, 31.8 CLAMP	SHIMANO DEORE, 31.8 CLAMP	SHIMANO DEORE, 31.8 CLAMP	KMC X10	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
BOTTOM BRACKET	SHIMANO BB-E525, OCTALINK	SHIMANO ALIVIO	SHIMANO ALIVIO	SHIMANO XT, SHADOW DESIGN, 10-SPEED	SHIMANO XT, SHADOW DESIGN, 10-SPEED	SHIMANO DEORE, 31.8 CLAMP	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
CHAIN	KMC X10	SHIMANO ACERA W/GEAR DISPLAY	SHIMANO ACERA W/GEAR DISPLAY	SHIMANO DEORE W/GEAR DISPLAY	SHIMANO DEORE W/GEAR DISPLAY	SHIMANO SLX, 10-SPEED	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
REAR COGS	SHIMANO HG-62, 11-36, 10-SPEED	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C3, 680X20, 6061 DOUBLE-BUTTED ALLOY	CANNONDALE C3, 680X20, 6061 DOUBLE-BUTTED ALLOY	SHIMANO DEORE, 31.8 CLAMP	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
FRONT DERAILLEUR	SHIMANO DEORE, 31.8 CLAMP	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE DUAL-DENSITY GRIP	CANNONDALE DUAL-DENSITY GRIP	CANNONDALE SLX, 10-SPEED	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
REAR DERAILLEUR	SHIMANO SLX, 10-SPEED	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	SHIMANO DEORE W/GEAR DISPLAY	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
SHIFTERS	SHIMANO DEORE W/GEAR DISPLAY	TANGE CUSTOM 1.5"	TANGE CUSTOM 1.5"	TANGE CUSTOM 1.5"	TANGE CUSTOM 1.5"	SHIMANO DEORE W/GEAR DISPLAY	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
HANDLEBAR	CANNONDALE C3, 680X20, 6061 DOUBLE-BUTTED ALLOY	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	TANGE CUSTOM 1.5"	CANNONDALE C3, 680X20, 6061 DOUBLE-BUTTED ALLOY	CANNONDALE C3, 680X20, 6061 DOUBLE-BUTTED ALLOY	SHIMANO DEORE, 31.8 CLAMP	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
GRIPS	CANNONDALE LOCKING GRIPS	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	TANGE CUSTOM 1.5"	CANNONDALE DUAL-DENSITY GRIP	CANNONDALE DUAL-DENSITY GRIP	CANNONDALE SLX, 10-SPEED	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
STEM	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	TANGE CUSTOM 1.5"	TANGE CUSTOM 1.5"	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	SHIMANO DEORE, 31.8 CLAMP	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
HEADSET	TANGE CUSTOM 1.5"	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	TANGE CUSTOM 1.5"	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	SHIMANO DEORE, 31.8 CLAMP	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
BRAKES	AVID ELIXIR 1, 180/160MM	CANNONDALE HELIX 6 HYDRAULIC DISC, 180/160MM	CANNONDALE HELIX 6 HYDRAULIC DISC, 180/160MM	CANNONDALE HELIX 6 HYDRAULIC DISC, 180/160MM	CANNONDALE HELIX 6 HYDRAULIC DISC, 180/160MM	AVID ELIXIR 1, 160/160MM	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
Brake Levers	AVID ELIXIR 1	CANNONDALE HELIX 6 HYDRAULIC DISC, 180/160MM	CANNONDALE HELIX 6 HYDRAULIC DISC, 180/160MM	CANNONDALE HELIX 6 HYDRAULIC DISC, 180/160MM	CANNONDALE HELIX 6 HYDRAULIC DISC, 180/160MM	AVID ELIXIR 1	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
SADDLE	CANNONDALE STAGE 3	CANNONDALE STAGE 3	CANNONDALE STAGE 3	CANNONDALE STAGE 3	CANNONDALE STAGE 3	CANNONDALE STAGE 3	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
SEATPOST	CANNONDALE C3, 27.2X350 (M), 400MM (L,X)	CANNONDALE C3, 27.2X350 (M), 400MM (L,X)	CANNONDALE C3, 27.2X350 (M), 400MM (L,X)	CANNONDALE C3, 27.2X350 (M), 400MM (L,X)	CANNONDALE C3, 27.2X350 (M), 400MM (L,X)	CANNONDALE STAGE 3	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
SIZES	S, M, L, X	S, M, L, X	S, M, L, X	S, M, L, X	S, M, L, X	S, M, L, X	ROCKSHOX RECON SILVER TK 100MM, SOLO AIR, LOCKOUT, REBOND, 1.5"
COLOR 1 (CODE)	JET BLACK, GLOSS (BLK)	JET BLACK, GLOSS (BLK)	JET BLACK, GLOSS (BLK)	MAGNESIUM WHITE, GLOSS (WHT)	JET BLACK, GLOSS (BLK)	JET BLACK, GLOSS (BLK)	MAGNESIUM WHITE, GLOSS (WHT)
COLOR 2 (CODE)	N/A	N/A	N/A	N/A	N/A	N/A	N/A

TRAIL SL 3		TRAIL SL 4		TRAIL SL 5		TRAIL SL 6	
PRODUCT CODE	C13FS3	C13FS4	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE	C13FS5	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE
FRAME	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE	SR SUNTOUR XCR-LO-40, 100MM, LOCKOUT, 1-1/8"	SR SUNTOUR XCM-HLO, COIL, 100MM, LOCKOUT, 1-1/8"	SR SUNTOUR XCM-HLO, COIL, 100MM, LOCKOUT, 1-1/8"	SR SUNTOUR XCM-HLO, COIL, 100MM, LOCKOUT, 1-1/8"	N/A	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE
FORK	ROCKSHOX XC 30 TK, COIL, 100MM, LOCKOUT, 1.5"	N/A	MADDUX DC3.0 DOUBLE WALL W/EYELET, 28 HOLE FRONT, 32 HOLE REAR	MADDUX DC3.0 DOUBLE WALL W/EYELET, 28 HOLE FRONT, 32 HOLE REAR	MADDUX DC3.0 DOUBLE WALL W/EYELET, 28 HOLE FRONT, 32 HOLE REAR	N/A	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE
REAR SHOCK	N/A	MADDUX DC3.0 DOUBLE WALL W/EYELET, 28 HOLE FRONT, 32 HOLE REAR	CANNONDALE C4 FRONT AND REAR	STAINLESS STEEL, 15G BLACK	CANNONDALE C4 FRONT AND REAR	N/A	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE
RIMS	MADDUX DC3.0 DOUBLE WALL W/EYELET, 28 HOLE FRONT, 32 HOLE REAR	STAINLESS STEEL, 15G BLACK	STAINLESS STEEL, 15G BLACK	SCHWALBE RAPID ROB, 26X2.1	SCHWALBE RAPID ROB, 26X2.1	MADDUX DC3.0 DOUBLE WALL W/EYELET, 28 HOLE FRONT, 32 HOLE REAR	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE
HUBS	CANNONDALE C4 FRONT AND REAR	SCHWALBE RAPID ROB, 26X2.1	SCHWALBE RAPID ROB, 26X2.1	FPD PLATFORM	FPD PLATFORM	SHIMANO BB-E525, OCTALINK	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE
Spokes	STAINLESS STEEL, 15G BLACK	FPD PLATFORM	SHIMANO HG53	SHIMANO FC-M391-8, OCTALINK, 44/32/22	SHIMANO FC-M391-8, OCTALINK, 44/32/22	SHIMANO BB-E525, OCTALINK	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE
Tires	WTB NINELINE, 29X2.1	SHIMANO HG53	SHIMANO HG53	SHIMANO BB-E525, OCTALINK	SHIMANO HG62-10, 11-36, 8-SPEED	TANGE SEIKI LN-3912	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE
Pedals	FPD PLATFORM	SHIMANO ACERA, 31.8 CLAMP	SHIMANO HG40	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE			
Cranks	SHIMANO FC-M430-8, OCTALINK, 44/32/22	SHIMANO ALIVIO	SHIMANO ALIVIO	SHIMANO ACERA, 31.8 CLAMP	SHIMANO ACERA, 31.8 CLAMP	SHIMANO HG40	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE
Bottom Bracket	SHIMANO BB-E525, OCTALINK	SHIMANO ALIVIO	SHIMANO ALIVIO	SHIMANO ACERA W/GEAR DISPLAY	SHIMANO ACERA W/GEAR DISPLAY	SHIMANO HG40	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE
Chain	KMC X10	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	SHIMANO HG40	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE			
REar Cogs	SUNRACE M96, 11-34, 9-SPEED	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	TANGE REDUCER 1.5 - 1-1/8"	CANNONDALE C4, 1-1/8", 31.8, 7 DEGREE	TANGE REDUCER 1.5 - 1-1/8"	SHIMANO HG40	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE
Front Derailleur	SHIMANO DEORE, 31.8 CLAMP	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	TANGE REDUCER 1.5 - 1-1/8"	CANNONDALE C4, 1-1/8", 31.8, 7 DEGREE	CANNONDALE C4, 1-1/8", 31.8, 7 DEGREE	SHIMANO HG40	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE
Rear Derailleur	SHIMANO DEORE, SHADOW DESIGN, 9-SPEED	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE DUAL-DENSITY GRIP	CANNONDALE DUAL-DENSITY GRIP	SHIMANO HG40	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE
Shifters	SHIMANO ALIVIO, W/GEAR DISPLAY	TANGE REDUCER 1.5 - 1-1/8"	CANNONDALE C4, 1-1/8", 31.8, 7 DEGREE	CANNONDALE C4, 1-1/8", 31.8, 7 DEGREE	CANNONDALE C4, 1-1/8", 31.8, 7 DEGREE	SHIMANO HG40	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE
Handlebar	CANNONDALE C3, 680X20, 6061 DOUBLE-BUTTED ALLOY	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C4, 1-1/8", 31.8, 7 DEGREE	CANNONDALE C4, 1-1/8", 31.8, 7 DEGREE	CANNONDALE C4, 1-1/8", 31.8, 7 DEGREE	SHIMANO HG40	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE
Grips	CANNONDALE LOCKING GRIPS	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C4, 1-1/8", 31.8, 7 DEGREE	CANNONDALE C4, 1-1/8", 31.8, 7 DEGREE	CANNONDALE C4, 1-1/8", 31.8, 7 DEGREE	SHIMANO HG40	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE
stem	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	TANGE REDUCER 1.5 - 1-1/8"	CANNONDALE C4, 1-1/8", 31.8, 7 DEGREE	CANNONDALE C4, 1-1/8", 31.8, 7 DEGREE	CANNONDALE C4, 1-1/8", 31.8, 7 DEGREE	SHIMANO HG40	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE
Headset	TANGE CUSTOM 1.5"	CANNONDALE C4, 1-1/8", 31.8, 7 DEGREE	SHIMANO HG40	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE			
Brakes	AVID ELIXIR 1, 180/160MM	CANNONDALE HELIX 6 HYDRAULIC DISC, 180/160MM	CANNONDALE HELIX 6 HYDRAULIC DISC, 180/160MM	CANNONDALE HELIX 6 HYDRAULIC DISC, 180/160MM	CANNONDALE HELIX 6 HYDRAULIC DISC, 180/160MM	AVID ELIXIR 1, 160/160MM	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE
Brake Levers	AVID ELIXIR 1	CANNONDALE HELIX 6 HYDRAULIC DISC, 180/160MM	AVID ELIXIR 1	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE			
Saddle	CANNONDALE STAGE 3	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE					
Seatpost	CANNONDALE C3, 27.2X350MM (S,M) 400MM (L,X)	CANNONDALE STAGE 3	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE				
Sizes	S, M, L, X	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE					
Color (Code)	JET BLACK, MATTE (BLK)	JET BLACK, MATTE (BLK)	JET BLACK, MATTE (BLK)	MAGNESIUM WHITE, GLOSS (WHT)	JET BLACK, MATTE (BLK)	JET BLACK, MATTE (BLK)	MAGNESIUM WHITE, GLOSS (WHT)
Extras	INCLUDES BOTH STANDARD 53/39 AND COMPACT 50/34 SPIDERING CHAINRING SETS.	INCLUDES BOTH STANDARD 53/39 AND COMPACT 50/34 SPIDERING CHAINRING SETS.	INCLUDES BOTH STANDARD 53/39 AND COMPACT 50/34 SPIDERING CHAINRING SETS.	INCLUDES BOTH STANDARD 53/39 AND COMPACT 50/34 SPIDERING CHAINRING SETS.	INCLUDES BOTH STANDARD 53/39 AND COMPACT 50/34 SPIDERING CHAINRING SETS.	INCLUDES BOTH STANDARD 53/39 AND COMPACT 50/34 SPIDERING CHAINRING SETS.	INCLUDES BOTH STANDARD 53/39 AND COMPACT 50/34 SPIDERING CHAINRING SETS.

ROAD		SPECIFICATIONS	
SUPER SIX EVO, BLACK EDITION	SUPER SIX EVO HI-MOD DURA ACE DI2	SUPER SIX EVO HI-MOD TEAM	SUPER SIX EVO HI-MOD DURA ACE
PRODUCT CODE	C13RSEBD	C13RSE0D	C13RSE0D
Frame	SUPER SIX EVO, BALLISTEC NANO CARBON, SPEED SAVE, PRESSFIT BB30	SUPER SIX EVO, BALLISTEC HI-MOD CARBON, SPEED SAVE, PRESSFIT BB30	SUPER SIX EVO, BALLISTEC HI-MOD CARBON, SPEED SAVE, PRESSFIT BB30
Fork	SUPER SIX EVO, SPEED SAVE, BALLISTEC NANO CARBON, 1-1/8" TO 1-1/4" STEERER	SUPER SIX EVO, SPEED SAVE, BALLISTEC HI-MOD FULL CARBON, 1-1/8" TO 1-1/4" STEERER	SUPER SIX EVO, SPEED SAVE, BALLISTEC HI-MOD FULL CARBON, 1-1/8" TO 1-1/4" STEERER
Rims	ENVE ROAD 25MM 20H FRONT, 24H REAR	MAVIC COSMIC CARBONE SLR WTS	MAVIC COSMIC CARBONE SLR WTS
Hubs	DT SWISS 240, 20H FRONT, 24H REAR, 11 SPEED	MAVIC COSMIC CARBONE SLR	MAVIC COSMIC CARBONE SLR
Spokes	DT SWISS AEROLITE	MAVIC COSMIC CARBONE SLR	MAVIC COSMIC CARBONE SLR
Tires	SCHWALBE ULTREMO LIGHT TUBULAR 22MM	MAVIC YSION, GRIPLINK FRONT AND POWERLINK REAR, 700X23C, FOLDING	MAVIC YSION, GRIPLINK FRONT AND POWERLINK REAR, 700X23C, FOLDING
Pedals	N/A	SRAM PC-1091R, 10-SPEED	SRAM PC-1091R, 10-SPEED
Cranks	CANNONDALE HOLLOWGRAM SISL2, W/ OPI SPIDERING, 11 SPEED, 53-39 (COMPACT 50/34 INCLUDED)	CANNONDALE HOLLOWGRAM SISL2, W/ OPI SPIDERING, 11 SPEED, 53-39 (COMPACT 50/34 INCLUDED)	CANNONDALE HOLLOWGRAM SISL2, W/ OPI SPIDERING, 11 SPEED, 53-39 (COMPACT 50/34 INCLUDED)
Bottom Bracket	CANNONDALE ALUMINUM PF30 BB CUP, FSA CERAMIC BB30 BEARING	CANNONDALE ALUMINUM PF30 BB CUP, FSA CERAMIC BB30 BEARING	CANNONDALE ALUMINUM PF30 BB CUP, FSA CERAMIC BB30 BEARING
Chain	SHIMANO DURA ACE 9000	SHIMANO DURA ACE 9000	SHIMANO DURA ACE 9000
Rear Cogs	SHIMANO DURA ACE 9000, 11-25, 11-SPEED	SHIMANO DURA ACE 9070	SHIMANO DURA ACE 9000, 11-25, 11-SPEED
Front Derailleur	SHIMANO DURA ACE 9000	SHIMANO DURA ACE 9070	SHIMANO DURA ACE 9000
Rear Derailleur	SHIMANO DURA ACE 9000	SHIMANO DURA ACE 9070	SHIMANO DURA ACE 9000
Shifters	SHIMANO DURA ACE 9000	SHIMANO DURA ACE 9070	SHIMANO DURA ACE 9000
Handlebar	ENVE CARBON ROAD, 31.8, 6 DEG	FSA K-FORCE CARBON COMPACT	FSA K-FORCE CARBON COMPACT
Grips	FIZIK BAR TAPE	FSA K-FORCE CARBON, 31.8, 6 DEG	FIZIK BAR TAPE
stem	ENVE CARBON ROAD, 31.8, 6 DEG	SUPER SIX EVO, 1-1/4" LOWER BEARING, 25MM CARBON TOP COVER (W/ 5MM ALLOY HIDDEN TOP COVER)	SUPER SIX EVO, 1-1/4" LOWER BEARING, 25MM CARBON TOP COVER (W/ 5MM ALLOY HIDDEN TOP COVER)
Headset	ENVE CARBON ROAD, 31.8, 6 DEG	SHIMANO DURA ACE 9000	SHIMANO DURA ACE 9000
Brakes	SHIMANO DURA ACE 9000	SHIMANO DURA ACE 9070	SHIMANO DURA ACE 9000
Brake Levers	SHIMANO DURA ACE 900		

ROAD

SPECIFICATIONS

SUPERSIX EVO HI-MOD RED, RACING EDITION	
PRODUCT CODE	C13RSERC
FRAME	SUPERSIX EVO, BALLISTEC HI-MOD CARBON, SPEED SAVE, PRESSFIT BB30
FORK	SUPERSIX EVO, SPEED SAVE, BALLISTEC HI-MOD FULL CARBON, 1-1/8" TO 1-1/4" STEERER
RIMS	VISION TC4, CARBON RIM, 20/24H, TUBULAR
HUBS	VISION ZOH FRONT, 24H REAR
SPOKES	SAPIM
TIRES	SCHWALBE ULTREMO HT TUBULAR 22MM
PEDALS	N/A
CRANKS	CANNONDALE HOLLOWGRAM SISL2, FSA CHAINRINGS, 53/39
BOTTOM BRACKET	CANNONDALE ALUMINUM PF30 BB CUP, FSA BB30 BEARING
CHAIN	KMC X10SL, 10-SPEED
REAR COGS	SRAM PG-1070, 12-26, 10-SPEED
FRONT DERAILLEUR	SRAM RED, BRAZE ON
REAR DERAILLEUR	SRAM RED
SHIFTERS	SRAM RED DOUBLETAP
HANDLEBAR	CANNONDALE C2 CLASSIC, SHALLOW DROP
GRIPS	CANNONDALE BAR TAPE W/GEL, 2.5MM
STEM	CANNONDALE C1 31.8MM 6 DEG.
HEADSET	SUPERSIX EVO, 1-1/4" LOWER BEARING, 25MM CARBON TOP COVER (W/ 5MM ALLOY HIDDEN TOP COVER)
BRAKES	NEW SRAM RED
Brake Levers	NEW SRAM RED
SADDLE	PROLOGO NAGO EVO T1.4 RAIL
SEATPOST	CANNONDALE C1, LIGHTWEIGHT ALLOY 27.2X250MM
SIZES	48, 50, 52, 54, 56, 58, 60, 63CM
COLOR 1 (CODE)	MARINER BLUE W/ RACE RED AND 40 BLUE ACCENTS, GLOSS (BLU)
COLOR 2 (CODE)	EXPOSED CARBON, GLOSS (BLK)

SUPERSIX EVO ULTEGRA DI2

SUPERSIX EVO ULTEGRA DI2	
PRODUCT CODE	C13RSSID
FRAME	SUPERSIX EVO, BALLISTEC CARBON, D12 SPECIFIC, SPEED SAVE, PRESSFIT BB30
FORK	SUPERSIX EVO, SPEED SAVE, BALLISTEC CARBON, 1-1/8" TO 1-1/4" STEERER
RIMS	SHIMANO ULTEGRA 6700
HUBS	SHIMANO ULTEGRA 6700
SPOKES	SHIMANO ULTEGRA 6700
TIRES	SCHWALBE ULTREMO TUBELESS 700X23C
PEDALS	N/A
CRANKS	CANNONDALE HOLLOWGRAM SI, FSA CHAINRINGS, 53-39
BOTTOM BRACKET	CANNONDALE ALUMINUM PF30 BB CUP, FSA BB30 BEARING
CHAIN	SRAM PRESSFIT BB30
REAR COGS	SHIMANO ULTEGRA 6700
FRONT DERAILLEUR	SRAM PG-1070, 12-25, 10-SPEED
REAR DERAILLEUR	SHIMANO ULTEGRA D12 6770
SHIFTERS	SHIMANO ULTEGRA D12 6770
HANDLEBAR	CANNONDALE C1 COMPACT
GRIPS	CANNONDALE BAR TAPE W/GEL, 2.5MM
STEM	CANNONDALE C1 31.8MM 6 DEG.
HEADSET	SUPERSIX EVO, 1-1/4" LOWER BEARING, 25MM CARBON TOP COVER (W/ 5MM ALLOY HIDDEN TOP COVER)
BRAKES	SHIMANO ULTEGRA 6700
Brake Levers	SHIMANO ULTEGRA D12
SADDLE	FI'ZIK ANTARES, MANGANESE RAIL
SEATPOST	CANNONDALE C1, LIGHTWEIGHT ALLOY 27.2X250MM
SIZES	48, 50, 52, 54, 56, 58, 60, 63CM
COLOR 1 (CODE)	MAGNESIUM WHITE W/ JET BLACK AND ULTRA BLUE ACCENTS, GLOSS (WHT)
COLOR 2 (CODE)	EXPOSED CARBON, GLOSS (BLK)

SUPERSIX EVO 2 RED

SUPERSIX EVO 2 RED	
PRODUCT CODE	C13RSS2D
FRAME	SUPERSIX EVO, BALLISTEC CARBON, SPEED SAVE, PRESSFIT BB30
FORK	SUPERSIX EVO, SPEED SAVE, BALLISTEC CARBON, 1-1/8" TO 1-1/4" STEERER
RIMS	SHIMANO ULTEGRA 6700
HUBS	SHIMANO ULTEGRA 6700
SPOKES	SHIMANO ULTEGRA 6700
TIRES	SCHWALBE ULTREMO TUBELESS 700X23C
PEDALS	N/A
CRANKS	CANNONDALE HOLLOWGRAM SI, FSA CHAINRINGS, 53-39
BOTTOM BRACKET	SRAM PRESSFIT BB30
CHAIN	SRAM PC-1070
REAR COGS	SRAM PG-1070, 12-26, 10-SPEED
FRONT DERAILLEUR	NEW SRAM RED, BRAZE ON
REAR DERAILLEUR	NEW SRAM RED
SHIFTERS	NEW SRAM RED DOUBLETAP
HANDLEBAR	CANNONDALE C2 COMPACT
GRIPS	CANNONDALE BAR TAPE W/GEL, 2.5MM
STEM	CANNONDALE C1 31.8MM 6 DEG.
HEADSET	SUPERSIX EVO, 1-1/4" LOWER BEARING, 25MM CARBON TOP COVER (W/ 5MM ALLOY HIDDEN TOP COVER)
BRAKES	SHIMANO ULTEGRA 6700
Brake Levers	NEW SRAM RED
SADDLE	FI'ZIK ANTARES, MANGANESE RAIL
SEATPOST	CANNONDALE C1, LIGHTWEIGHT ALLOY 27.2X250MM
SIZES	48, 50, 52, 54, 56, 58, 60, 63CM
COLOR 1 (CODE)	MAGNESIUM WHITE W/ JET BLACK AND NU TEAM BLUE, GLOSS (WHT)
COLOR 2 (CODE)	EXPOSED CARBON, GLOSS (BLK)

SUPERSIX 3 ULTEGRA

SUPERSIX 3 ULTEGRA	
PRODUCT CODE	C13RSS3C/D
FRAME	SUPERSIX, FULL CARBON, BB30
FORK	SUPERSIX, FULL CARBON, 1-1/8" TO 1.5" TAPERED STEERER, ALLOY DROPOUTS
RIMS	MAVIC AKSIUM WTS
HUBS	MAVIC AKSIUM WTS
SPOKES	MAVIC AKSIUM WTS
TIRES	MAVIC AKSIUM WTS
PEDALS	MAVIC AKSIUM COMP, 700X23C, FOLDING
CRANKS	N/A
BOTTOM BRACKET	FSA SL-K LIGHT CARBON BB30, 53/39 OR 50/34
CHAIN	FSA BB30
REAR COGS	SHIMANO ULTEGRA 6700
FRONT DERAILLEUR	SHIMANO ULTEGRA 6700, 12-25, 10-SPEED
REAR DERAILLEUR	SHIMANO ULTEGRA 6700
SHIFTERS	SHIMANO ULTEGRA 6700
HANDLEBAR	CANNONDALE C2 COMPACT
GRIPS	CANNONDALE BAR TAPE W/GEL, 2.5MM
STEM	CANNONDALE C2, 31.8, 6 DEG.
HEADSET	SUPERSIX, 1.5 LOWER BEARING, 30MM CARBON TOP CAP, W/5MM HIDDEN ALLOY TOP COVER
BRAKES	SHIMANO ULTEGRA 6700
Brake Levers	NEW SRAM RED
SADDLE	FI'ZIK ARIONE, MANGANESE RAIL
SEATPOST	CANNONDALE C2, UD CARBON, 31.6X300MM
SIZES	48, 50, 52, 54, 56, 58, 60, 63CM
COLOR 1 (CODE)	MAGNESIUM WHITE W/BERZERKER GREEN AND NU TEAM BLUE, GLOSS (WHT)
COLOR 2 (CODE)	EXPOSED CARBON W/ CHARCOAL GRAY, MATTE (CRB)

SUPERSIX 5 105

SUPERSIX 5 105	
PRODUCT CODE	C13RSS5C//
FRAME	SUPERSIX, FULL CARBON, BB30
FORK	SUPERSIX, FULL CARBON, 1-1/8" TO 1.5" TAPERED STEERER, ALLOY DROPOUTS
RIMS	SHIMANO RS-10
HUBS	SHIMANO RS-10
SPOKES	SHIMANO RS-10
TIRES	SCHWALBE LUGANO, 700X23C, FOLDING
PEDALS	N/A
CRANKS	FSA GOSSAMER PRO, BB30, 50/34 OR 50/39/30
BOTTOM BRACKET	FSA BB30
CHAIN	SHIMANO 105 5700
REAR COGS	SHIMANO 105 5700, 12-27, 10-SPEED
FRONT DERAILLEUR	SHIMANO 105 5700
REAR DERAILLEUR	SHIMANO 105 5700
SHIFTERS	SHIMANO 105 5700
HANDLEBAR	CANNONDALE C3 COMPACT
GRIPS	CANNONDALE BAR TAPE W/GEL, 2.5MM
STEM	CANNONDALE C3, 31.8MM, 6 DEG.
HEADSET	SUPERSIX, 1.5 LOWER BEARING, 30MM TOP CAP, W/5MM HIDDEN ALLOY TOP COVER
BRAKES	SHIMANO 105 5700
Brake Levers	SHIMANO 105 5700
SADDLE	PROLOGO SCRATCH PRO T2.0
SEATPOST	CANNONDALE C3 ALLOY, 31.6MMX300MM
SIZES	48, 50, 52, 54, 56, 58, 60, 63CM
COLOR 1 (CODE)	MAGNESIUM WHITE W/BERZERKER GREEN AND NU TEAM BLUE, GLOSS (WHT)
COLOR 2 (CODE)	JET BLACK W/ CHARCOAL GRAY AND FINE SILVER ACCENTS, MATTE (BBQ)

CAAD10, BLACK EDITION

CAAD10, BLACK EDITION	
PRODUCT CODE	C13RAXIC
FRAME	CAAD10, SMARTFORMED 6069 ALLOY, SPEED SAVE, BB30
FORK	CAAD10, SPEED SAVE FULL CARBON, 1-1/8" TO 1-1/4" TAPERED STEERER
RIMS	SHIMANO ULTEGRA 6700
HUBS	SHIMANO ULTEGRA 6700
SPOKES	SHIMANO ULTEGRA 6700
TIRES	SCHWALBE DURANO S, 700X23C, FOLDING
PEDALS	N/A
CRANKS	FSA GOSSAMER PRO, BB30, 50/34 OR 50/39/30
BOTTOM BRACKET	FSA BB30
CHAIN	SHIMANO ULTEGRA 6700
REAR COGS	SHIMANO ULTEGRA 6700, 12-25, 10-SPEED
FRONT DERAILLEUR	SHIMANO ULTEGRA D12
REAR DERAILLEUR	SHIMANO ULTEGRA D12
SHIFTERS	SHIMANO ULTEGRA D12
HANDLEBAR	CANNONDALE C1 COMPACT
GRIPS	CANNONDALE BAR TAPE W/GEL, 2.5MM
STEM	CANNONDALE C1 31.8MM 6 DEG.
HEADSET	CAAD10, 1-1/4" LOWER BEARING, 25MM CARBON TOP CAP
BRAKES	SHIMANO ULTEGRA 6700
Brake Levers	SHIMANO ULTEGRA D12
SADDLE	FI'ZIK ARIONE, MANGANESE RAIL
SEATPOST	CANNONDALE C1, LIGHTWEIGHT ALLOY 27.2X250MM
SIZES	48, 50, 52, 54, 56, 58, 60, 63CM
COLOR 1 (CODE)	BLACK ANODIZED, GOLD, MATTE (BLA)
COLOR 2 (CODE)	N/A

CAAD10 3 ULTEGRA

CAAD10 3 ULTEGRA	
PRODUCT CODE	C13RAX3C
FRAME	CAAD10, SMARTFORMED 6069 ALLOY, SPEED SAVE, BB30
FORK	CAAD10, SPEED SAVE FULL CARBON, 1-1/8" TO 1-1/4" TAPERED STEERER
RIMS	MAVIC AKSIUM WTS
HUBS	MAVIC AKSIUM WTS
SPOKES	MAVIC AKSIUM WTS
TIRES	MAVIC AKSIUM WTS
PEDALS	MAVIC AKSIUM COMP, 700X23C, FOLDING
CRANKS	N/A
BOTTOM BRACKET	FSA SL-K LIGHT CARBON BB30, 53/39
CHAIN	FSA BB30
REAR COGS	SHIMANO ULTEGRA 6700
FRONT DERAILLEUR	SHIMANO ULTEGRA 6700, 12-25, 10-SPEED
REAR DERAILLEUR	SHIMANO ULTEGRA 6700
SHIFTERS	SHIMANO ULTEGRA 6700
HANDLEBAR	CANNONDALE C3 COMPACT
GRIPS	CANNONDALE BAR TAPE W/GEL, 2.5MM
STEM	CANNONDALE C3, 31.8MM, 6 DEG.
HEADSET	CAAD10, 1-1/4" LOWER BEARING, 25MM TOP CAP
BRAKES	SHIMANO ULTEGRA 6700
Brake Levers	SHIMANO ULTEGRA D12
SADDLE	PROLOGO SCRATCH PRO T2.0
SEATPOST	CANNONDALE C2, UD CARBON, 27.2X300MM
SIZES	48, 50, 52, 54, 56, 58, 60, 63CM
COLOR 1 (CODE)	JET BLACK W/ MAGNESIUM WHITE AND CHARCOAL GRAY ACCENTS, MATTE (BBQ)
COLOR 2 (CODE)	BRUSHED ALUMINUM W/ JET BLACK AND MAGNESIUM WHITE ACCENTS, GLOSS (RAW)

CAAD10 5 105

CAAD10 5 105	
PRODUCT CODE	C13RAX5C/T
FRAME	CAAD10, SMARTFORMED 6069 ALLOY, SPEED SAVE, BB30
FORK	CAAD10, SPEED SAVE FULL CARBON, 1-1/8" TO 1-1/4" TAPERED STEERER
RIMS	SHIMANO RS-10
HUBS	SHIMANO RS-10
SPOKES	SHIMANO RS-10
TIRES	SCHWALBE LUGANO, 700X23C, FOLDING
PEDALS	N/A
CRANKS	FSA GOSSAMER PRO, BB30, 50/34 OR 50/39/30
BOTTOM BRACKET	FSA BB30
CHAIN	SHIMANO 105 5700
REAR COGS	SHIMANO 105 5700, 12-27, 10-SPEED
FRONT DERAILLEUR	SHIMANO 105 5700
REAR DERAILLEUR	SHIMANO 105 5700
SHIFTERS	SHIMANO 105 5700
HANDLEBAR	CANNONDALE C3 COMPACT
GRIPS	CANNONDALE BAR TAPE W/GEL, 2.5MM
STEM	CANNONDALE C3, 31.8MM, 6 DEG.
HEADSET	TANGE SEIKI INTEGRATED, 25MM TOP CAP
BRAKES	TEKTRO R540, DUAL PIVOT, CARTRIDGE PAD
Brake Levers	SHIMANO TIAGRA 4600
SADDLE	CANNONDALE STAGE ERGO W/ CRMO RAILS
SEATPOST	CANNONDALE C3, ALLOY, 27.2X300MM
SIZES	48, 51, 54, 56, 58, 61CM
COLOR 1 (CODE)	BRUSHED ALUMINUM, GLOSS (RAW)
COLOR 2 (CODE)	JET BLACK, MATTE (BBQ)

CAAD8 6 TIAGRA

CAAD8 6 TIAGRA	
PRODUCT CODE	C13RA86T
FRAME	CAAD8, OPTIMIZED 6061 ALLOY, SAVE, BB30
FORK	CAAD8, OPTIMIZED 6061 ALLOY, SAVE, BB30
RIMS	CANNONDALE ULTRA, CARBON BLADES, 1-1/8"
HUBS	MADDUX RS 3.0, 32 HOLE
SPOKES	CANNONDALE C4
TIRES	STAINLESS STEEL, 15G
PEDALS	SCHWALBE LUGANO, 700X23C
CRANKS	WELLGO
BOTTOM BRACKET	FSA OMEGA BB30, 50/39/30
CHAIN	FSA BB30
REAR COGS	KMC X10, 10-SPEED
FRONT DERAILLEUR	SHIMANO TIAGRA 4600, 12-28, 10-SPEED
REAR DERAILLEUR	SHIMANO TIAGRA 4600, 31.8MM CLAMP
SHIFTERS	SHIMANO TIAGRA 4600
HANDLEBAR	CANNONDALE C4 COMPACT
GRIPS	CANNONDALE SUEDE BAR TAPE W/GEL, 2.5MM
STEM	CANNONDALE C4, 31.8MM, 6 DEG.
HEADSET	TANGE SEIKI INTEGRATED, 25MM TOP CAP
BRAKES	CANNONDALE STAGE ERGO W/ CARTRIDGE PAD
Brake Levers	SHIMANO TIAGRA 4600
SADDLE	CANNONDALE STAGE ERGO W/ STEEL RAILS
SEATPOST	CANNONDALE C4 ALLOY, 27.2MMX300MM
SIZES	48, 51, 54, 56, 58, 61CM
COLOR 1 (CODE)	MAGNESIUM WHITE, GLOSS (REP)
COLOR 2 (CODE)	N/A

CAAD8 7 SORA

CAAD8 7 SORA	
PRODUCT CODE	C13RA87T
FRAME	CAAD8, OPTIMIZED 6061 ALLOY, SAVE, BB30
FORK	CAAD8, OPTIMIZED 6061 ALLOY, SAVE, BB30
RIMS	CANNONDALE ULTRA, CARBON BLADES, 1-1/8"
HUBS	MADDUX RS 3.0, 32 HOLE
SPOKES	CANNONDALE C4
TIRES	STAINLESS STEEL, 15G
PEDALS	SCHWALBE LUGANO, 700X23C
CRANKS	WELLGO
BOTTOM BRACKET	FSA OMEGA BB30, 50/39/30
CHAIN	FSA BB30
REAR COGS	SRAM PG-950, 12-26, 9-SPEED
FRONT DERAILLEUR	SHIMANO SORA, 31.8MM CLAMP
REAR DERAILLEUR	SHIMANO SORA
SHIFTERS	SHIMANO SORA
HANDLEBAR	CANNONDALE C4 COMPACT
GRIPS	CANNONDALE SUEDE BAR TAPE W/GEL, 2.5MM
STEM	CANNONDALE C4, 31.8MM, 6 DEG.
HEADSET	TANGE SEIKI INTEGRATED, 25MM TOP CAP
BRAKES</td	

ROAD

SPECIFICATIONS

SYNAPSE HI-MOD, BLACK EDITION		SYNAPSE HI-MOD RED		SYNAPSE HI-MOD 3 ULTEGRA		SYNAPSE CARBON 3 ULTEGRA	
PRODUCT CODE	C13RCLC	C13RCL2C	SYNAPSE HI-MOD FULL CARBON, SAVE PLUS, BB30	C13RCL3C/T	SYNAPSE HI-MOD FULL CARBON, SAVE PLUS, BB30	C13RCS3C/T	SYNAPSE, FULL CARBON, SAVE PLUS, BB30
FRAME	SYNAPSE HI-MOD FULL CARBON, SAVE PLUS, BB30	SYNAPSE HI-MOD FULL CARBON, SAVE PLUS, BB30	SYNAPSE HI-MOD FULL CARBON, SAVE PLUS, 1-1/8" STEERER	SYNAPSE HI-MOD FULL CARBON, SAVE PLUS, 1-1/8" STEERER	SYNAPSE HI-MOD FULL CARBON, SAVE PLUS, 1-1/8" STEERER	SYNAPSE, FULL CARBON, SAVE PLUS, 1-1/8"	SYNAPSE, FULL CARBON, SAVE PLUS, BB30
FORK	NA	NA	MAVIC KSYRIUM SLS	MAVIC KSYRIUM SLS	MAVIC KSYRIUM SLS	MAVIC AKSIUM WTS	MAVIC AKSIUM WTS
RIMS	MAVIC KSYRIUM SLS	MAVIC KSYRIUM SLS	MAVIC KSYRIUM ELITE S WTS	MAVIC KSYRIUM EQUIPE S WTS	MAVIC KSYRIUM EQUIPE S WTS	MAVIC AKSIUM WTS	MAVIC AKSIUM WTS
HUBS	MAVIC KSYRIUM SLS	MAVIC KSYRIUM SLS	MAVIC KSYRIUM ELITE S WTS	MAVIC KSYRIUM EQUIPE S WTS	MAVIC KSYRIUM EQUIPE S WTS	MAVIC AKSIUM, 700X25C, FOLDING	MAVIC AKSIUM, 700X25C, FOLDING
SPOKES	MAVIC KSYRIUM SLS	MAVIC KSYRIUM SLS	MAVIC YKSION, GRIPLINK FRONT AND POWERLINK REAR, 700X25C, FOLDING	MAVIC YKSION, GRIPLINK FRONT AND POWERLINK REAR, 700X25C, FOLDING	MAVIC YKSION, GRIPLINK FRONT AND POWERLINK REAR, 700X25C, FOLDING	N/A	N/A
TIRES	MAVIC YKSION, GRIPLINK FRONT AND POWERLINK REAR, 700X25C, FOLDING	NA	NA	NA	NA	NA	NA
PEDALS	N/A	SRAM S951 CARBON, BB30, 50/34	SRAM BB30	FSA SL-K LIGHT CARBON BB30, 50/34 OR 50/39/30	FSA BB30	FSA BB30	FSA SL-K LIGHT CARBON BB30, 50/34 OR 50/39/30
CRANKS	CANNONDALE HOLLOWGRAM SISL2, W/ OPI SPIDERING, 11 SPEED, 50-34	SRAM PC-1070	SRAM PC-1070	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700
BOTTOM BRACKET	FSA BB30	SRAM PG-1070	SRAM PG-1070, 11-28, 10-SPEED	SHIMANO ULTEGRA 6700, 11-28, 10-SPEED	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700
CHAIN	SHIMANO DURA ACE 9000	SRAM RED, BRAZE ON	SRAM RED, BRAZE ON	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700
REAR COGS	SHIMANO DURA ACE 9000, 11-28, 11-SPEED	SRAM RED	SRAM RED	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700
FRONT DERAILLEUR	SHIMANO DURA ACE 9000	SRAM RED DOUBLETAP	SRAM RED DOUBLETAP	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700
REAR DERAILLEUR	SHIMANO DURA ACE 9000	FSA PRO-WING COMPACT	CANNONDALE BAR TAPE W/GEL, 3.5MM	CANNONDALE C1 COMPACT	CANNONDALE C1 COMPACT	CANNONDALE C2 COMPACT	CANNONDALE C2 COMPACT
SHIFTERS	SHIMANO DURA ACE 9000	CANNONDALE BAR TAPE W/GEL, 3.5MM	FSA SL-K CARBON, 27.2X350MM	CANNONDALE BAR TAPE W/GEL, 3.5MM	CANNONDALE C2, 31.8, 6 DEG.	CANNONDALE C2, 31.8, 6 DEG.	CANNONDALE C2, 31.8, 6 DEG.
HANDLEBAR	FSA SL-K COMPACT,	FSA SL-K CARBON, 27.2X350MM	FSA SL-K CARBON, 27.2X350MM	SYNAPSE SI, 25MM CARBON TOP CAP			
GRIPS	MAVIC KSYRIUM SLS	FSA OS-99, CS1, 31.8, 6 DEG	48, 51, 54, 56, 58, 61CM	SHIMANO DURA ACE 9000			
STEM	MAVIC KSYRIUM SLS	MAVIC KSYRIUM SLS	MAVIC KSYRIUM SLS	SRAM RED	SRAM RED	SRAM RED	SRAM RED
HEADSET	SYNAPSE SI, 25MM CARBON TOP CAP	MAVIC KSYRIUM SLS	MAVIC KSYRIUM SLS	SRAM RED	SRAM RED	SRAM RED	SRAM RED
BRAKES	SHIMANO DURA ACE 9000	MAVIC KSYRIUM SLS	MAVIC KSYRIUM SLS	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700
Brake Levers	SHIMANO DURA ACE 9000	MAVIC KSYRIUM SLS	MAVIC KSYRIUM SLS	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700
SADDLE	FIZIK ALIANTE MONOCOVER W/K:UM RAILS	MAVIC KSYRIUM SLS	MAVIC KSYRIUM SLS	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700
SEATPOST	FSA SL-K CARBON, 27.2X350MM	MAVIC KSYRIUM SLS	MAVIC KSYRIUM SLS	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700
SIZES	48, 51, 54, 56, 58, 61CM	NEARLY BLACK/W/MAGNESIUM WHITE, MATTE (BLE)	NEARLY BLACK/W/MAGNESIUM WHITE, MATTE (BLE)	MAGNESIUM, WHITE W/ JET BLACK AND ULTRA BLUE ACCENTS, GLOSS (WHT)	MAGNESIUM, WHITE W/ JET BLACK AND ULTRA BLUE ACCENTS, GLOSS (WHT)	MAGNESIUM, WHITE W/ JET BLACK AND ULTRA BLUE ACCENTS, GLOSS (WHT)	MAGNESIUM, WHITE W/ JET BLACK AND ULTRA BLUE ACCENTS, GLOSS (WHT)
COLOR 1 (CODE)	N/A	EXPOSED CARBON W/ FINE SILVER	EXPOSED CARBON W/ FINE SILVER	MAGNESIUM, WHITE W/ JET BLACK AND ULTRA BLUE ACCENTS, GLOSS (WHT)	MAGNESIUM, WHITE W/ JET BLACK AND ULTRA BLUE ACCENTS, GLOSS (WHT)	MAGNESIUM, WHITE W/ JET BLACK AND ULTRA BLUE ACCENTS, GLOSS (WHT)	MAGNESIUM, WHITE W/ JET BLACK AND ULTRA BLUE ACCENTS, GLOSS (WHT)
COLOR 2 (CODE)	N/A	EXPOSED CARBON W/ FINE SILVER	EXPOSED CARBON W/ FINE SILVER	MAGNESIUM, WHITE W/ JET BLACK AND ULTRA BLUE ACCENTS, GLOSS (WHT)	MAGNESIUM, WHITE W/ JET BLACK AND ULTRA BLUE ACCENTS, GLOSS (WHT)	MAGNESIUM, WHITE W/ JET BLACK AND ULTRA BLUE ACCENTS, GLOSS (WHT)	MAGNESIUM, WHITE W/ JET BLACK AND ULTRA BLUE ACCENTS, GLOSS (WHT)

SYNAPSE CARBON 5 105		SYNAPSE CARBON 6 TIAGRA		SYNAPSE 5 105		SYNAPSE 6 TIAGRA	
PRODUCT CODE	C13C5C/T	C13CS6T	SYNAPSE, FULL CARBON, SAVE PLUS, BB30	C13RAS5T	SYNAPSE ALLOY, OPTIMIZED 6061 ALLOY, SAVE PLUS, BB30	C13RAS6T	SYNAPSE ALLOY, OPTIMIZED 6061 ALLOY, SAVE PLUS, BB30
FRAME	SYNAPSE, FULL CARBON, SAVE PLUS, BB30	SYNAPSE, FULL CARBON, SAVE PLUS, BB30	SYNAPSE, CARBON BLADES, SAVE, 1-1/8"	SYNAPSE SAVE, CARBON BLADES, 1-1/8"	SYNAPSE ALLOY, OPTIMIZED 6061 ALLOY, SAVE PLUS, BB30	SYNAPSE ALLOY, OPTIMIZED 6061 ALLOY, SAVE PLUS, BB30	SYNAPSE ALLOY, OPTIMIZED 6061 ALLOY, SAVE PLUS, BB30
FORK	SYNAPSE, FULL CARBON, SAVE PLUS, 1-1/8"	SHIMANO RS-10	SHIMANO RS-10	SHIMANO RS10	SYNAPSE SAVE, CARBON BLADES, 1-1/8"	SYNAPSE SAVE, CARBON BLADES, 1-1/8"	SYNAPSE SAVE, CARBON BLADES, 1-1/8"
RIMS	SHIMANO RS-10	SHIMANO RS-10	SHIMANO RS-10	SHIMANO RS10	MADDUX RS 3.0, 32 HOLE	MADDUX RS 3.0, 32 HOLE	MADDUX RS 3.0, 32 HOLE
HUBS	SHIMANO RS-10	SHIMANO RS-10	SHIMANO RS-10	SHIMANO RS10	CANNONDALE C4	CANNONDALE C4	CANNONDALE C4
SPOKES	SHIMANO RS-10	SHIMANO RS-10	SHIMANO RS-10	SHIMANO RS10	STAINLESS STEEL, 15G	STAINLESS STEEL, 15G	STAINLESS STEEL, 15G
TIRES	SCHWALBE LUGANO, 700X25C, FOLDING	SCHWALBE LUGANO, 700X25C	SCHWALBE LUGANO, 700X25C	SCHWALBE LUGANO, 700X25C	SCHWALBE LUGANO, 700X25C	SCHWALBE LUGANO, 700X25C	SCHWALBE LUGANO, 700X25C
PEDALS	N/A	N/A	N/A	WELLGO PLATFORM	WELLGO PLATFORM	WELLGO PLATFORM	WELLGO PLATFORM
CRANKS	FSA GOSSAMER PRO, BB30, 50/34 OR 50/39/30	FSA OMEGA, BB30, 50/39/30	FSA BB30	FSA OMEGA, BB30, 50/39/30	KMC X10, 10-SPEED	KMC X10, 10-SPEED	KMC X10, 10-SPEED
BOTTOM BRACKET	FSA BB30	FSA BB30	SHIMANO TIAGRA 4600, 10-SPEED	SHIMANO TIAGRA 4600, 10-SPEED	SHIMANO TIAGRA 4600, 12-28, 10-SPEED	SHIMANO TIAGRA 4600, 12-28, 10-SPEED	SHIMANO TIAGRA 4600, 12-28, 10-SPEED
CHAIN	SHIMANO 105 5700	SHIMANO 105 5700	SHIMANO TIAGRA 4600, 12-30, 10-SPEED	SHIMANO TIAGRA 4600	SHIMANO 105 5700, 34.9MM CLAMP	SHIMANO 105 5700, 34.9MM CLAMP	SHIMANO 105 5700, 34.9MM CLAMP
REAR COGS	SHIMANO 105 5700, 11-28, 10-SPEED	SHIMANO 105 5700	SHIMANO TIAGRA 4600	SHIMANO TIAGRA 4600	SHIMANO 105 5700	SHIMANO TIAGRA 4600	SHIMANO TIAGRA 4600
FRONT DERAILLEUR	SHIMANO 105 5700	SHIMANO 105 5700	SHIMANO TIAGRA 4600	SHIMANO TIAGRA 4600	SHIMANO 105 5700	SHIMANO TIAGRA 4600	SHIMANO TIAGRA 4600
REAR DERAILLEUR	SHIMANO 105 5700	SHIMANO 105 5700	SHIMANO TIAGRA 4600	SHIMANO TIAGRA 4600	SHIMANO 105 5700	SHIMANO TIAGRA 4600	SHIMANO TIAGRA 4600
SHIFTERS	SHIMANO 105 5700	SHIMANO 105 5700	SHIMANO TIAGRA 4600	SHIMANO TIAGRA 4600	CANNONDALE C4 COMPACT	CANNONDALE C4 COMPACT	CANNONDALE C4 COMPACT
HANDLEBAR	CANNONDALE C3 COMPACT	CANNONDALE C3 COMPACT	CANNONDALE C3 COMPACT	CANNONDALE C3 COMPACT	CANNONDALE SUEDE BAR TAPE W/GEL, 3.5MM	CANNONDALE SUEDE BAR TAPE W/GEL, 3.5MM	CANNONDALE SUEDE BAR TAPE W/GEL, 3.5MM
GRIPS	CANNONDALE BAR TAPE W/GEL, 3.5MM	CANNONDALE C4, 31.8, 6 DEG.	CANNONDALE C4, 31.8, 6 DEG.	CANNONDALE C4, 31.8, 6 DEG.			
STEM	CANNONDALE C3, 31.8MM, 6 DEG.	SYNAPSE SI, 25MM TOP CAP	SYNAPSE SI, 25MM TOP CAP	SYNAPSE SI, 25MM TOP CAP			
HEADSET	SYNAPSE SI, 25MM TOP CAP	SHIMANO TIAGRA 4600, 12-30, 10-SPEED	SHIMANO TIAGRA 4600, 12-30, 10-SPEED	SHIMANO TIAGRA 4600, 12-30, 10-SPEED			
BRAKES	SHIMANO 105 5700	SHIMANO 105 5700	SHIMANO 105 5700	SHIMANO 105 5700	SHIMANO TIAGRA 4600	SHIMANO TIAGRA 4600	SHIMANO TIAGRA 4600
Brake Levers	SHIMANO 105 5700	PROLOGO, KAPPA EVO	PROLOGO, KAPPA EVO	PROLOGO, KAPPA EVO	CANNONDALE STAGE ERGO W/ CRMO RAILS	CANNONDALE STAGE ERGO W/ CRMO RAILS	CANNONDALE STAGE ERGO W/ CRMO RAILS
SADDLE	PROLOGO, KAPPA EVO	CANNONDALE STAGE ERGO W/ CRMO RAILS	CANNONDALE STAGE ERGO W/ CRMO RAILS	CANNONDALE STAGE ERGO W/ CRMO RAILS			
SEATPOST	CANNONDALE C3 STAGE ERGO, 27.2MMX300MM	CANNONDALE C3, CARBON WRAPPED, 27.2X300MM	CANNONDALE C4, ALLOY, 27.2X300MM	CANNONDALE C4, ALLOY, 27.2X300MM			
SIZES	48, 51, 54, 56, 58, 61CM	JET BLACK W/ MAGNESIUM WHITE AND MAGNESIUM WHITE ACCENTS, GLOSS (GRN)	MAGNESIUM, WHITE, GLOSS (WHT)	MAGNESIUM, WHITE, GLOSS (WHT)			
COLOR 1 (CODE)	EXPOSED CARBON W/ STEALTH GRAY AND ULTRA BLUE ACCENTS, GLOSS (BLU)	EXPOSED CARBON W/ STEALTH GRAY AND ULTRA BLUE ACCENTS, GLOSS (BLU)	EXPOSED CARBON W/ STEALTH GRAY AND ULTRA BLUE ACCENTS, GLOSS (BLU)	EXPOSED CARBON W/ STEALTH GRAY AND ULTRA BLUE ACCENTS, GLOSS (BLU)	JET BLACK W/ MAGNESIUM WHITE AND MAGNESIUM WHITE ACCENTS, GLOSS (GRN)	MAGNESIUM, WHITE, GLOSS (WHT)	MAGNESIUM, WHITE, GLOSS (WHT)
COLOR 2 (CODE)	JET BLACK W/ MAGNESIUM WHITE AND CHARCOAL GRAY ACCENTS, MATTE (BBQ)	JET BLACK W/ MAGNESIUM WHITE AND CHARCOAL GRAY ACCENTS, MATTE (BBQ)	JET BLACK W/ MAGNESIUM WHITE AND CHARCOAL GRAY ACCENTS, MATTE (BBQ)	JET BLACK W/ MAGNESIUM WHITE AND CHARCOAL GRAY ACCENTS, MATTE (BBQ)	JET BLACK W/ MAGNESIUM WHITE AND MAGNESIUM WHITE ACCENTS, GLOSS (GRN)	JET BLACK, MATTE (BBQ)	JET BLACK, MATTE (BBQ)

SLICE RS, BLACK EDITION		SLICE RS ULTEGRA DI2		SLICE RS ULTEGRA		SLICE HI-MOD RED	
PRODUCT CODE	C13RMS0D	C13RMSID	SLICE RS, FULL CARBON, AERO SAVE, PF30, NAERO-TEC	SLICE RS, FULL CARBON, AERO SAVE, PF30, NAERO-TEC	SLICE RS, FULL CARBON, AERO SAVE, PF30, NAERO-TEC	SLICE RS, FULL CARBON, AERO SAVE, PF30, NAERO-TEC	SLICE RS, FULL CARBON, AERO SAVE, PF30, NAERO-TEC
FRAME	SLICE RS, FULL CARBON, AERO SAVE, PF30, NAERO-TEC	SLICE RS, FULL CARBON, AERO SAVE, PF30, NAERO-TEC	SLICE RS, FULL CARBON, AERO SAVE, PF30, NAERO-TEC	SLICE RS, FULL CARBON, AERO SAVE, PF30, NAERO-TEC	SLICE RS, FULL CARBON, AERO SAVE, PF30, NAERO-TEC	SLICE RS, FULL CARBON, AERO SAVE, PF30, NAERO-TEC	SLICE RS, FULL CARBON, AERO SAVE, PF30, NAERO-TEC
FORK	SLICE RS AERO, CARBON W/ INTEGRATED EXTERNAL STEERER, NAERO-TEC	SLICE RS AERO, CARBON W/ INTEGRATED EXTERNAL STEERER, NAERO-TEC	SLICE RS AERO, CARBON W/ INTEGRATED EXTERNAL STEERER, NAERO-TEC	SLICE RS AERO, CARBON W/ INTEGRATED EXTERNAL STEERER, NAERO-TEC	SLICE RS AERO, CARBON W/ INTEGRATED EXTERNAL STEERER, NAERO-TEC	SLICE RS AERO, CARBON W/ INTEGRATED EXTERNAL STEERER, NAERO-TEC	SLICE RS AERO, CARBON W/ INTEGRATED EXTERNAL STEERER, NAERO-TEC
RIMS	ZIPP 808 FIRECREST TUBULAR						
HUBS	ZIPP 808 FIRECREST TUBULAR						
SPOKES	ZIPP 808 FIRECREST TUBULAR						
TIRES	SCHWALBE ULTREMO HT TUBULAR 700X22C	SCHWALBE ULTREMO ZX 700X23C	SCHWALBE ULTREMO ZX 700X23C	SCHWALBE ULTREMO ZX 700X23C	SCHWALBE DURANO S, 700X23C, FOLDING	SCHWALBE DURANO S, 700X23C, FOLDING	SCHWALBE DURANO S, 700X23C, FOLDING
PEDALS	N/A						
CRANKS	CANNONDALE HOLLOWGRAM SISL2, AERO SPIDER, 54/42	FSA TRIMAX CARBON RINGS, BB30	CANNONDALE ALUMINUM PF30 BB CUP, FSA BB30 BEARING BEARING	CANNONDALE ALUMINUM PF30 BB CUP, FSA BB30 BEARING BEARING	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700
BOTTOM BRACKET	CANNONDALE HOLLOWGRAM SISL2, AERO SPIDER, 54/42	FSA TRIMAX CARBON RINGS, BB30	CANNONDALE ALUMINUM PF30 BB CUP, FSA BB30 BEARING BEARING	CANNONDALE ALUMINUM PF30 BB CUP, FSA BB30 BEARING BEARING	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700
CHAIN	SRAM PC-1091R, 10-SPEED	SHIMANO ULTEGRA 6700, 12-25, 10-SPEED	SHIMANO ULTEGRA 6700, 12-25, 10-SPEED	SHIMANO ULTEGRA 6700, 12-25, 10-SPEED	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700
REAR COGS	SRAM RED, 11-26, 10-SPEED	SHIMANO ULTEGRA 6700, 12-25, 10-SPEED	SHIMANO ULTEGRA 6700, 12-25, 10-SPEED	SHIMANO ULTEGRA 6700, 12-25, 10-SPEED	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700
FRONT DERAILLEUR	SRAM RED	SHIMANO ULTEGRA D12	SHIMANO ULTEGRA D12	SHIMANO ULTEGRA D12	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700
REAR DERAILLEUR	SRAM RED	SHIMANO ULTEGRA D12	SHIMANO ULTEGRA D12	SHIMANO ULTEGRA D12	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700
SHIFTERS	SRAM RED	VISION 31.8MM, VECTOR CARBON EXTENSIONS	VISION 31.8MM, VECTOR CARBON EXTENSIONS	VISION 31.8MM, VECTOR CARBON EXTENSIONS	SHIMANO DURA-ACE, BAR-END	SHIMANO DURA-ACE, BAR-END	SHIMANO DURA-ACE, BAR-END
HANDLEBAR	VISION CARBON 31.8MM, VECTOR CARBON EXTENSIONS	VISION 31.8MM, VECTOR CARBON EXTENSIONS	VISION 31.8MM, VECTOR CARBON EXTENSIONS	VISION 31.8MM, VECTOR CARBON EXTENSIONS	VISION 31.8MM, VECTOR CARBON EXTENSIONS	VISION 31.8MM, VECTOR CARBON EXTENSIONS	VISION 31.8MM, VECTOR CARBON EXTENSIONS
GRIPS	FIZIK BAR TAPE						
STEM	INTEGRATED, ADJUSTABLE 31.8MM						
HEADSET	TANGE SEIKI INTEGRATED						
BRAKES	CANNONDALE NAERO-TEC INTEGRATED MINI-V, CARBON ARMS	CANNONDALE NAERO-TEC INTEGRATED MINI-V, CARBON ARMS	CANNONDALE NAERO				

ROAD

SPECIFICATIONS

SLICE 3 ULTEGRA		SLICE 105		SUPERX HI-MOD DISC		SUPERX HI-MOD ULTEGRA D12	
PRODUCT CODE	C13RM3D	C13RM5D		C13KC0C	SUPERX DISC, BALLISTEC HI-MOD CARBON, SPEED SAVE, BB30	C13XCIC	SUPERX, D12 SPECIFIC, BALLISTEC HI-MOD CARBON, SPEED SAVE, BB30
FRAME	SLICE, FULL CARBON, AERO SAVE, BB30	SLICE, FULL CARBON, AERO SAVE, BB30			SUPERX DISC, BALLISTEC HI-MOD FULL CARBON, 1-1/8" TO 1-1/4" STEERER		SUPERX, BALLISTEC HI-MOD FULL CARBON, 1-1/8" TO 1-1/4" STEERER
FORK	SLICE AERO, FULL CARBON, 1-1/8"	SLICE AERO, FULL CARBON, 1-1/8"			STANS ALPHA 340 DISC, TUBELESS, 24H FRONT, 28H REAR		SHIMANO ULTEGRA 6700 TUBELESS
RIMS	FULCRUM RACING 7	SHIMANO RS-10			STANS 3.30 TI		SHIMANO ULTEGRA 6700
HUBS	FULCRUM RACING 7	SHIMANO RS-10			DT COMPETITION		SHIMANO ULTEGRA 6700
SPOKES	FULCRUM RACING 7	SHIMANO RS-10			SCHWALBE RACING RALPH 700X33C		SCHWALBE RACING RALPH 700X33C
TIRES	SCHWALBE LUGANO, 700X23C, FOLDING	SCHWALBE LUGANO, 700X23C			N/A		N/A
PEDALS	N/A	N/A			FSA SL-K LIGHT CARBON BB30, 46/36		FSA SL-K LIGHT CARBON BB30, 46/36
CRANKS	FSA GOSSAMER TT, BB30, 52,38	FSA GOSSAMER PRO, BB30, 53/39			FSA BB30		FSA BB30
BOTTOM BRACKET	FSA BB30	FSA BB30			KMC X10SL, 10-SPEED		SHIMANO ULTEGRA 6700
CHAIN	SHIMANO 105 5700	SHIMANO TIAGRA 4600, 10-SPEED			SRAM PG-1070, 11-26, 10-SPEED		SHIMANO ULTEGRA 6700, 12-25, 10-SPEED
REAR COGS	SHIMANO 105 5700, 12-27, 10-SPEED	SHIMANO TIAGRA 4600, 12-28, 10-SPEED			SRAM RED, BRAZE ON		SHIMANO ULTEGRA D12
FRONT DERAILLEUR	SHIMANO ULTEGRA 6700	SHIMANO 105 5700			SRAM RED		SHIMANO ULTEGRA D12
REAR DERAILLEUR	SHIMANO ULTEGRA 6700	SHIMANO 105 5700			SRAM RED DOUBLETAP		SHIMANO ULTEGRA D12
SHIFTERS	SHIMANO DURA-ACE, BAR-END	MICROSHIFT BAR-END			CANNONDALE C1 COMPACT		CANNONDALE C2 COMPACT
HANDLEBAR	CANNONDALE C3 BASE BAR, 31.8 W/ FSA TRI MAX TEAM CLIP ONS	CANNONDALE C3 BASE BAR, 31.8 W/ FSA TRI MAX TEAM CLIP ONS			CANNONDALE BAR TAPE W/GEL, 2.5MM		CANNONDALE BAR TAPE W/GEL, 2.5MM
GRIPS	CANNONDALE BAR TAPE W/GEL, 2.5MM	CANNONDALE BAR TAPE W/GEL, 2.5MM			CANNONDALE C3, 31.8, 6 DEG.		CANNONDALE C3, 31.8, 6 DEG.
STEM	CANNONDALE C3, 31.8, 6 DEG.	CANNONDALE C3, 31.8, 6 DEG.			SUPER X, 1-1/4" LOWER BEARING, 25MM CARBON TOP CAP		CANNONDALE SUPERX, 1-1/8" TO 1-1/4", 15MM TOP CAP
HEADSET	SLICE, SI, 15MM TOP CAP	SLICE, SI, 15MM TOP CAP			AVID BB7 ULTIMATE		TRP EURO-X ALLOY
BRAKES	SHIMANO ULTEGRA 6700	TEKTRO R580			SRAM RED		SHIMANO ULTEGRA D12
Brake Levers	ALLOY AERO LEVERS	ALLOY AERO LEVERS			FZ/ZLK TUNDRA 2		FZ/ZLK TUNDRA 2
SADDLE	FZ/ZLK ARIONE TR12, W/ MG RAILS	CANNONDALE ERGO TRI			CANNONDALE C1, LIGHTWEIGHT ALLOY 27.2X250MM		CANNONDALE C2, UD CARBON, 27.2X300MM
SEATPOST	CANNONDALE SLICE CARBON AERO	CANNONDALE SLICE CARBON AERO			44,48,50,52,54,56,58CM		44,48,50,52,54,56,58CM
SIZES	51, 54, 56, 58, 60CM	51, 54, 56, 58, 60CM			JET BLACK W/ BERSERKER GREEN, GLOSS (GRN)		JET BLACK W/ BERSERKER GREEN, GLOSS (GRN)
COLOR 1 (CODE)	MAGNESIUM WHITE W/ PROCESS CYAN, GLOSS (WHT)	JET BLACK W/ CHARCOAL GRAY, MATTE (BBQ)			PORCELAIN BLUE W/WHITE PEARL (GLOSS) (BLU)		MAGNESIUM WHITE W/JET BLACK, GREEN APPLE (GLOSS) (WHT)
COLOR 2 (CODE)	MAGNESIUM WHITE W/ RUBY RED (GLOSS) (WHT)	INDIGO BLUE W/ MAGNESIUM WHITE (GLOSS) (BLU)					

SUPERX CARBON ULTEGRA		SUPERX CARBON RIVAL		CAADX DISC ULTEGRA		CAADX 105	
PRODUCT CODE	C13XG3C	C13XG4C		C13XRIC	CAADX CYCLOCROSS DISC, OPTIMIZED 6061 ALLOY, BB30	C13XR5C	CAADX CYCLOCROSS, OPTIMIZED 6061 ALLOY, BB30
FRAME	SUPERX, BALLISTEC CARBON, SPEED SAVE, BB30	SUPERX, BALLISTEC CARBON, SPEED SAVE, BB30			CANNONDALE ULTRA X, CARBON BLADES, 1-1/8"		CANNONDALE ULTRA X, CARBON BLADES, 1-1/8"
FORK	SUPERX, BALLISTEC CARBON, 1-1/8" TO 1-1/4" STEERER	SUPERX, BALLISTEC CARBON, 1-1/8" TO 1-1/4" STEERER			MADDUX CX 2.0 DISC		MADDUX DRX 6000, 32 HOLE
RIMS	MAVIC KSYRIUM EQUIPE	FULCRUM RACING 7 CX			FORMULA, DC-20LW FRONT, DC-22LW REAR		FORMULA, RB-51 FRONT, RB-52 REAR
HUBS	MAVIC KSYRIUM EQUIPE	FULCRUM RACING 7			STAINLESS STEEL, 15G		STAINLESS STEEL, 15G
SPOKES	MAVIC KSYRIUM EQUIPE	FULCRUM RACING 7 CX			SCHWALBE SAMMY SLICK, 700X35C		SCHWALBE SAMMY SLICK, 700X35C
TIRES	SCHWALBE RAPID ROB, 700X35C	SCHWALBE RAPID ROB, 700X35C			WELLGO PLATFORM		WELLGO PLATFORM
PEDALS	N/A	N/A			FSA GOSSAMER PRO, BB30, 46/36		FSA GOSSAMER, BB30, 46/36
BOTTOM BRACKET	FSA BB30	FSA BB30			FSA BB30		FSA BB30
CHAIN	SHIMANO ULTEGRA 6700	KMC X10, 10-SPEED			SHIMANO 105 5700		KMC X10, 10-SPEED
REAR COGS	SHIMANO ULTEGRA 6700, 12-25, 10-SPEED	SRAM PG-1050, 11-26 10-SPEED			SHIMANO 105 5700, 11-28, 10-SPEED		SHIMANO TIAGRA 4600, 12-28, 10-SPEED
FRONT DERAILLEUR	SHIMANO ULTEGRA 6700	SRAM RIVAL			SHIMANO ULTEGRA 6700, 31.8 CLAMP		SHIMANO 105 5700, 34.9MM CLAMP
REAR DERAILLEUR	SHIMANO ULTEGRA 6700	SRAM RIVAL			SHIMANO ULTEGRA 6700		SHIMANO 105 5700
SHIFTERS	SHIMANO ULTEGRA 6700	SRAM RIVAL DOUBLETAP			CANNONDALE C3 COMPACT		CANNONDALE C3 COMPACT
HANDLEBAR	CANNONDALE C2 COMPACT	CANNONDALE C2 COMPACT			CANNONDALE 3.5MM SUEDE W/ GEL BACKING BAR TAPE		CANNONDALE 3.5MM SUEDE W/ GEL BACKING BAR TAPE
GRIPS	CANNONDALE BAR TAPE W/GEL, 2.5MM	CANNONDALE BAR TAPE W/GEL, 2.5MM			CANNONDALE C3, 31.8, 6 DEG.		CANNONDALE C3, 31.8, 6 DEG.
STEM	CANNONDALE C2, 31.8, 6 DEG.	CANNONDALE C2, 31.8, 6 DEG.			CAADX SI, 25MM TOP CAP		CAADX SI, 25MM TOP CAP
HEADSET	CANNONDALE SUPERX, 1-1/8" TO 1-1/4", 15MM TOP CAP	CANNONDALE SUPERX, 1-1/8" TO 1-1/4", 15MM TOP CAP			CANNONDALE MB700T DISC		TEKTRO CR710
Brakes	TRP EURO-X ALLOY	TRP EURO-X ALLOY			SHIMANO ULTEGRA 6700		SHIMANO 105 5700
Brake Levers	SHIMANO ULTEGRA	SRAM RIVAL			CANNONDALE STAGE CX W/ CRMO RAILS		CANNONDALE STAGE CX W/ CRMO RAILS
SADDLE	FZ/ZLK TUNDRA 2	FZ/ZLK TUNDRA 2			CANNONDALE C3, CARBON WRAP, 27.2MMX300MM		CANNONDALE C3 ALLOY, 27.2MMX300MM
SEATPOST	CANNONDALE C2, UD CARBON, 27.2X300MM	CANNONDALE C3 ALLOY, 27.2MMX300MM			44, 48, 51, 54, 56, 58, 61CM		44, 48, 51, 54, 56, 58, 61CM
SIZES	44,48,50,52,54,56,58CM	44,48,50,52,54,56,58CM			BLACK ANODIZED (BLA)		BRUSHED ALUMINUM, GLOSS (RAW)
COLOR (CODE)	MAGNESIUM WHITE W/ JET BLACK, GLOSS (WHT)	MAGNESIUM WHITE W/ JET BLACK, GLOSS (WHT)					

URBAN

SPECIFICATIONS

CAADX TIAGRA		CAADX 105		E-BIKE 1		E-BIKE 2	
PRODUCT CODE	C13XR6C	C13XR6C		C12EBM1	E-SERIES SI HEADSHOK, MEN'S SPECIFIC W/ INTEGRATED RACK	C12EBM10	E-SERIES SI HEADSHOK, MEN'S SPECIFIC W/ INTEGRATED RACK
FRAME	CAADX CYCLOCROSS, OPTIMIZED 6061 ALLOY, BB30	CAADX CYCLOCROSS, OPTIMIZED 6061 ALLOY, BB30			HEADSHOK FATTY DL50, 50MM W/LOCKOUT, (DL50 XL FOR SIZE 55, 60)		HEADSHOK FATTY DL50, 50MM W/LOCKOUT, (DL50 XL FOR SIZE 55, 60)
FORK	CANNONDALE ULTRA X, CARBON BLADES, 1-1/8"	CANNONDALE ULTRA X, CARBON BLADES, 1-1/8"			MADDUX C2 URBAN		MADDUX C2 URBAN
RIMS	MADDUX DRX 6000, 32 HOLE				SHIMANO M525		SHIMANO ALFINE DYNAMO HUB FRONT, SHIMANO M525 REAR
HUBS	CANNONDALE C4				STAINLESS XD BLACK, 15G		STAINLESS XD BLACK, 15G
SPOKES	STAINLESS STEEL, 15G				SCHWALBE MARATHON SUPREME 700X35C		SCHWALBE MARATHON SUPREME 700X35C
TIRES	SCHWALBE SAMMY SLICK, 700X35C				CANNONDALE QUICK		CANNONDALE QUICK
PEDALS	WELLGO PLATFORM				FSA OMEGA BB30, 46/36		FSA METROPOLIS, BOSCH SPECIFIC
CRANKS	FSA OMEGA BB30, 46/36				BOSCH INTEGRATED DRIVE UNIT MOTOR		BOSCH INTEGRATED DRIVE UNIT MOTOR
BOTTOM BRACKET	FSA BB30				SHIMANO HG53		SHIMANO HG53
CHAIN	KMC X10, 10-SPEED				SHIMANO HG50 11-32, 9-SPEED.		SHIMANO HG50 11-32, 9-SPEED.
REAR COGS	SHIMANO TIAGRA 4600, 12-28, 10-SPEED				N/A		N/A
FRONT DERAILLEUR	SHIMANO TIAGRA 4600				SHIMANO SLX		SHIMANO SLX
SHIFTERS	SHIMANO TIAGRA 4600				SHIMANO DEORE		SHIMANO DEORE
HANDLEBAR	CANNONDALE C4 COMPACT				CANNONDALE TREKKING BLACK, 610MM		CANNONDALE TREKKING BLACK, 610MM
GRIPS	CANNONDALE 3.5MM SUEDE W/ GEL BACKING BAR TAPE				CANNONDALE ERGO PERFORMANCE, LOCK ON		CANNONDALE ERGO PERFORMANCE, LOCK ON
STEM	CANNONDALE C4, 31.8, 6 DEG.				CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK		CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK
HEADSET	CAADX SI, 25MM TOP CAP				TANGE SI HEADSHOK		TANGE SI HEADSHOK
Brakes	TEKTRO CR520				MAGURA MT2 HYDRAULIC DISC, 160/160MM		MAGURA MT2 HYDRAULIC DISC, 160/160MM
Brake Levers	SHIMANO TIAGRA 4600				MAGURA MT2 HYDRAULIC DISC		MAGURA MT2 HYDRAULIC DISC
SADDLE	CANNONDALE STAGE CX W/ STEEL RAILS				SELLA ROYAL FRECCIA		SELLA ROYAL FRECCIA
SEATPOST	CANNONDALE C4 ALLOY, 27.2MMX300MM				CANNONDALE C2, 2 BOLT, ALLOY		CANNONDALE C2, 2 BOLT, ALLOY
SIZES	44, 48, 51, 54, 56, 58, 61CM	44, 48, 51, 54, 56, 58, 61CM			50, 55, 60 / WOMEN'S 45, 45, 50, 55		50, 55, 60 / WOMEN'S 45, 45, 50, 55
COLOR (CODE)	JET BLACK, MATTE (BBQ)	N/A			JET BLACK, MATTE (BBQ)		JET BLACK, MATTE (BBQ)
EXTRAS					CURANA FENDERS & CHAINCASE, TRELOCK LIGHT, AXA LOCK, BIBIA BELL AND CANNONDALE PUMP: INTEGRATED RACK MOUNTED BATTERY, 37V LI-ION, 288 WH		CURANA FENDERS & CHAINCASE, TRELOCK LIGHT, AXA LOCK, BIBIA BELL AND CANNONDALE PUMP: INTEGRATED RACK MOUNTED BATTERY, 37V LI-ION, 288 WH

URBAN

SPECIFICATIONS

E-BIKE 1 ALFINE 8		E-BIKE 1 ALFINE 8 GER		BAD BOY 0		BAD BOY 2	
PRODUCT CODE	C12EBM8	C12EBM8D	E-SERIES SI HEADSHOK, MEN'S SPECIFIC W/ INTEGRATED RACK	BAD BOY 0	C13BB0	C13BB2	BAD BOY STEALTH, OPTIMIZED 6061 ALLOY, 1.5 SI HEAD TUBE
FRAME	E-SERIES SI HEADSHOK, MEN'S SPECIFIC W/ INTEGRATED RACK	E-SERIES SI HEADSHOK, MEN'S SPECIFIC W/ INTEGRATED RACK	HEADSHOK FATTY DL50, 50MM W/LOCKOUT, (DL50 XL FOR SIZE 55, 60)	HEADSHOK SOLO DL50, 50MM W/LOCKOUT, OPI	CANNONDALE C2 URBAN SL, 32 HOLE	CANNONDALE C2 URBAN SL, 32 HOLE	HEADSHOK FATTY DL50, 50MM W/LOCKOUT, OPI
FORK	HEADSHOK FATTY DL50, 50MM W/LOCKOUT, (DL50 XL FOR SIZE 55, 60)	HEADSHOK FATTY DL50, 50MM W/LOCKOUT, (DL50 XL FOR SIZE 55, 60)	MADDUX C2 URBAN	CANNONDALE LEFTY SL FRONT, SHIMANO ALFINE 11 REAR	SHIMANO M525	STAINLESS XD BLACK, 15G	SCHWALBE KOJAK RACE GUARD, 700X28C
RIMS	MADDUX C2 URBAN	SHIMANO ALFINE INTERNAL 8 REAR, M525 FRONT	SHIMANO ALFINE INTERNAL 8 REAR, ALFINE DYNAMO HUB FRONT	STAINLESS XD BLACK, 15G	CANNONDALE URBAN 6POINT3 ALLOY	CANNONDALE C2 URBAN SL, 32 HOLE	CANNONDALE URBAN 6POINT3 ALLOY
HUBS	SHIMANO ALFINE INTERNAL 8 REAR, M525 FRONT	STAINLESS XD BLACK, 15G	SCHWALBE MARATHON SUPREME 700X35C	SCHWALBE MARATHON SUPREME 700X35C	TRUVATIV FIREX, 42T	FSA COMET 42/32/24	TRUVATIV GXP
SPOKES	STAINLESS XD BLACK, 15G	CANNONDALE QUICK	CANNONDALE QUICK	TRUVATIV GXP	TANGE CARTRIDGE	KMC X10 BLACK, 10-SPEED	KMC X10 BLACK, 10-SPEED
TIRES	SCHWALBE MARATHON SUPREME 700X35C	FSA METROPOLIS, BOSCH SPECIFIC	FSA METROPOLIS, BOSCH SPECIFIC	KMC Z610 BLACK	SHIMANO HG81, 11-34,10-SPEED	SHIMANO DEORE, 34.9MM CLAMP	SHIMANO DEORE, 34.9MM CLAMP
PEDALS	CANNONDALE QUICK	BOSCH INTEGRATED DRIVE UNIT MOTOR	BOSCH INTEGRATED DRIVE UNIT MOTOR	SHIMANO HG53	N/A	SHIMANO SLX, SHADOW	SHIMANO SLX, SHADOW
CRANKS	FSA METROPOLIS, BOSCH SPECIFIC	SHIMANO HG53	SHIMANO HG53	N/A	N/A	SHIMANO DEORE	SHIMANO DEORE
BOTTOM BRACKET	BOSCH INTEGRATED DRIVE UNIT MOTOR	SHIMANO HG53	SHIMANO HG53	N/A	CANNONDALE SI URBAN OPI STEM/HANDLEBAR W/ SI LIGHT, 7 DEG.	CANNONDALE SI URBAN OPI STEM/HANDLEBAR W/ SI LIGHT, 7 DEG.	CANNONDALE SI URBAN OPI STEM/HANDLEBAR W/ SI LIGHT, 7 DEG.
CHAIN	SHIMANO HG53	ALFINE 18T	ALFINE 18T	N/A	CANNONDALE URBAN, LOCK-ON	CANNONDALE URBAN, LOCK-ON	CANNONDALE URBAN, LOCK-ON
REAR COGS	ALFINE 18T	N/A	N/A	N/A	CANNONDALE SI URBAN OPI STEM/HANDLEBAR W/ LIGHT, 7 DEG.	CANNONDALE SI URBAN OPI STEM/HANDLEBAR W/ LIGHT, 7 DEG.	CANNONDALE SI URBAN OPI STEM/HANDLEBAR W/ LIGHT, 7 DEG.
FRONT DERAILLEUR	N/A	N/A	N/A	N/A	CANNONDALE HEADSHOK SI	TANGE CUSTOM 1.5"	TANGE CUSTOM 1.5"
REAR DERAILLEUR	N/A	N/A	N/A	N/A	MAGURA MT2 HYDRAULIC DISC	SHIMANO M445 HYDRAULIC DISC	SHIMANO M445 HYDRAULIC DISC
SHIFTERS	SHIMANO ALFINE 8, RAPIDFIRE PLUS	SHIMANO ALFINE 8, RAPIDFIRE PLUS	SHIMANO ALFINE 8, RAPIDFIRE PLUS	N/A	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC
HANDLEBAR	CANNONDALE TREKKING BLACK, 610MM	CANNONDALE TREKKING BLACK, 610MM	CANNONDALE TREKKING BLACK, 610MM	N/A	CANNONDALE URBAN BAD BOY URBAN	CANNONDALE BAD BOY URBAN	CANNONDALE BAD BOY URBAN
GRIPS	CANNONDALE ERGO PERFORMANCE, LOCK ON	CANNONDALE ERGO PERFORMANCE, LOCK ON	CANNONDALE ERGO PERFORMANCE, LOCK ON	N/A	CANNONDALE C2, 2 BOLT, ALLOY, 31.6 X 350MM	CANNONDALE C2, 2 BOLT, ALLOY, 31.6 X 350MM	CANNONDALE C2, 2 BOLT, ALLOY, 31.6 X 350MM
STEM	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	N/A	S, M, L, X	S, M, L, X	S, M, L, X
HEADSET	TANGE SI HEADSHOK	TANGE SI HEADSHOK	TANGE SI HEADSHOK	N/A	BLACK ANODIZED W/REFLECTIVE DECALS, MATTE (BBQ)	BLACK ANODIZED W/REFLECTIVE DECALS, MATTE (BBQ)	BLACK ANODIZED W/REFLECTIVE DECALS, MATTE (BBQ)
BRAKES	MAGURA MT2 HYDRAULIC DISC, 160/160MM	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	N/A	N/A	N/A	N/A
Brake Levers	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	N/A	N/A	N/A	N/A
SADDLE	SELLA ROYAL FRECCIA	SELLA ROYAL FRECCIA	SELLA ROYAL FRECCIA	N/A	N/A	N/A	N/A
SEATPOST	CANNONDALE C2, 2 BOLT, ALLOY	CANNONDALE C2, 2 BOLT, ALLOY	CANNONDALE C2, 2 BOLT, ALLOY	N/A	N/A	N/A	N/A
SIZES	50, 55, 60 / WOMEN'S 45, 50, 55	50, 55, 60 / WOMEN'S 45, 50, 55	50, 55, 60 / WOMEN'S 45, 50, 55	N/A	N/A	N/A	N/A
COLOR (CODE)	JET BLACK MATTE (BBQ)	JET BLACK MATTE (BBQ)	JET BLACK MATTE (BBQ)	N/A	N/A	N/A	N/A
EXTRAS	CURANA FENDERS & CHAINCASE, TRELLOCK LIGHT, AXA LOCK, BIBIA BELL AND CANNONDALE PUMP: INTEGRATED RACK MOUNTED BATTERY; 37V Li-ION, 288 WH	CURANA FENDERS & CHAINCASE, TRELLOCK LIGHT, AXA LOCK, BIBIA BELL AND CANNONDALE PUMP: INTEGRATED RACK MOUNTED BATTERY; 37V Li-ION, 288 WH	CURANA FENDERS & CHAINCASE, TRELLOCK LIGHT, AXA LOCK, BIBIA BELL AND CANNONDALE PUMP: INTEGRATED RACK MOUNTED BATTERY; 37V Li-ION, 288 WH	N/A	N/A	N/A	N/A

BAD BOY 4		BAD BOY 6		BAD BOY 7		BAD GIRL 2	
PRODUCT CODE	C13BB4	C13BB6	BAD BOY, OPTIMIZED 6061 ALLOY, 1.5 SI HEAD TUBE	BAD BOY 26*, OPTIMIZED 6061 ALLOY, 1-1/8" HEAD TUBE	C13BB7	C13BWF2	BAD GIRL, OPTIMIZED 6061 ALLOY, 1-1/8" HEAD TUBE
FRAME	BAD BOY STEALTH, OPTIMIZED 6061 ALLOY, 1.5 SI HEAD TUBE	CANNONDALE FATTY RIGID OPI, 1.5" STEERER	CANNONDALE FATTY RIGID, 26", 1-1/8" STEERER	CANNONDALE FATTY RIGID, 26*, 1-1/8" STEERER	CANNONDALE RM40 FRONT, RM30 REAR	CANNONDALE RM40 FRONT, RM30 REAR	CANNONDALE RM40 FRONT, RM30 REAR
FORK	CANNONDALE FATTY RIGID OPI, 1.5" STEERER	CANNONDALE C3 URBAN SL, 32 HOLE	CANNONDALE C3 URBAN SL, 32 HOLE	CANNONDALE C3 URBAN SL, 26*, 32 HOLE	SHIMANO RM66 FRONT, RM66 REAR	SHIMANO RM66 FRONT, RM66 REAR	SHIMANO RM66 FRONT, RM66 REAR
RIMS	CANNONDALE C3 URBAN SL, 32 HOLE	SHIMANO M475	STAINLESS XD BLACK, 15G	STAINLESS XD BLACK, 15G	SHIMANO RM66 FRONT, RM66 REAR	STAINLESS XD BLACK, 15G	STAINLESS XD BLACK, 15G
HUBS	SHIMANO M475	STAINLESS XD BLACK, 15G	SCHWALBE KOJAK RACE GUARD, 700X28C	SCHWALBE KOJAK RACE GUARD, 700X28C	CANNONDALE RM66 FRONT, RM66 REAR	SCHWALBE KOJAK RACE GUARD, 700X28C	SCHWALBE KOJAK RACE GUARD, 700X28C
SPOKES	STAINLESS XD BLACK, 15G	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	SHIMANO RM66 FRONT, RM66 REAR	CANNONDALE RM66 FRONT, RM66 REAR	CANNONDALE RM66 FRONT, RM66 REAR
TIRES	SCHWALBE KOJAK RACE GUARD, 700X28C	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	SHIMANO RM66 FRONT, RM66 REAR	STAINLESS XD BLACK, 15G	STAINLESS XD BLACK, 15G
PEDALS	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	SHIMANO RM66 FRONT, RM66 REAR	FREEDOM THICK SLICK, 700X28C	FREEDOM THICK SLICK, 700X28C
CRANKS	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK
BOTTOM BRACKET	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC
CHAIN	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC
REAR COGS	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC
FRONT DERAILLEUR	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC
REAR DERAILLEUR	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC
SHIFTERS	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC
HANDLEBAR	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC
GRIPS	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC
STEM	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC
HEADSET	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC
BRAKES	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC
Brake Levers	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC
SADDLE	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC
SEATPOST	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC
SIZES	S, M, L, X	S, M, L, X	S, M, L, X	S, M, L, X	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC
COLOR (CODE)	JET BLACK W/REFLECTIVE DECALS, MATTE (BBQ)	JET BLACK W/REFLECTIVE DECALS, MATTE (BBQ)	JET BLACK W/REFLECTIVE DECALS, MATTE (BBQ)	JET BLACK W/REFLECTIVE DECALS, MATTE (BBQ)	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC
EXTRAS	CANNONDALE C3 HEADSHOK ADJUSTABLE, 1.5", 3-D FORGED	CANNONDALE C3 HEADSHOK ADJUSTABLE, 1.5", 3-D FORGED	CANNONDALE C3 HEADSHOK ADJUSTABLE, 1.5", 3-D FORGED	CANNONDALE C3 HEADSHOK ADJUSTABLE, 1.5", 3-D FORGED	CANNONDALE C3 HEADSHOK ADJUSTABLE BLACK	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC

Hooligan 1		QUICK SPEED 1		QUICK SPEED 2		QUICK SPEED 3	
PRODUCT CODE	C13HL1	C13QS1	QUICK FULL CARBON W/ SAVE FEATURES	C13QS2	QUICK SL, OPTIMIZED 6061 ALLOY, SAVE, 1-1/8" HEAD TUBE	C13QS3	QUICK SL, EBB, OPTIMIZED 6061 ALLOY, SAVE, 1-1/8" HEAD TUBE
FRAME	HOOLIGAN DELTA V, URBAN COMPACT, 20" WHEEL, 1.5 SI HEAD TUBE	HOOLIGAN DELTA V, URBAN COMPACT, 20" WHEEL, 1.5 SI HEAD TUBE	QUICK FULL CARBON SI 1 1/8"	QUICK SI, CARBON BLADES, 1-1/8" STEERER, W/ LOW RIDER MOUNTS	QUICK SI, CARBON BLADES, 1-1/8" STEERER, W/ LOW RIDER MOUNTS	QUICK SI, CARBON BLADES, 1-1/8" STEERER, W/ LOW RIDER MOUNTS	QUICK SI, CARBON BLADES, 1-1/8" STEERER, W/ LOW RIDER MOUNTS
FORK	CANNONDALE SOLO RIGID, OPI, 1.5" STEERER	CANNONDALE SOLO RIGID, OPI, 1.5" STEERER	DT SWISS R1800 WHITE	MADDUX RS 3.0, DOUBLE WALL, EYELETED, 32 HOLE	MADDUX RS 3.0, DOUBLE WALL, EYELETED, 32 HOLE	MADDUX RS 3.0, DOUBLE WALL, EYELETED, 32 HOLE	MADDUX RS 3.0, DOUBLE WALL, EYELETED, 32 HOLE
RIMS	CANNONDALE DC3.0, 20", 32 HOLE	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	DT SWISS R1800 WHITE	SHIMANO 105 5700, 30/34			
HUBS	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE MARATHON SUPREME, 700X28C	SHIMANO 105 5700, 30/34			
SPOKES	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE MARATHON SUPREME, 700X28C	SHIMANO 105 5700, 30/34			
TIRES	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE MARATHON SUPREME, 700X28C	SHIMANO 105 5700, 30/34			
PEDALS	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	SHIMANO ULTEGRA 6700, 10-SPEED			
CRANKS	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	SHIMANO ULTEGRA 6700, 10-SPEED			
BOTTOM BRACKET	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	SHIMANO ULTEGRA 6700, 10-SPEED			
CHAIN	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	SHIMANO ULTEGRA 6700, 10-SPEED			
REAR COGS	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	SHIMANO ULTEGRA 6700, 10-SPEED			
FRONT DERAILLEUR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	SHIMANO ULTEGRA 6700, 10-SPEED			
REAR DERAILLEUR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	SHIMANO ULTEGRA 6700, 10-SPEED			
SHIFTERS	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	SHIMANO ULTEGRA 6700, 10-SPEED			
HANDLEBAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	SHIMANO ULTEGRA 6700, 10-SPEED			
GRIPS	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	SHIMANO ULTEGRA 6700, 10-SPEED			
STEM	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	SHIMANO ULTEGRA 6700, 10-SPEED			
HEADSET	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	SHIMANO ULTEGRA 6700, 10-SPEED			
BRAKES	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	CANNONDA					

URBAN

SPECIFICATIONS

QUICK SPEED 4		QUICK CX 1		QUICK CX 2		QUICK CX 3	
PRODUCT CODE	C13QS4	C13QX1	QUICK CX, OPTIMIZED 6061 ALLOY, SAVE, 1-1/8" HEAD TUBE HEADSHOK FATTY DL50, 50MM W/LOCKOUT, OPI	C13QX2	QUICK CX, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEAD TUBE RST NEON PRO CUSTOM 1.5" TREKKING, TNL LOCKOUT, 50MM	C13QX3	QUICK CX, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEAD TUBE RST NEON PRO CUSTOM 1.5" TREKKING ML LOCKOUT 50MM
FRAME	QUICK SL, OPTIMIZED 6061 ALLOY, SAVE, 1-1/8" HEAD TUBE						
FORK	QUICK SI, CARBON BLADES, 1-1/8" STEERER, W/ LOW RIDER MOUNTS	N/A		MADDUX DC3.0, DOUBLE WALL W/EYELET, 32 HOLE		MADDUX TC 5.0, DOUBLE WALL, EYELET, MACHINED SIDEWALL, 32 HOLE	
REAR SHOCK	N/A			SHIMANO DEORE M525 CENTERLOCK DISC		SHIMANO ALIVIO M430	
RIMS	MADDUX TC5.0, DOUBLE WALL W/EYELET, 32 HOLE	MADDUX DC3.0, DOUBLE WALL W/EYELET, 32 HOLE	SHIMANO SLX M665 CENTERLOCK DISC	STAINLESS STEEL XD BLACK, 15G		STAINLESS STEEL XD BLACK, 15G	
HUBS	SHIMANO TIAGRA	SHIMANO SLX M665 CENTERLOCK DISC	STAINLESS STEEL XD BLACK, 15G	SCHWALBE SAMMY SLICK, 700X35C		SCHWALBE SAMMY SLICK, 700X35C	
SPOKES	STAINLESS STEEL XD BLACK W/ ALLOY NIPPLES, 15G	STAINLESS STEEL XD BLACK, 15G	SCHWALBE SAMMY SLICK, 700X35C	CANNONDALE URBAN 6POINT3 ALLOY PLATFORM		CANNONDALE URBAN 6POINT3 ALLOY PLATFORM	
TIRES	SCHWALBE MARATHON SUPREME, 700X28C	CANNONDALE URBAN 6POINT3 ALLOY PLATFORM	SCHWALBE SAMMY SLICK, 700X35C	SHIMANO DEORE M591, 48/36/26		SHIMANO ACERA M391, 48/36/26	
PEDALS	CANNONDALE URBAN 6POINT3 ALLOY	SHIMANO SLX, 42/32/22	SHIMANO DEORE M591, 48/36/26	SHIMANO DEORE		SHIMANO ACERA	
CRANKS	SHIMANO TIAGRA, 50/34	SHIMANO SLX, 42/32/22	SHIMANO DEORE M591, 48/36/26	SHIMANO HG53, 9-SPEED		KMC Z99, 9-SPEED	
BOTTOM BRACKET	SHIMANO TIAGRA	SHIMANO SLX	SHIMANO DEORE M591, 48/36/26	SUNRACE CSM69, 11-32, 9-SPEED		SUNRACE CSM69, 11-32, 9-SPEED	
CHAIN	KMC X10, 10-SPEED	SHIMANO HG74, 10-SPEED	SUNRACE CSM69, 11-32, 9-SPEED	SHIMANO ACERA, 31.8 CLAMP		SHIMANO ACERA, 31.8 CLAMP	
REAR COGS	SHIMANO TIAGRA 12-28, 10-SPEED	SHIMANO SLX HG81, 11-32, 10-SPEED	SHIMANO ACERA, 31.8 CLAMP	SHIMANO SLX		SHIMANO DEORE	
FRONT DERAILLEUR	SHIMANO TIAGRA, 31.8 CLAMP	SHIMANO SLX, 31.8 CLAMP	SHIMANO SLX	SHIMANO DEORE		SHIMANO ACERA	
REAR DERAILLEUR	SHIMANO TIAGRA	SHIMANO XT	SHIMANO DEORE	CANNONDALE C3, BUTTED 6061 ALLOY, 5MM RISE, 600MM		CANNONDALE C3, BUTTED 6061 ALLOY, 5MM RISE, 600MM	
SHIFTERS	SHIMANO TIAGRA 4600 FLATBAR	SHIMANO SLX	CANNONDALE C3, BUTTED 6061 ALLOY, 5MM RISE, 600MM	CANNONDALE ERGO PERFORMANCE, LOCK ON		CANNONDALE ERGO PERFORMANCE, LOCK ON	
HANDLEBAR	CANNONDALE C3, FLATBAR, 620MM	CANNONDALE C3, BUTTED 6061 ALLOY, 5MM RISE, 600MM	CANNONDALE ERGO PERFORMANCE, LOCK ON	CANNONDALE C3, 1.5", 3-D FORGED, 31.8, 7 DEG.		CANNONDALE C3, 1.5", 3-D FORGED, 31.8, 7 DEG.	
GRIPS	CANNONDALE ERGO PERFORMANCE, LOCK ON	CANNONDALE C3, HEADSHOK 3-D FORGED 31.8, 7 DEG.	CANNONDALE C3, 1.5", 3-D FORGED, 31.8, 7 DEG.	TANGE CUSTOM 1.5"		TANGE CUSTOM 1.5"	
STEM	CANNONDALE C3, 31.8, 6 DEG.	CANNONDALE HEADSHOK SI	TANGE CUSTOM 1.5"	MAGURA MT2 HYDRAULIC DISC		TEKTRO 855 V-BRAKE	
HEADSET	TANGE SI	MAGURA MT4 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC	SHIMANO M446 HYDRAULIC DISC		CANNONDALE C3	
BRACKETS	CANNONDALE C2 MINI V, CARTRIDGE PADS	MAGURA MT4	SHIMANO M446 HYDRAULIC DISC	CANNONDALE QUICK CX ERGO		CANNONDALE QUICK CX ERGO	
BRAKE LEVERS	CANNONDALE CBL 9.1	MAGURA MT4	CANNONDALE QUICK CX ERGO	CANNONDALE C3, 2 BOLT, 2014 ALLOY, 31.6 X 350MM,		CANNONDALE C4, ALLOY, 31.6 X 350MM	
SADDLE	CANNONDALE QUICK SPEED ERGO	CANNONDALE C3, HEADSHOK 3-D FORGED 31.8, 7 DEG.	CANNONDALE C3, 2 BOLT, 2014 ALLOY, 31.6 X 350MM,	48, 52, 56, 60		48, 52, 56, 60	
SEATPOST	CANNONDALE C4, 6061 ALLOY, 31.6 X 350MM	CANNONDALE C3, HEADSHOK 3-D FORGED 31.8, 7 DEG.	CANNONDALE C3, 2 BOLT, 2014 ALLOY, 31.6 X 350MM,	MAGNESIUM WHITE, GLOSS (WHT)		JET BLACK, MATTE (BBQ)	
SIZES	48, 52, 56, 60 CM	CANNONDALE C3, HEADSHOK 3-D FORGED 31.8, 7 DEG.	CANNONDALE C3, HEADSHOK 3-D FORGED 31.8, 7 DEG.	JET BLACK, MATTE (BBQ)		BRUSHED ALUMINUM, GLOSS (RAW)	
COLOR (CODE)	JET BLACK, MATTE (BBQ)	CANNONDALE C3, HEADSHOK 3-D FORGED 31.8, 7 DEG.	CANNONDALE C3, HEADSHOK 3-D FORGED 31.8, 7 DEG.	JET BLACK, MATTE (BBQ)		BRUSHED ALUMINUM, GLOSS (RAW)	

QUICK CX 4		TESORO 0		TESORO 1		TESORO 2	
PRODUCT CODE	C13QX4	C12TS0	TESORO SI, HEADSHOK, OPTIMIZED 6061 ALLOY, SAVE, EBB	C12TS1	TESORO SI, HEADSHOK, OPTIMIZED 6061 ALLOY, SAVE	C12TS3	TESORO SI, OPTIMIZED 6061 ALLOY, SAVE
FRAME	QUICK CX RIGID, OPTIMIZED 6061 ALLOY, SAVE, 1-1/8" HEAD TUBE	HEADSHOK FATTY DL50, 50MM W/LOCKOUT, OPI	HEADSHOK FATTY DL50, 50MM W/LOCKOUT, OPI	HEADSHOK FATTY DL50, 50MM W/LOCKOUT, OPI	HEADSHOK FATTY DL50, 50MM W/LOCKOUT, OPI	HEADSHOK FATTY DL50, 50MM W/LOCKOUT, OPI	HEADSHOK FATTY DL50, 50MM W/LOCKOUT, OPI
FORK	FATTY RIGID DISC, ALLOY, 1-1/8" STEERER	CANNONDALE TC5, DOUBLE WALL, EYELETED, 32 HOLE	CANNONDALE TC5, DOUBLE WALL, EYELETED, 32 HOLE	CANNONDALE TC5, DOUBLE WALL, EYELETED, 32 HOLE	CANNONDALE TC5, DOUBLE WALL, EYELETED, 32 HOLE	CANNONDALE TC5, DOUBLE WALL, EYELETED, 32 HOLE	CANNONDALE TC5, DOUBLE WALL, EYELETED, 32 HOLE
RIMS	MADDUX TC 5.0, DOUBLE WALL, EYELET, MACHINED SIDEWALL, 32 HOLE	SHIMANO ALFINE	SHIMANO ALFINE	SHIMANO DEORE	SHIMANO DEORE	SHIMANO DEORE	SHIMANO DEORE
HUBS	CANNONDALE C4	STAINLESS STEEL XD BLACK, 15G	STAINLESS STEEL XD BLACK W/ RED NIPPLES, 15G	STAINLESS STEEL XD BLACK W/ RED NIPPLES, 15G	STAINLESS STEEL XD BLACK W/ RED NIPPLES, 15G	STAINLESS STEEL XD BLACK W/ RED NIPPLES, 15G	STAINLESS STEEL XD BLACK W/ RED NIPPLES, 15G
SPOKES	SCHWALBE SAMMY SLICK, 700X35C	SCHWALBE MARATHON SUPREME, 700X35C	SCHWALBE MARATHON SUPREME, 700X35C	SCHWALBE MARATHON SUPREME, 700X35C	SCHWALBE MARATHON SUPREME, 700X35C	SCHWALBE MARATHON SUPREME, 700X35C	SCHWALBE MARATHON SUPREME, 700X35C
TIRES	CANNONDALE URBAN 6POINT3 COMPOSITE	CANNONDALE URBAN 6POINT3 ALLOY	CANNONDALE URBAN 6POINT3 ALLOY	CANNONDALE URBAN 6POINT3 ALLOY	CANNONDALE URBAN 6POINT3 ALLOY	CANNONDALE URBAN 6POINT3 ALLOY	CANNONDALE URBAN 6POINT3 ALLOY
PEDALS	SHIMANO M171 48/38/28	TRUVATIV FIREX, 42T	TRUVATIV FIREX, 42T	FSA COMET 46/36/28	FSA COMET 46/36/28	FSA COMET 46/36/28	FSA COMET 46/36/28
CRANKS	TANGE CARTRIDGE	TRUVATIV GXP	TRUVATIV GXP	FSA MEGAEXO	FSA MEGAEXO	FSA MEGAEXO	FSA MEGAEXO
BOTTOM BRACKET	KMC Z82, 8-SPEED	KMC Z10 BLACK	KMC Z10 BLACK	KMC X10, 10-SPEED	KMC X10, 10-SPEED	KMC X10, 10-SPEED	KMC X10, 10-SPEED
CHAIN	SUNRACE CS666 11-32, 8 SPD	SHIMANO ALFINE 18T	SHIMANO ALFINE 18T	SHIMANO 4600 12-30T, 10-SPEED			
REAR COGS	SHIMANO ALIVIO, 31.8 CLAMP	N/A	N/A	SHIMANO SLX	SHIMANO SLX	SHIMANO SLX	SHIMANO SLX
FRONT DERAILLEUR	SHIMANO ALIVIO	N/A	N/A	SHIMANO XT	SHIMANO XT	SHIMANO XT	SHIMANO XT
SHIFTERS	SHIMANO ALTUS	SHIMANO ALFINE 11	SHIMANO ALFINE 11	SHIMANO SLX	SHIMANO SLX	SHIMANO SLX	SHIMANO SLX
HANDLEBAR	CANNONDALE C4, 6061, 25MM RISE, 620MM	CANNONDALE TREKKING BLACK	CANNONDALE TREKKING BLACK	CANNONDALE TREKKING BLACK	CANNONDALE TREKKING BLACK	CANNONDALE TREKKING BLACK	CANNONDALE TREKKING BLACK
GRIPS	CANNONDALE ERGO PERFORMANCE	CANNONDALE ERGO PERFORMANCE, LOCK ON	CANNONDALE ERGO PERFORMANCE, LOCK ON	CANNONDALE ERGO PERFORMANCE, LOCK ON	CANNONDALE ERGO PERFORMANCE, LOCK ON	CANNONDALE ERGO PERFORMANCE, LOCK ON	CANNONDALE ERGO PERFORMANCE, LOCK ON
STEM	CANNONDALE C4, 1-1/8", 31.8, 12 DEG	CANNONDALE UP C3 ADJUSTABLE BLACK	CANNONDALE UP C3 ADJUSTABLE BLACK	CANNONDALE UP C3 ADJUSTABLE BLACK	CANNONDALE UP C3 ADJUSTABLE BLACK	CANNONDALE UP C3 ADJUSTABLE BLACK	CANNONDALE UP C3 ADJUSTABLE BLACK
HEADSET	TANGE 1-1/8"	TANGE SEMI-INTEGRATED	TANGE SEMI-INTEGRATED	TANGE SEMI-INTEGRATED	TANGE SEMI-INTEGRATED	TANGE SEMI-INTEGRATED	TANGE SEMI-INTEGRATED
BRACKETS	TEKTRO 855 V-BRAKE	MAGURA MT2	MAGURA MT2	MAGURA HS11	MAGURA HS11	AVID SINGLE DIGIT 5	AVID SINGLE DIGIT 5
BRAKE LEVERS	CANNONDALE C4	MAGURA MT2	CANNONDALE QUICK CX	MAGURA HS11	CANNONDALE QUICK CX	AVID FR5	CANNONDALE QUICK CX
SADDLE	CANNONDALE QUICK CX ERGO	CANNONDALE QUICK CX	CANNONDALE QUICK CX	CANNONDALE QUICK CX	CANNONDALE QUICK CX	CANNONDALE QUICK CX	CANNONDALE QUICK CX
SEATPOST	CANNONDALE C4, ALLOY, 31.6 X 350MM	CANNONDALE C3, 6061 ALLOY, 2 BOLT, 31.6 X 350MM	CANNONDALE C3, 6061 ALLOY, 2 BOLT, 31.6 X 350MM	48, 52, 56, 60	48, 52, 56, 60	48, 52, 56, 60	48, 52, 56, 60
SIZES	48, 52, 56, 60	48, 52, 56, 60	48, 52, 56, 60	JET BLACK, GLOSS (BLK)	JET BLACK, GLOSS (BLK)	CHARCOAL GRAY, GLOSS (GRY)	CHARCOAL GRAY, GLOSS (GRY)
COLOR (CODE)	STEALTH GREY, MATTE (GRY)	BRUSHED ALUMINUM, GLOSS (RAW)	BRUSHED ALUMINUM, GLOSS (RAW)	TUBUS RACK, BUSCH & MULLER LIGHTS, CURANA FENDERS & CHAINCASE	TUBUS RACK, BUSCH & MULLER LIGHTS, CURANA FENDERS & CHAINCASE	TUBUS RACK, BUSCH & MULLER LIGHTS, CURANA FENDERS & CHAINCASE	TUBUS RACK, BUSCH & MULLER LIGHTS, CURANA FENDERS & CHAINCASE
EXTRAS	N/A	CANNONDALE C3, HEADSHOK 3-D FORGED 31.8, 7 DEG.	CANNONDALE C3, HEADSHOK 3-D FORGED 31.8, 7 DEG.	CANNONDALE C3, HEADSHOK 3-D FORGED 31.8, 7 DEG.	CANNONDALE C3, HEADSHOK 3-D FORGED 31.8, 7 DEG.	CANNONDALE C3, HEADSHOK 3-D FORGED 31.8, 7 DEG.	CANNONDALE C3, HEADSHOK 3-D FORGED 31.8, 7 DEG.

WOMEN'S SPECIFICATIONS

TESORO 3		SCARLET 1		LEXI 2	
PRODUCT CODE	C12TS4	C13VNW1	SCARLET, 150/90MM, SMARTFORMED ALLOY, BB30, ISCG03, X-12, 1.5 SI HEADTUBE	C13VLW2	SCARLET, 150/90MM, SMARTFORMED ALLOY, BB30, 1.5" SI HEAD TUBE
FRAME	TESORO SI, OPTIMIZED 6061 ALLOY, SAVE	HEADSHOK FATTY DL50, 50MM W/LOCKOUT, OPI	HEADSHOK FATTY DL50, 50MM W/LOCKOUT, OPI	ROCKSHOX RECON GOLD TK, 120MM, SOLO AIR, LOCKOUT, REBOUND, 1.5"	ROCKSHOX RECON GOLD TK, 120MM, SOLO AIR, LOCKOUT, REBOUND, 1.5"
FORK	CANNONDALE FATTY RIGID ALLOY	CANNONDALE TC5, DOUBLE WALL, EYELETED, 32 HOLE	CANNONDALE TC5, DOUBLE WALL, EYELETED, 32 HOLE	ROCKSHOX MONARCH RL	ROCKSHOX MONARCH RL
REAR SHOCK	N/A	SHIMANO ALFINE	SHIMANO ALFINE	MADDUX DC3.0, DOUBLE WALL W/EYELET, 32 HOLE	MADDUX DC3.0, DOUBLE WALL W/EYELET, 32 HOLE
RIMS	CANNONDALE TC5, DOUBLE WALL, EYELETED, 32 HOLE	STAINLESS STEEL XD BLACK, 15G	STAINLESS STEEL XD BLACK, 15G	FORMULA DC20 SL FRONT, DC22 SL 135X9MM REAR	FORMULA DC20 SL FRONT, DC22 SL 135X9MM REAR
HUBS	SHIMANO ALIVIO	SCHWALBE SAMMY SLICK, 700X35C	SCHWALBE SAMMY SLICK, 700X35C	DT SWISS COMPETITION	DT SWISS COMPETITION
SPOKES	CANNONDALE URBAN 6POINT3 ALLOY	CANNONDALE URBAN 6POINT3 ALLOY	CANNONDALE URBAN 6POINT3 ALLOY	SCHWALBE RACING RALPH PERFORMANCE, 26X2.1, FOLDING	SCHWALBE RACING RALPH PERFORMANCE, 26X2.1, FOLDING
TIRES	SHIMANO ALIVIO	SHIMANO ALIVIO	SHIMANO ALIVIO	FPD PLATFORM, ALLOY	FPD PLATFORM, ALLOY
PEDALS	SHIMANO ALIVIO	SHIMANO ALIVIO	SHIMANO ALIVIO	SRAM S1000, BB30, 36/22 W/GUARD	SRAM S1000, BB30, 36/22 W/GUARD
CRANKS	SHIMANO HG53, 9-SPEED	SHIMANO HG53, 9-SPEED	SHIMANO HG53, 9-SPEED	SRAM BB30	SRAM BB30
BOTTOM BRACKET	SHIMANO HG30 11-32, 9-SPEED	SHIMANO HG30 11-32, 9-SPEED	SHIMANO HG30 11-32, 9-SPEED	KMC X10, 10-SPEED	KMC X10, 10-SPEED
CHAIN	SHIMANO ACERA	SHIMANO ACERA	SHIMANO ACERA	SHIMANO HG62-10, 11-36, 10-SPEED	SHIMANO HG62-10, 11-36, 10-SPEED
REAR COGS	SHIMANO ACERA	SHIMANO ALIVIO	SHIMANO ALIVIO	SRAM X7, DIRECT MOUNT	SRAM X7, DIRECT MOUNT
FRONT DERAILLEUR	SHIMANO ACERA	SHIMANO ALIVIO	SHIMANO ALIVIO	SHIMANO XT, SHADOW DESIGN, 10-SPEED	SHIMANO XT, SHADOW DESIGN, 10-SPEED
REAR DERAILLEUR	SHIMANO ACERA	SHIMANO ACERA	SHIMANO ACERA	SHIMANO SLX	SHIMANO SLX
SHIFTERS	SHIMANO ACERA	CANNONDALE TREKKING BLACK	CANNONDALE TREKKING BLACK	CANNONDALE C2 RISER, 660X20MM, 2014 ALLOY	CANNONDALE C3 RISER, 640X20, 2014 ALLOY
HANDLEBAR	CANNONDALE TREKKING BLACK	CANNONDALE ERGO PERFORMANCE, LOCK ON	CANNONDALE ERGO PERFORMANCE, LOCK ON	CANNONDALE DUAL LOCKING GRIPS	CANNONDALE DUAL LOCKING GRIPS
GRIPS	CANNONDALE ERGO PERFORMANCE, LOCK ON	CANNONDALE UP C3 ADJUSTABLE BLACK	CANNONDALE UP C3 ADJUSTABLE BLACK	CANNONDALE C2, 1.5", 31.8	CANNONDALE C2, 1.5", 31.8
STEM	CANNONDALE C4, 31.6 X 350MM	SHIMANO ALIVIO	SHIMANO ALIVIO	TANGE SEIKI, 1.5", INTEGRATED	TANGE SEIKI, 1.5", INTEGRATED
HEADSET	TANGE SEMI-INTEGRATED	SHIMANO ALIVIO	SHIMANO ALIVIO	MAGURA MT2 W/BAT HYDRAULIC DISC, 180/180MM	MAGURA MT2 W/BAT HYDRAULIC DISC, 180/180MM
HEADSET	TANGE SEMI-INTEGRATED	SHIMANO ALIVIO	SHIMANO ALIVIO	MAGURA MT2 HYDRAULIC DISC	MAGURA MT2 HYDRAULIC DISC
HEADSET	TANGE SEMI-INTEGRATED	SHIMANO ALIVIO	SHIMANO ALIVIO	CANNONDALE WOMEN'S ERGO XC , CRO-MO RAILS	CANNONDALE WOMEN'S ERGO XC , CRO-MO RAILS
HEADSET	TANGE SEMI-INTEGRATED	SHIMANO ALIVIO	SHIMANO ALIVIO	CANNONDALE C2, 31.6 X 350MM	CANNONDALE C2, 31.6 X 350MM
HEADSET	TANGE SEMI-INTEGRATED	SHIMANO ALIVIO	SHIMANO ALIVIO	P.S. M	P.S.M
HEADSET	TANGE SEMI-INTEGRATED	SHIMANO ALIVIO	SHIMANO ALIVIO	JET BLACK, MATTE (BBQ)	MAGNESIUM WHITE, GLOSS (WHT)
HEADSET	TANGE SEMI-INTEGRATED	SHIMANO ALIVIO	SHIMANO ALIVIO	HIGH PRESSURE SHOCK PUMP, SYNTACE X-12 142MM REAR AXLE	N/A
HEADSET	TANGE SEMI-INTEGRATED	SHIMANO ALIVIO	SHIMANO ALIVIO		

WOMEN'S SPECIFICATIONS

TRAIL SL WOMEN'S 2		TRAIL SL WOMEN'S 3		TRAIL SL WOMEN'S 4		TRAIL SL WOMEN'S 5	
PRODUCT CODE	C13FW92	C13FSW3	TRAIL SL WOMEN'S, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE	C13FSW4	TRAIL SL WOMEN'S, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE	C13FSW5	TRAIL SL WOMEN'S, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE
FRAME	TRAIL SL 29'ER WOMEN'S, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEADTUBE	ROCKSHOX XC 30 TK, 100MM, SIZE SPECIFIC COIL SPRING, LOCKOUT, 1.5"	SR SUNTOUR XCR, 100MM, SIZE SPECIFIC COIL SPRING, LOCKOUT, 1-1/8"	N/A	MADDUX DC3.0, DOUBLE WALL W/EYELET, 28 HOLE	SR SUNTOUR XCM, 100MM, SIZE SPECIFIC COIL SPRING, HYDRAULIC LOCKOUT, 1-1/8"	N/A
FORK	ROCKSHOX RECON SILVER TK 29, 80MM, SOLO AIR, LOCKOUT, REBOUND, 1.5"	N/A	N/A	CANNONDALE C4 DISC, FRONT AND REAR	CANNONDALE C4 DISC, FRONT AND REAR	MADDUX DC3.0, DOUBLE WALL W/EYELET, 28 HOLE	CANNONDALE C4 DISC, FRONT AND REAR
REAR SHOCK	N/A	MADDUX DC3.0, DOUBLE WALL W/EYELET, 28 HOLE	STAINLESS STEEL, BLACK, 15G	STAINLESS STEEL, BLACK, 15G	STAINLESS STEEL, BLACK, 15G	STAINLESS STEEL, BLACK, 15G	STAINLESS STEEL, BLACK, 15G
RIMS	MADDUX DC3.0 29"ER, DOUBLE WALL W/EYELET, 32 HOLE	CANNONDALE C4 DISC, FRONT AND REAR	SCHWALBE RAPID ROB, 26X2.1"	SCHWALBE RAPID ROB, 26X2.1"	SCHWALBE RAPID ROB, 26X2.1"	SCHWALBE RAPID ROB, 26X2.1"	SCHWALBE RAPID ROB, 26X2.1"
HUBS	FORMULA CDH20 FRONT, CDH22 REAR	STAINLESS STEEL, BLACK, 15G	FDP PLATFORM	FDP PLATFORM	FDP PLATFORM	FDP PLATFORM	FDP PLATFORM
SPOKES	STAINLESS STEEL, BLACK, 15G	SCHWALBE RAPID ROB, 26X2.1"	SHIMANO FC-M391-8, OCTALINK, 44/32/22	SHIMANO FC-M391-8, OCTALINK, 44/32/22	SHIMANO FC-M391-8, OCTALINK, 44/32/22	SHIMANO FC-M391-8, OCTALINK, 44/32/22	SHIMANO FC-M391-8, OCTALINK, 44/32/22
TIRES	KENDA SMALL BLOCK 8, 29X2.1"	FPM PLATFORM	SHIMANO BB-E525, OCTALINK	SHIMANO BB-E525, OCTALINK	SHIMANO BB-E525, OCTALINK	SHIMANO BB-E525, OCTALINK	SHIMANO BB-E525, OCTALINK
PEDALS	FDP PLATFORM	SHIMANO HG53, 9-SPEED	SHIMANO HG53, 9-SPEED	SUNRACE M96, 11-34, 9-SPEED	SUNRACE M96, 11-34, 9-SPEED	SHIMANO HG53, 9-SPEED	SUNRACE M96, 11-34, 9-SPEED
CRANKS	SHIMANO FC-M391-8, OCTALINK, 44/32/22	SUNRACE M96, 11-34, 9-SPEED	SHIMANO ALIVIO, 31.8 CLAMP	SHIMANO ALIVIO, 31.8 CLAMP	SHIMANO ALIVIO, 31.8 CLAMP	SHIMANO ALIVIO, 31.8 CLAMP	SHIMANO ALIVIO, 31.8 CLAMP
BOTTOM BRACKET	SHIMANO BB-E525, OCTALINK	SHIMANO DEORE, SHADOW DESIGN, 9-SPEED	SHIMANO ALIVIO, 9-SPEED	SHIMANO ALIVIO, 9-SPEED	SHIMANO ALIVIO, 9-SPEED	SHIMANO ALIVIO, 9-SPEED	SHIMANO ALIVIO, 9-SPEED
CHAIN	SHIMANO HG53, 9-SPEED	SHIMANO ALIVIO W/GEAR DISPLAY	SHIMANO ALIVIO, 9-SPEED	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY
REAR COGS	SHIMANO HG51-9, 11-34, 9-SPEED	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END
FRONT DERAILLEUR	SHIMANO ALIVIO, 31.8 CLAMP	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C4, 1.5", 31.8, 7 DEGREE
REAR DERAILLEUR	SHIMANO DEORE, SHADOW DESIGN, 9-SPEED	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	TANGE CUSTOM 1.5"	TANGE CUSTOM 1.5"	TANGE CUSTOM 1.5"	TANGE CUSTOM 1.5"	TANGE CUSTOM 1.5"
SHIFTERS	SHIMANO ALIVIO W/GEAR DISPLAY	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	SHIMANO BR-M446, 160/160MM	SHIMANO BR-M446, 160/160MM	SHIMANO BR-M446, 160/160MM	SHIMANO BR-M446, 160/160MM	SHIMANO BR-M446, 160/160MM
HANDLEBAR	CANNONDALE C3 FLAT, 660MM, 12 DEG SWEET, 6061 DOUBLE-BUTTED ALLOY	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	SHIMANO ALIVIO, 9-SPEED	CANNONDALE HELIX 6 HYDRAULIC DISC, 160/160MM	CANNONDALE HELIX 6 HYDRAULIC DISC, 160/160MM	CANNONDALE HELIX 6 HYDRAULIC DISC, 160/160MM	CANNONDALE HELIX 6 HYDRAULIC DISC, 160/160MM
GRIPS	CANNONDALE DUAL-DENSITY GRIPS	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C4, 1.5", 31.8, 7 DEGREE
STEM	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	TANGE CUSTOM 1.5"	TANGE CUSTOM 1.5"	TANGE CUSTOM 1.5"	TANGE CUSTOM 1.5"	TANGE CUSTOM 1.5"
HEADSET	TANGE CUSTOM 1.5"	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	SHIMANO ALIVIO, 9-SPEED	SHIMANO ALIVIO, 9-SPEED	SHIMANO ALIVIO, 9-SPEED	SHIMANO ALIVIO, 9-SPEED	SHIMANO ALIVIO, 9-SPEED
BRAKES	CANNONDALE HELIX 6 HYDRAULIC DISC, 160/160MM	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	SHIMANO ALIVIO, 9-SPEED	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY
Brake Levers	CANNONDALE HELIX 6	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY			
SADDLE	CANNONDALE WOMEN'S ERGO XC	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY			
SEATPOST	CANNONDALE C4, 27.2X350MM	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY			
SIZES	S.M.T	CANNONDALE C3, 640X15, 6061 DOUBLE-BUTTED ALLOY	P.S.M.T	P.S.M.T	P.S.M.T	P.S.M.T	P.S.M.T
COLOR (CODE)	MAGNESIUM WHITE, GLOSS (WHT)	MAGNESIUM WHITE, GLOSS (WHT)	MAGNESIUM WHITE, GLOSS (WHT)				
SUPERSIX EVO WOMEN'S ULTEGRA DI2		SUPERSIX WOMEN'S 5 105		CAAD10 WOMEN'S 3 ULTEGRA		CAAD10 WOMEN'S 5 105	
PRODUCT CODE	C13RW93C	C13RW5SC	SUPERSIX WOMEN'S, FULL CARBON, BB30	C13RW3C	CAAD10 WOMEN'S, SMARTFORMED 6069 ALLOY, SPEED SAVE, BB30	C13RW5C	CAAD10 WOMEN'S, SMARTFORMED 6069 ALLOY, SPEED SAVE, BB30
FRAME	SUPERSIX EVO WOMEN'S, FULL CARBON, DI2 SPECIFIC, SPEED SAVE, PRESSFIT BB30	SUPERSIX, FULL CARBON, 1-1/8" TO 1.5" TAPERED STEERER, ALLOY DROPOUTS	SUPERSIX, FULL CARBON, 1-1/8" TO 1.5" TAPERED STEERER, ALLOY DROPOUTS	CAAD10, SPEED SAVE FULL CARBON, 1-1/8" TO 1-1/4" TAPERED STEERER	CAAD10, SPEED SAVE FULL CARBON, 1-1/8" TO 1-1/4" TAPERED STEERER	CAAD10, SPEED SAVE FULL CARBON, 1-1/8" TO 1-1/4" TAPERED STEERER	CAAD10, SPEED SAVE FULL CARBON, 1-1/8" TO 1-1/4" TAPERED STEERER
FORK	SUPERSIX EVO, SPEED SAVE, FULL CARBON, 1-1/8" TO 1-1/4" STEERER	N/A	N/A	N/A	N/A	N/A	N/A
REAR SHOCK	N/A	SHIMANO RS-10	SHIMANO RS-10	MAVIC AKSION WTS	MAVIC AKSION WTS	SHIMANO RS-10	SHIMANO RS-10
RIMS	SHIMANO ULTEGRA 6700 TUBELESS	SHIMANO RS-10	SHIMANO RS-10	MAVIC AKSION WTS	MAVIC AKSION WTS	SHIMANO RS-10	SHIMANO RS-10
HUBS	SHIMANO ULTEGRA 6700	SHIMANO RS-10	SHIMANO RS-10	MAVIC AKSION WTS	MAVIC AKSION WTS	SHIMANO RS-10	SHIMANO RS-10
SPKES	SHIMANO ULTEGRA 6700	SHIMANO RS-10	SHIMANO RS-10	MAVIC AKSION, 700X23C, FOLDING	MAVIC AKSION, 700X23C, FOLDING	SHIMANO RS-10	SHIMANO RS-10
TIRES	SCHWALBE ULTREMO TUBELESS 700X23C	SCHWALBE ULTREMO TUBELESS 700X23C, FOLDING	N/A	N/A	FSA SL-K LIGHT CARBON BB30, 50/34	FSA BB30	FSA BB30
PEDALS	N/A	SUPER SIX PREPRESS BB30	FSA BB30	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700
BOTTOM BRACKET	SUPER SIX PREPRESS BB30	SUPER SIX PREPRESS BB30	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700, 11-28, 10-SPEED	SHIMANO ULTEGRA 6700, 11-28, 10-SPEED	SHIMANO ULTEGRA 6700, 11-28, 10-SPEED	SHIMANO ULTEGRA 6700, 11-28, 10-SPEED
CHAIN	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700, 11-28, 10-SPEED	SHIMANO ULTEGRA 6700, 11-28, 10-SPEED	SHIMANO ULTEGRA 6700, 11-28, 10-SPEED	SHIMANO ULTEGRA 6700, 11-28, 10-SPEED
REAR COGS	SHIMANO ULTEGRA 6700, 11-28, 10-SPEED	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700, 11-28, 10-SPEED	SHIMANO ULTEGRA 6700, 11-28, 10-SPEED	SHIMANO ULTEGRA 6700, 11-28, 10-SPEED	SHIMANO ULTEGRA 6700, 11-28, 10-SPEED
FRONT DERAILLEUR	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700, 11-28, 10-SPEED	SHIMANO ULTEGRA 6700, 11-28, 10-SPEED	SHIMANO ULTEGRA 6700, 11-28, 10-SPEED	SHIMANO ULTEGRA 6700, 11-28, 10-SPEED
REAR DERAILLEUR	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700				
SHIFTERS	SHIMANO ULTEGRA 6700 W/ REACH ADJUST SHIMS	SHIMANO ULTEGRA 6700 W/ REACH ADJUST SHIMS	SHIMANO ULTEGRA 6700 W/ REACH ADJUST SHIMS				
HANDLEBAR	CANNONDALE C1 WOMEN'S COMPACT WING, HYDROFORMED 7050 ALLOY	CANNONDALE C1 WOMEN'S COMPACT WING, HYDROFORMED 7050 ALLOY	CANNONDALE C3 WOMEN'S COMPACT WING, BUTTED 6061 ALLOY	CANNONDALE C3 WOMEN'S COMPACT WING, BUTTED 6061 ALLOY	CANNONDALE C3 WOMEN'S COMPACT WING, BUTTED 6061 ALLOY	CANNONDALE C3 WOMEN'S COMPACT WING, BUTTED 6061 ALLOY	CANNONDALE C3 WOMEN'S COMPACT WING, BUTTED 6061 ALLOY
GRIPS	CANNONDALE BAR TAPE W/GEL, 2.5MM	CANNONDALE BAR TAPE W/GEL, 2.5MM	CANNONDALE BAR TAPE W/GEL, 2.5MM	CANNONDALE C3, 31.8, 6 DEG	CANNONDALE C3, 31.8, 6 DEG	CANNONDALE C3, 31.8, 6 DEG	CANNONDALE C3, 31.8, 6 DEG
STEM	CANNONDALE C1 31.8MM 6 DEG.	CANNONDALE C1 31.8MM 6 DEG.	CANNONDALE C3, 31.8, 6 DEG.	SUPER SIX EVO, 1-1/4" LOWER BEARING, 25MM CARBON TOP COVER (W/ 5MM ALLOY HIDDEN TOP COVER)	SUPER SIX EVO, 1-1/4" LOWER BEARING, 25MM CARBON TOP COVER (W/ 5MM ALLOY HIDDEN TOP COVER)	SUPER SIX EVO, 1-1/4" LOWER BEARING, 25MM TOP CAP	SUPER SIX EVO, 1-1/4" LOWER BEARING, 25MM TOP CAP
HEADSET	SUPER SIX EVO, 1-1/4" LOWER BEARING, 25MM CARBON TOP COVER (W/ 5MM ALLOY HIDDEN TOP COVER)	SUPER SIX EVO, 1-1/4" LOWER BEARING, 25MM CARBON TOP COVER (W/ 5MM ALLOY HIDDEN TOP COVER)	SUPER SIX EVO, 1-1/4" LOWER BEARING, 25MM CARBON TOP COVER (W/ 5MM ALLOY HIDDEN TOP COVER)	SHIMANO 105 5700	SHIMANO 105 5700	SHIMANO 105 5700	SHIMANO 105 5700
Brakes	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO 105 5700	SHIMANO 105 5700	SHIMANO 105 5700	SHIMANO 105 5700
Brake Levers	SHIMANO ULTEGRA DI2	PROLOGO, KAPPA EVO DEA W/ PROT 2.0 RAILS	PROLOGO, KAPPA EVO DEA W/ PROT 2.0 RAILS	SHIMANO 105 5700	SHIMANO 105 5700	SHIMANO 105 5700	SHIMANO 105 5700
SADDLE	FIZIK ARIONE DONNA, W/ MG RAILS	CANNONDALE C3, CARBON WRAP, 31.8X300MM	CANNONDALE C3, CARBON WRAP, 31.8X300MM	CANNONDALE C2, UD CARBON, 27.2X300MM	CANNONDALE C2, UD CARBON, 27.2X300MM	CANNONDALE C2, UD CARBON, 27.2X300MM	CANNONDALE C2, UD CARBON, 27.2X300MM
SEATPOST	CANNONDALE C1, LIGHTWEIGHT ALLOY 27.2X300MM	44, 48, 51, 54, 56	44, 48, 51, 54	CANNONDALE C3, 31.8, 6 DEG.	CANNONDALE C3, 31.8, 6 DEG.	CANNONDALE C3, 31.8, 6 DEG.	CANNONDALE C3, 31.8, 6 DEG.
SIZES	44, 48, 51, 54, 56	44, 48, 51, 54	44, 48, 51, 54	SYNAPSE SI, 25MM CARBON TOP CAP	SYNAPSE SI, 25MM CARBON TOP CAP	SYNAPSE SI, 25MM CARBON TOP CAP	SYNAPSE SI, 25MM CARBON TOP CAP
COLOR (CODE)	EXPOSED UNI-DIRECTIONAL CARBON W/ HOLLYWOOD SILVER, GLOSS (BLK)	MAGNESIUM WHITE W/ HOLLYWOOD SILVER, GLOSS (WHT)	MAGNESIUM WHITE W/ HOLLYWOOD SILVER, GLOSS (WHT)	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700
SLICE WOMEN'S 3 ULTEGRA		SYNAPSE CARBON WOMEN'S ULTEGRA		SYNAPSE CARBON WOMEN'S 5 105		SYNAPSE WOMEN'S 6 TIAGRA	
PRODUCT CODE	C13RWMC	C13RCJ3T	SYNAPSE WOMEN'S, FULL CARBON, AERO SAVE, BB30	C13RW5C	SYNAPSE WOMEN'S, FULL CARBON, SAVE PLUS, BB30	C13RW6C	SYNAPSE WOMEN'S, FULL CARBON, ALLOY, OPTIMIZED 6061 ALLOY, SAVE PLUS, BB30
FRAME	SLICE WOMEN'S, FULL CARBON, AERO SAVE, BB30	SYNAPSE, FULL CARBON, SAVE PLUS, 1-1/8"	SYNAPSE, FULL CARBON, SAVE PLUS, 1-1/8"	SYNAPSE, FULL CARBON, SAVE, CARBON BLADES, 1-1/8"			
FORK	SLICE AERO, FULL CARBON, 1-1/8"	N/A	N/A	N/A	N/A	N/A	N/A
REAR SHOCK	N/A	MAVIC AKSION WTS	MAVIC AKSION WTS	SHIMANO RS-10	SHIMANO RS-10	SHIMANO RS-10	MADDUX R3.0, 32 HOLE
RIMS	VISION TEAM 30	MAVIC AKSION WTS	MAVIC AKSION WTS	SHIMANO RS-10	SHIMANO RS-10	SHIMANO RS-10	CANNONDALE C4
HUBS	VISION TEAM 30	MAVIC AKSION WTS	MAVIC AKSION WTS	SHIMANO RS-10	SHIMANO RS-10	SHIMANO RS-10	STAINLESS STEEL, 15G
SPKES	VISION TEAM 30	MAVIC AKSION WTS	MAVIC AKSION WTS	SCHWALBE LUGANO, 700X25C, FOLDING	SCHWALBE LUGANO, 700X25C, FOLDING	SCHWALBE LUGANO, 700X25C, FOLDING	SCHWALBE LUGANO, 700X25C
TIRES	SCHWALBE ULTREMO 700X23C, FOLDING (VITTORIA RUBINO)	SCHWALBE ULTREMO 700X23C, FOLDING (VITTORIA RUBINO)	N/A	N/A	WELLGO	WELLGO	WELLGO
PEDALS	N/A	FSA SL-K LIGHT CARBON BB30, 50/34	FSA SL-K LIGHT CARBON BB30, 50/39/30	FSA BB30	FSA BB30	FSA BB30	FSA BB30
CRANKS	FSA SL-K LIGHT CARBON BB30, 50/34	FSA BB30	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700
BOTTOM BRACKET	FSA BB30	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700
CHAIN	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700				
REAR COGS	SHIMANO ULTEGRA 6700, 11-28, 10-SPEED	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700
FRONT DERAILLEUR	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700				
REAR DERAILLEUR	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700				
SHIFTERS	SHIMANO ULTEGRA 6700 W/ REACH ADJUST SHIMS	SHIMANO ULTEGRA 6700 W/ REACH ADJUST SHIMS	SHIMANO ULTEGRA 6700 W/ REACH ADJUST SHIMS				
HANDLEBAR	CANNONDALE C3 BASE BAR, 31.8 W/ TRI MAX TEAM CLIP ONS	CANNONDALE C3 BASE BAR, 31.8 W/ TRI MAX TEAM CLIP ONS	CANNONDALE C2 WOMEN'S COMPACT WING, BUTTED 2014 ALLOY	CANNONDALE C3 WOMEN'S COMPACT WING, BUTTED 6061 ALLOY	CANNONDALE C3 WOMEN'S COMPACT WING, BUTTED 6061 ALLOY	CANNONDALE C3 WOMEN'S COMPACT WING, BUTTED 6061 ALLOY	CANNONDALE C4 WOMEN'S COMPACT, 6061 BUTTED ALLOY
GRIPS	CANNONDALE BAR TAPE W/GEL, 2.5MM	CANNONDALE BAR TAPE W/GEL, 2.5MM	CANNONDALE BAR TAPE W/GEL, 3.5MM	CANNONDALE C2, 31.8, 6 DEG.	CANNONDALE C2, 31.8, 6 DEG.	CANNONDALE C2, 31.8, 6 DEG.	CANNONDALE 2.5MM SUEDE W/ GEL BACKING GRIP TAPE
STEM	CANNONDALE C2, 31.8, 6 DEG.	CANNONDALE C2, 31.8, 6 DEG.	CANNONDALE C2, 31.8, 6 DEG.	SYNAPSE SI, 25MM CARBON TOP CAP	SYNAPSE SI, 25MM CARBON TOP CAP	SYNAPSE SI, 25MM CARBON TOP CAP	CANNONDALE C4, DUAL PIVOT, CARTRIDGE PAD
HEADSET	SLICE, SI, 15MM TOP CAP	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO 105 5700	SHIMANO 105 5700	SHIMANO 105 5700	SHIMANO 105 5700
Brakes	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	PROLOGO, KAPPA EVO DEA W/ PROT 2.0 RAILS	PROLOGO, KAPPA		

GEOMETRY

ROAD


SUPERSIX EVO & SUPERSIX

SPECIFICATIONS	48	50	52	54	56	58	60	63
A HORIZONTAL TOP TUBE LENGTH (CM)	51	52	53.5	54.5	56	57.5	59	60
B MEASURED SIZE (CM)*	46	48	50	52	54	56	58	61
C SEAT TUBE ANGLE (DEGREES)	74.5°	74.5°	74°	73.5°	73.5°	73°	72.5°	72°
D HEAD TUBE ANGLE (DEGREES)	71.5°	72.0°	72.5°	73°	73°	73.5°	73.5°	73.5°
E CHAINSTAY LENGTH (CM)	40.5	40.5	40.5	40.5	40.5	40.5	40.8	40.8
F FORK RAKE (CM)	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5
G BOTTOM BRACKET HEIGHT (CM)	26.5	26.5	26.5	26.8	26.8	27	27	27
H WHEELBASE (CM)	96.2	96.7	97.3	97.5	99	99.6	100.8	101.1
I TRAIL (CM)	6.5	6.2	5.9	5.6	5.6	5.3	5.3	5.3
J STANDOVER AT TOP TUBE MIDPOINT (CM)	74.2	75.5	76.7	78.8	80.4	82.5	84.3	86.9
K BOTTOM BRACKET DROP (CM)	7.2	7.2	7.2	6.9	6.9	6.7	6.7	6.7
L FRONT CENTER DISTANCE (CM)	56.3	56.9	57.5	57.6	59.1	59.7	60.6	60.9
M HEAD TUBE LENGTH (CM)	11	11.5	12	14	15.5	17.5	19.5**	22
N STACK (CM)	51.3	51.9	52.6	54.4	55.8	57.7	59.6***	62
O REACH (CM)	36.8	37.6	38.4	38.4	39.5	39.9	40.2	39.9

* THE MEASURED SIZE IS FROM THE CENTER OF THE BOTTOM BRACKET TO THE TOP OF THE TOP TUBE, MEASURED ALONG THE SEAT TUBE AXIS.

** SIZE 60 EVO HAS A HEAD TUBE LENGTH OF 19.5 WHILE FOR SUPER SIX THE LENGTH IS 19

*** SIZE 60 EVO HAS A STACK OF 59.6 WHILE FOR SUPER SIX THE STACK IS 59.3




CAAD10

SPECIFICATIONS	48	50	52	54	56	58	60	63
A HORIZONTAL TOP TUBE LENGTH (CM)	51.5	52.5	53.5	54.5	56.0	57.5	59.0	60.0
B MEASURED SIZE (CM)*	46	48	50	52	54	56	58	61
C SEAT TUBE ANGLE (DEGREES)	74.5°	74.5°	74°	73.5°	73.5°	73°	72.5°	72°
D HEAD TUBE ANGLE (DEGREES)	72°	72.5°	73°	73°	73°	73.5°	73.5°	73.5°
E CHAINSTAY LENGTH (CM)	40.5	40.5	40.8	40.8	40.8	40.8	40.8	40.8
F FORK RAKE (CM)	5	5	5	5	4.5	4.5	4.5	4.5
G BOTTOM BRACKET HEIGHT (CM)	26.5	26.5	26.5	26.8	26.8	27.0	27.0	27.0
H WHEELBASE (CM)	96.5	97.2	97.7	97.8	99.3	99.9	100.1	101.3
I TRAIL (CM)	6.2	5.9	5.6	5.6	5.6	5.3	5.3	5.3
J STANDOVER AT TOP TUBE MIDPOINT (CM)	74	75.3	76.5	78.5	80.1	82.2	83.8	86.6
K BOTTOM BRACKET DROP (CM)	7.2	7.2	7.2	6.9	6.9	6.7	6.7	6.7
L FRONT CENTER DISTANCE (CM)	57	57.7	57.9	58.0	59.7	60.1	61.0	61.4
M HEAD TUBE LENGTH (CM)	11	11.5	12.0	14.0	15.5	17.5	19.0	22.0
N STACK (CM)	51.7	52.3	52.9	54.6	56.0	57.9	59.3	62.2
O REACH (CM)	36.8	37.8	38.2	38.3	39.4	39.9	40.4	39.9

CAAD8

SPECIFICATIONS	48	51	54	56	58	61
A HORIZONTAL TOP TUBE LENGTH (CM)	51	53	54.5	56	57.5	59.5
B MEASURED SIZE (CM)*	46	49	52	54	56	59
C SEAT TUBE ANGLE (DEGREES)	75°	74.5°	73.5°	73.5°	73°	72.5°
D HEAD TUBE ANGLE (DEGREES)	72°	72.5°	73°	73°	73.5°	73.5°
E CHAINSTAY LENGTH (CM)	40.8	40.8	40.8	40.8	40.8	40.8
F FORK RAKE (CM)	5	5	4.5	4.5	4.5	4.5
G BOTTOM BRACKET HEIGHT (CM)	26.5	26.5	26.8	26.8	27	27
H WHEELBASE (CM)	96.6	97.9	97.8	99.3	100	101.4
I TRAIL (CM)	5.6	5.3	5.5	5.5	5.2	5.2
J STANDOVER AT TOP TUBE MIDPOINT (CM)	74.4	76.6	78.9	80.6	82.6	85.4
K BOTTOM BRACKET DROP (CM)	7.2	7.2	6.9	6.9	6.7	6.7
L FRONT CENTER DISTANCE (CM)	56.4	57.8	57.6	59.1	59.7	61.1
M HEAD TUBE LENGTH (CM)	12.5	14	15.5	17	19	22
N STACK (CM)	52.8	54.4	55.8	57.3	59.2	62
O REACH (CM)	36.4	37.7	37.9	39	39.5	40.1




SYNAPSE CARBON

SPECIFICATIONS	48	51	54	56	58	61
A HORIZONTAL TOP TUBE LENGTH (CM)	51	52.5	54	58	60	59
B MEASURED SIZE (CM)*	42	45	48	53	56	58
C SEAT TUBE ANGLE (DEGREES)	74.5°	74°	74°	73°	72.5°	72°
D HEAD TUBE ANGLE (DEGREES)	71°	72°	72°	73°	73°	73.5°
E CHAINSTAY LENGTH (CM)	41	41	41	41	41	40.8
F FORK RAKE (CM)	5	5	5	5	5	4.5
G BOTTOM BRACKET HEIGHT (CM)	26.5	26.5	26.8	27.0	27.0	27
H WHEELBASE (CM)	97.0	97.5	98.7	101.1	102.6	100.8
I TRAIL (CM)	6.3	5.7	6.2	5.6	5.6	5.3
J STANDOVER AT TOP TUBE MIDPOINT (CM)	72.1	74.4	77.1	81.1	83.4	84.3
K BOTTOM BRACKET DROP (CM)	7.2	7.2	6.9	6.7	6.7	6.7
L FRONT CENTER DISTANCE (CM)	57.1	57.6	58.7	61.0	62.5	60.6
M HEAD TUBE LENGTH (CM)	13	14.5	16.5	20	22	19.5**
N STACK (CM)	53.0	54.8	56.6	60.1	62.0	59.6***
O REACH (CM)	35.5	36.3	37.4	39.6	40.5	40.2

SYNAPSE ALLOY

SPECIFICATIONS	48	51	54	56	58	61
A HORIZONTAL TOP TUBE LENGTH (CM)	51	52.5	54	56	58	60
B MEASURED SIZE (CM)*	44	47	50	53	55	58
C SEAT TUBE ANGLE (DEGREES)	74.5°	74°	74°	73.5°	73°	72.5°
D HEAD TUBE ANGLE (DEGREES)	70.5°	72°	72°	72.5°	73°	73°
E CHAINSTAY LENGTH (CM)	41.5	41.5	41.5	41.5	41.5	41.5
F FORK RAKE (CM)	5	5	5	5	5	5
G BOTTOM BRACKET HEIGHT (CM)	26.5	26.5	26.8	26.8	27.0	27.0
H WHEELBASE (CM)	97.9	98.0	99.8	100.9	102.1	103.6
I TRAIL (CM)	6.6	5.7	5.7	5.4	5.1	5.1
J STANDOVER AT TOP TUBE MIDPOINT (CM)	73.2	75.6	78.1	80.2	82.2	84.5
K BOTTOM BRACKET DROP (CM)	7.2	7.2	6.9	6.9	6.7	6.7
L FRONT CENTER DISTANCE (CM)	57.5	57.6	59.3	60.4	61.5	63.0
M HEAD TUBE LENGTH (CM)	13	14.5	16.5	18	20	22
N STACK (CM)	52.9	54.8	56.4	58.0	59.9	61.9
O REACH (CM)	35.5	36.4	37.5	38.7	39.7	40.6



ROAD


SUPERX HI-MOD

SPECIFICATIONS	44	48	51	54	56	58
A HORIZONTAL TOP TUBE LENGTH (CM)	51	52	54	55	57	59
B MEASURED SIZE (CM)*	44	48	52	54	56	58
C SEAT TUBE ANGLE (DEGREES)	75°	74°	73.5°	73.5°	73°	73°
D HEAD TUBE ANGLE (DEGREES)	69°	69.5°	71.5°	72°	72.5°	72.5°
E CHAINSTAY LENGTH (CM)	43	43	43	43	43	43
F FORK RAKE (CM)	4.5	4.5	4.5	4.5	4.5	4.5
G BOTTOM BRACKET HEIGHT (CM)	28.1	28.1	28.1	28.1	28.1	28.1
H WHEELBASE (CM)	101.7	101.4	101.1	101.7	102.6	104.7
I TRAIL (CM)	8.5	8.4	7.0	6.7	6.4	6.4
J STANDOVER AT TOP TUBE MIDPOINT (CM)	74.9	77.0	80.4	82.2	83.6	85.5
K BOTTOM BRACKET DROP (CM)	6.7	6.7	6.7	6.7	6.7	6.7
L FRONT CENTER DISTANCE (CM)	59.6	59.3	59.0	59.6	60.5	62.6
M HEAD TUBE LENGTH (CM)	10	11	13.5	15	16	18
N STACK (CM)	51.8	52.9	56.0	57.6	58.8	60.7
O REACH (CM)	37.1	36.8	37.4	37.9	39.0	40.5

CAADX

	44	48	51	54	56	58	61
51.5	52.5	53.5	54.5	56	57.5	59	
44	47	50	53	55	57	60	
75°	74.5°	74°	73.5°	73.0°	73.0°	72.5°	
69.5°	70.5°	71°	72°	72.5°	72.5°	72.5°	
43.2	43.2	43.2	43.2	43.2	43.2	43.2	
4.5	4.5	4.5	4.5	4.5	4.5	4.5	
26.7	26.7	26.7	26.7	26.7	26.7	26.7	
101	101.1	101.4	101.2	101.8	101.8	101.8	
7.7	7.1	6.7	6.1	5.8	5.8	5.8	
73.9	76.2	78.5	80.7	82	84	86	
6.7	6.7	6.7	6.7	6.7	6.7	6.7	
58.7	58.8	59.1	58.9	59.5	61	62	
12	13	14.5	15.5	16	18	20	
51.2	52.5	54.1	55.4	56	58	60	
36.9	37.4	37.6	37.9	38.8	39.7	40.1	

* THE MEASURED SIZE IS FROM THE CENTER OF THE BOTTOM BRACKET TO THE TOP OF THE TOP TUBE, MEASURED ALONG THE SEAT TUBE AXIS.




SLICE RS

SPECIFICATIONS	50	52	54	56	58
A HORIZONTAL TOP TUBE LENGTH (CM)	50.4	51.9	53.4	54.9	56.4
B MEASURED SIZE (CM)*	50.0	51.0	53.0	55.0	57.0
C SEAT TUBE ANGLE (DEGREES)	75.0°	75.0°	75.0°	75.0°	75.0°
D HEAD TUBE ANGLE (DEGREES)	71.5°	71.5°	71.5°	71.5°	71.5°
E CHAINSTAY LENGTH (CM)	40.5	40.5	40.5	40.5	40.5
F FORK RAKE (CM)	4.5	4.5	4.5	4.5	4.5
G BOTTOM BRACKET HEIGHT (CM)	26.5	26.5	26.5	26.5	26.5
H WHEELBASE (CM)	96.2	97.8	99.4	101.0	102.7
I TRAIL (CM)	6.5	6.5	6.5	6.5	6.5
J STANDOVER AT TOP TUBE MIDPOINT (CM)	76.5	77.5	79.5	81.5	83.5
K BOTTOM BRACKET DROP (CM)	7.2	7.2	7.2	7.2	7.2
L FRONT CENTER DISTANCE (CM)	56.5	58.0	59.7	61.3	62.9
M HEAD TUBE LENGTH (CM)	7.0	8.0	10.2	12.3	14.4
N STACK (CM)	50.0	51.0	53.0	55.0	57.0
O REACH (CM)	36.9	38.2	39.2	40.1	41.1
P PAD STACK LOWEST (CM/IN)	53.5	54.5	56.5	58.5	60.5
Q PAD STACK HIGHEST (CM/IN)	60.5	61.5	63.5	65.5	67.5
R PAD REACH SHORTEST (CM/IN)	44.1	45.4	46.4	47.3	48.3
S PAD REACH LONGEST (CM/IN)	48.1	49.4	50.4	51.3	52.3

SLICE

	51	54	56	58	60
50.5	53.5	55	56.5	58	
50	51.5	53.5	55.5	57.5	
*VARIABLE	VARIABLE	VARIABLE	VARIABLE	VARIABLE	
71.5°	71.5°	72°	72°	72°	
40	40	40	40	40	
4.5	4.5	4.5	4.5	4.5	
26.5	26.5	26.5	26.5	26.5	
95.4	98.5	99.7	101.3	102.6	
6.5	6.5	6.2	6.2	6.2	
74.9	76.4	78.3	80.2	82.2	
7.2	7.2	7.2	7.2	7.2	
56.5	59.6	60.7	62.3	63.9	
9	10.5	12.5	14.5	17	
**49.4	50.9	52.9	54.8	57.2	
**37.1	39.8	40.7	41.7	42.5	



PAD STACK AND REACH ARE MEASURED TO THE CENTER OF THE PAD. SUBTRACT 40MM FOR REAR OF PAD. FSA AERO EXTENSIONS AND ARM RESTS.

* THE SLICE SEAT POST HAS TWO POSITIONS FOR MOUNTING THE SADDLE. A FULL RANGE OF ANGLES FROM 73 TO 78 DEGREES IS ACHIEVABLE DEPENDING ON THE RIDER'S PREFERENCE AND/OR THE EVENT.

**STACK IS MEASURED VERTICALLY FROM THE CENTER OF THE BB TO THE TOP OF THE HEAD TUBE. REACH IS MEASURED HORIZONTALLY FROM THE CENTER OF THE BB TO THE TOP OF THE HEAD TUBE. IF YOU RIDE A 56 ROAD FRAME, YOU SHOULD CHOOSE A SIZE 56 SLICE FRAME.


ALL SIZES HAVE 700C WHEELS.

GEOMETRY

MOUNTAIN

CLAYMORE

SPECIFICATIONS	S	M	L	XL
A SEAT TUBE LENGTH (CM/IN)	39.5/15.6	43.0/16.9	47.0/18.5	51.0/20.1
B TOP TUBE HORIZONTAL (CM/IN)	54.9/21.6	58.2/22.9	61.1/24.1	64.3/25.3
C TOP TUBE ACTUAL (CM/IN)	52.9/20.8	55.6/21.9	58.2/22.9	61.3/24.1
D HEAD TUBE ANGLE HI BB (DEGREES)	66.5 °	67.0 °	67.0 °	67.0 °
E HEAD TUBE ANGLE LOW BB (DEGREES)	65.5 °	66.0 °	66.0 °	66.0 °
F STANDOVER HI BB (CM/IN)	73.7/29.0	75.6/29.8	78.2/30.8	80.7/31.8
F STANDOVER LOW BB (CM/IN)	72.6/28.6	74.5/29.3	77.1/30.3	79.6/31.3
G HEAD TUBE LENGTH (CM/IN)	11.5/4.5	13.0/5.1	14.0/5.5	15.0/5.9
H WHEELBASE (CM/IN)	110.9/43.7	113.2/44.6	115.7/45.6	118.5/46.7
I FRONT CENTER (CM/IN)	67.6/26.6	69.9/27.5	72.4/28.5	75.2/29.6
J CHAIN STAY LENGTH (CM/IN)	43.3/17.0	43.3/17.0	43.3/17.0	43.3/17.0
K BOTTOM BRACKET DROP HI BB (CM/IN)	2.0/0.8	2.0/0.8	2.0/0.8	2.0/0.8
K BOTTOM BRACKET DROP LOW BB (CM/IN)	0.8/0.3	0.8/0.3	0.8/0.3	0.8/0.3
L BOTTOM BRACKET HEIGHT HI BB (CM/IN)	35.8/14.1	35.8/14.1	35.8/14.1	35.8/14.1
L BOTTOM BRACKET HEIGHT LOW BB (CM/IN)	34.6/13.6	34.6/13.6	34.6/13.6	34.6/13.6
M FORK RAKE (CM/IN)	3.9/1.5	3.9/1.5	3.9/1.5	3.9/1.5
N TRAIL (CM/IN)	10.5/4.1	10.2/4.0	10.2/4.0	10.2/4.0




JEKYLL

SPECIFICATIONS	S	M	L	XL
A SEAT TUBE LENGTH (CM/IN)	43.2/17.0	45.7/18.0	48.3/19.0	50.8/20.0
B TOP TUBE HORIZONTAL (CM/IN)	55.6/21.9	58.8/23.1	61.4/24.2	64.2/25.3
C TOP TUBE ACTUAL (CM/IN)	53.4/21.0	56.4/22.2	59.1/23.3	61.8/24.3
D HEAD TUBE ANGLE HI BB (DEGREES)	67.7 °	67.8 °	67.9 °	68.0 °
D HEAD TUBE ANGLE LOW BB (DEGREES)	73.6 °	73.6 °	73.6 °	73.5 °
E SEAT TUBE ANGLE EFFECT. (DEGREES)	73.6 °	73.6 °	73.6 °	73.6 °
F STANDOVER HI BB (CM/IN)	75.2/29.6	75.3/29.6	76.4/30.1	77.7/30.6
F STANDOVER LOW BB (CM/IN)	13.4/5.3	13.4/5.3	13.4/5.3	16.0/6.3
G HEAD TUBE LENGTH (CM/IN)	110.0/43.3	113.1/44.5	115.5/45.5	118.4/46.6
H WHEELBASE (CM/IN)	67.2/26.5	70.3/27.7	72.7/28.6	75.6/29.8
I FRONT CENTER (CM/IN)	42.8/16.9	42.8/16.9	42.8/16.9	42.8/16.9
J CHAIN STAY LENGTH (CM/IN)	1.2/0.5	1.2/0.5	1.2/0.5	1.2/0.5
K BOTTOM BRACKET DROP HI BB (CM/IN)	35.0/13.8	35.0/13.8	35.0/13.8	35.0/13.8
M FORK RAKE (CM/IN)	4.0/1.6	4.0/1.6	4.0/1.6	4.0/1.6
N TRAIL (CM/IN)	9.5/3.8	9.5/3.8	9.4/3.7	9.3/3.7


TRIGGER

SPECIFICATIONS	S	M	L	XL
A SEAT TUBE LENGTH (CM/IN)	43.2/17.0	45.7/18.0	48.3/19.0	50.8/20.0
B TOP TUBE HORIZONTAL (CM/IN)	55.7/21.9	58.6/23.1	61.3/24.1	63.9/25.2
C TOP TUBE ACTUAL (CM/IN)	52.9/20.8	55.7/21.9	58.6/23.1	61.2/24.1
D HEAD TUBE ANGLE HI BB (DEGREES)	68.5 °	69.0 °	69.0 °	69.0 °
D HEAD TUBE ANGLE LOW BB (DEGREES)	73.0 °	73.0 °	73.0 °	73.0 °
E SEAT TUBE ANGLE EFFECT. (DEGREES)	73.0 °	73.0 °	73.0 °	73.0 °
F STANDOVER HI BB (CM/IN)	72.5/28.5	73.5/28.9	74.0/29.1	75.0/29.5
F STANDOVER LOW BB (CM/IN)	13.4/5.3	13.4/5.3	13.4/5.3	16.0/6.3
G HEAD TUBE LENGTH (CM/IN)	108.6/42.7	110.9/43.6	113.6/44.7	116.4/45.8
H WHEELBASE (CM/IN)	66.1/26.0	68.4/26.9	71.1/28.0	73.9/29.1
I FRONT CENTER (CM/IN)	42.5/16.7	42.5/16.7	42.5/16.7	42.5/16.7
J CHAIN STAY LENGTH (CM/IN)	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0
K BOTTOM BRACKET DROP HI BB (CM/IN)	33.0/13.0	33.0/13.0	33.0/13.0	33.0/13.0
M FORK RAKE (CM/IN)	4.5/1.8	4.5/1.8	4.5/1.8	4.5/1.8
N TRAIL (CM/IN)	8.2/3.2	7.9/3.1	7.9/3.1	7.9/3.1




TRIGGER 29ER

SPECIFICATIONS	S	M	L	XL
A SEAT TUBE LENGTH (CM/IN)	42.5/16.7	44.5/17.5	48.5/19.1	50.9/20.0
B TOP TUBE HORIZONTAL (CM/IN)	56.8/22.4	59.6/23.5	62.4/24.6	65.2/25.7
C TOP TUBE ACTUAL (CM/IN)	51.7/20.4	54.0/21.3	56.6/22.3	59.1/23.3
D HEAD TUBE ANGLE HI BB (DEGREES)	69.0 °	69.0 °	69.0 °	69.0 °
D HEAD TUBE ANGLE LOW BB (DEGREES)	73.5 °	73.5 °	73.5 °	73.5 °
E SEAT TUBE ANGLE EFFECT. (DEGREES)	69.2 °	69.2 °	69.2 °	69.2 °
F STANDOVER HI BB (CM/IN)	73.4/28.9	75.4/29.7	76.8/30.2	78.3/30.8
F STANDOVER LOW BB (CM/IN)	9.7/3.8	11.0/4.3	12.2/4.8	13.4/5.3
G HEAD TUBE LENGTH (CM/IN)	111.4/43.9	114.3/45.0	116.6/45.9	119.5/47.0
H WHEELBASE (CM/IN)	66.8/26.3	69.7/27.4	72.0/28.3	74.8/29.4
I FRONT CENTER (CM/IN)	44.8/17.6	44.8/17.6	44.8/17.6	44.8/17.6
J CHAIN STAY LENGTH (CM/IN)	2.8/1.1	2.8/1.1	2.8/1.1	2.8/1.1
K BOTTOM BRACKET DROP HI BB (CM/IN)	34.8/13.7	34.8/13.7	34.8/13.7	34.8/13.7
M FORK RAKE (CM/IN)	5.3/2.1	5.3/2.1	5.3/2.1	5.3/2.1
N TRAIL (CM/IN)	8.8/3.5	8.8/3.5	8.8/3.5	8.8/3.5



RZ120 / RZ120 XLR

SPECIFICATIONS	S	M	L	XL
A SEAT TUBE LENGTH (CM/IN)	43.2/17.0	45.7/18.0	48.3/19.0	50.9/20.0
B TOP TUBE HORIZONTAL (CM/IN)	56.0/22.0	58.7/23.1	61.3/24.1	64.1/25.2
C TOP TUBE ACTUAL (CM/IN)	53.5/21.1	56.2/22.1	59.1/23.3	61.9/24.4
D HEAD TUBE ANGLE (DEGREES)	69.0 °	69.0 °	69.0 °	69.0 °
E SEAT TUBE ANGLE EFFECT. (DEGREES)	73.5 °	73.5 °	73.5 °	73.5 °
F STANDOVER (CM/IN)	73.1/28.8	76.0/29.9	76.1/30.0	76.0/29.9
F HEAD TUBE LENGTH (CM/IN)	13.4/5.3	13.4/5.3	13.4/5.3	16.0/6.3
G WHEELBASE (CM/IN)	107.6/42.4	110.3/43.4	113.0/44.5	116.0/45.7
H FRONT CENTER (CM/IN)	65.2/25.7	67.8/26.7	70.5/27.8	73.5/28.9
I CHAIN STAY LENGTH (CM/IN)	42.5/16.7	42.5/16.7	42.5/16.7	42.5/16.7
J BOTTOM BRACKET DROP (CM/IN)	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0
K BOTTOM BRACKET HEIGHT (CM/IN)	33.0/13.0	33.0/13.0	33.0/13.0	33.0/13.0
M FORK RAKE (CM/IN)	4.5/1.8	4.5/1.8	4.5/1.8	4.5/1.8
N TRAIL (CM/IN)	7.8/3.1	7.8/3.1	7.8/3.1	7.8/3.1



MOUNTAIN


SCALPEL 29ER CARBON

SPECIFICATIONS	S	M	L	XL
A SEAT TUBE LENGTH (CM/IN)	42.0/16.5	44.5/17.5	48.5/19.1	53.5/21.1
B TOP TUBE HORIZONTAL (CM/IN)	56.9/22.4	59.3/23.3	61.7/24.3	64.1/25.2
C TOP TUBE ACTUAL (CM/IN)	53.5/21.1	55.5/21.9	57.8/22.8	60.5/23.8
D HEAD TUBE ANGLE (DEGREES)	70.5°	71.0°	71.2°	71.4°
E SEAT TUBE ANGLE EFFC. (DEGREES)	73.5°	73.5°	73.5°	73.5°
F STANDOVER (CM/IN)	73.6/29.0	74.7/29.4	75.6/29.8	77.2/30.4
G HEAD TUBE LENGTH (CM/IN)	12.2/4.8	12.2/4.8	12.2/4.8	12.2/4.8
H WHEELBASE (CM/IN)	108.2/42.6	110.0/43.3	112.2/44.2	114.3/45.0
I FRONT CENTER (CM/IN)	64.0/25.2	65.9/25.9	68.0/26.8	70.2/27.6
J CHAIN STAY LENGTH (CM/IN)	44.4/17.5	44.4/17.5	44.4/17.5	44.4/17.5
K BOTTOM BRACKET DROP (CM/IN)	3.8/1.5	3.8/1.5	3.8/1.5	3.8/1.5
L BOTTOM BRACKET HEIGHT (CM/IN)	33.2/13.1	33.2/13.1	33.2/13.1	33.2/13.1
M FORK RAKE (CM/IN)	4.5/1.8	4.5/1.8	4.5/1.8	4.5/1.8
N TRAIL (CM/IN)	8.3/3.3	8.0/3.1	7.8/3.1	7.7/3.0
O STACK (CM/IN)	61.2/24.1	61.4/24.2	61.5/24.2	61.5/24.2
P REACH (CM/IN)	38.8/15.3	41.2/16.2	43.5/17.1	45.9/18.1

SCALPEL 29ER ALLOY

SPECIFICATIONS	S	M	L	XL
A SEAT TUBE LENGTH (CM/IN)	41.1/16.2	43.0/16.9	48.5/19.1	53.5/21.1
B TOP TUBE HORIZONTAL (CM/IN)	56.9/22.4	59.3/23.3	61.7/24.3	64.1/25.2
C TOP TUBE ACTUAL (CM/IN)	53.2/20.9	55.3/21.8	57.8/22.8	60.8/23.9
D HEAD TUBE ANGLE (DEGREES)	70.5°	71.0°	71.2°	71.4°
E SEAT TUBE ANGLE EFFC. (DEGREES)	73.9°	73.7°	73.5°	73.3°
F STANDOVER (CM/IN)	73.5/28.9	73.5/28.9	75.3/29.6	76.6/30.1
G HEAD TUBE LENGTH (CM/IN)	12.2/4.8	12.2/4.8	12.2/4.8	12.2/4.8
H WHEELBASE (CM/IN)	108.2/42.6	110.0/43.3	112.2/44.2	114.3/45.0
I FRONT CENTER (CM/IN)	64.0/25.2	65.9/25.9	68.0/26.8	70.2/27.6
J CHAIN STAY LENGTH (CM/IN)	44.4/17.5	44.4/17.5	44.4/17.5	44.4/17.5
K BOTTOM BRACKET DROP (CM/IN)	3.8/1.5	3.8/1.5	3.8/1.5	3.8/1.5
L BOTTOM BRACKET HEIGHT (CM/IN)	33.2/13.1	33.2/13.1	33.2/13.1	33.2/13.1
M FORK RAKE (CM/IN)	4.5/1.8	4.5/1.8	4.5/1.8	4.5/1.8
N TRAIL (CM/IN)	8.3/3.3	8.0/3.1	7.8/3.1	7.7/3.0
O STACK (CM/IN)	61.0/24.0	61.2/24.1	61.3/24.1	61.4/24.2
P REACH (CM/IN)	38.9/15.3	41.2/16.2	43.6/17.2	46.0/18.1

SCALPEL




F29ER

SPECIFICATIONS	S	M	L	XL
A SEAT TUBE LENGTH (CM/IN)	39.0/15.4	43.3/17.1	47.5/18.7	52.5/20.7
B TOP TUBE HORIZONTAL (CM/IN)	56.5/22.2	59.3/23.3	62.2/24.5	64.1/25.2
C TOP TUBE ACTUAL (CM/IN)	56.4/22.2	57.8/22.8	59.7/23.5	61.2/24.1
D HEAD TUBE ANGLE (DEGREES)	71.0°	71.0°	71.0°	71.5°
E SEAT TUBE ANGLE EFFC. (DEGREES)	73.5°	73.5°	73.0°	72.5°
F STANDOVER (CM/IN)	78.8/31	80.9/31.9	82.9/32.6	85.3/33.6
G HEAD TUBE LENGTH (CM/IN)	13.4/5.3	13.4/5.3	13.4/5.3	13.4/5.3
H WHEELBASE (CM/IN)	106.0/41.7	108.8/42.8	111.1/43.7	111.8/44.4
I FRONT CENTER (CM/IN)	62.4/24.6	65.2/25.7	67.5/26.6	68.2/26.9
J CHAIN STAY LENGTH (CM/IN)	44.4/17.5	44.4/17.5	44.4/17.5	44.4/17.5
K BOTTOM BRACKET DROP (CM/IN)	6.5/2.6	6.5/2.6	6.5/2.6	6.5/2.6
L BOTTOM BRACKET HEIGHT (CM/IN)	30.5/12	30.5/12	30.5/12	30.5/12
M FORK RAKE (CM/IN)	4.5/1.8	4.5/1.8	4.5/1.8	4.5/1.8
N TRAIL (CM/IN)	8.0/3.1	8.0/3.1	8.0/3.1	7.6/3
O STACK (CM/IN)	64.1/25.2	64.1/25.2	64.1/25.2	64.3/25.3
P REACH (CM/IN)	37.5/14.8	40.3/15.9	42.6/16.8	43.8/17.2

TRAIL SL

SPECIFICATIONS	S	M	L	XL	JUMBO
A SEAT TUBE LENGTH (CM/IN)	38.0/15.0	43.3/17.0	47.5/18.7	52.5/20.7	57.0/22.4
B TOP TUBE HORIZONTAL (CM/IN)	55.0/21.7	59.4/23.4	62.3/24.5	64.0/25.2	65.0/25.6
C TOP TUBE ACTUAL (CM/IN)	56.1/22.1	60.3/23.7	62.9/24.8	64.4/25.4	65.2/25.7
D HEAD TUBE ANGLE (DEGREES)	71.0°	71.0°	71.0°	71.0°	71.5°
E SEAT TUBE ANGLE EFFC. (DEGREES)	73.5°	73.5°	73.0°	72.5°	72.5°
F STANDOVER (CM/IN)	76.3/30.0	79.4/31.3	81.9/32.2	84.9/33.4	87.8/34.6
G HEAD TUBE LENGTH (CM/IN)	9.0/3.5	10.2/4.0	11.4/4.5	12.7/5.0	14.0/5.5
H WHEELBASE (CM/IN)	104.3/41.1	108.8/42.8	111.1/43.7	112.3/44.2	112.7/44.4
I FRONT CENTER (CM/IN)	60.7/23.9	65.2/25.7	67.5/26.6	68.7/27.0	69.1/27.2
J CHAIN STAY LENGTH (CM/IN)	44.4/17.5	44.4/17.5	44.4/17.5	44.4/17.5	44.4/17.5
K BOTTOM BRACKET DROP (CM/IN)	6.5/2.6	6.5/2.6	6.5/2.6	6.5/2.6	6.5/2.6
L BOTTOM BRACKET HEIGHT (CM/IN)	30.5/12.0	30.5/12.0	30.5/12.0	30.5/12.0	30.5/12.0
M FORK RAKE (CM/IN)	4.5/1.8	4.5/1.8	4.5/1.8	4.5/1.8	4.5/1.8
N TRAIL (CM/IN)	8.0/3.1	8.0/3.1	8.0/3.1	7.6/3.0	7.6/3.0
O STACK (CM/IN)	59.8/23.5	61.0/24.0	62.2/24.5	63.4/25.0	64.8/25.5
P REACH (CM/IN)	37.3/14.7	41.3/16.3	43.3/17.0	44.0/17.3	44.6/17.6



GEOMETRY

URBAN

BAD BOY HEADSHOK


SPECIFICATIONS	S	M	L	XL
A SEAT TUBE LENGTH (CM/IN)	39/15.4	46/18.1	51/20.1	56/22.0
B TOP TUBE HORIZONTAL (CM)	55	57.5	60	62
C TOP TUBE ACTUAL (CM/IN)	52.1/20.5	54.7/21.5	57.3/22.6	59.7/23.5
D HEAD TUBE ANGLE (DEGREES)	70°	71°	71°	71°
E SEAT TUBE ANGLE (DEGREES)	74.5°	73.5°	73°	72.5°
F STANDOVER HEIGHT (CM)	77	80.4	82.6	84.7
G HEAD TUBE LENGTH (CM)	11.4	11.4	11.4	11.4
H WHEELBASE (CM)	104.4	105.8	108.1	109.8
I FRONT CENTER (CM)	61.4	62.8	65.1	66.8
J CHAIN STAY LENGTH (CM)	43.5	43.5	43.5	43.5
K BOTTOM BRACKET DROP (CM)	5.1	5.1	5.1	5.1
L BOTTOM BRACKET HEIGHT (CM)	29.5	29.5	29.5	29.5
M FORK RAKE (CM)	4.5	4.5	4.5	4.5
N TRAIL (CM)	7.8	7.2	7.2	7.2

BAD BOY

SPECIFICATIONS	S	M	L	XL
A SEAT TUBE LENGTH (CM/IN)	39/15.4	46/18.1	51/20.1	56/22.0
B TOP TUBE HORIZONTAL (CM)	55	57.5	60	62
C TOP TUBE ACTUAL (CM/IN)	52.1/20.5	54.7/21.5	57.3/22.6	59.7/23.5
D HEAD TUBE ANGLE (DEGREES)	70°	71°	71°	71°
E SEAT TUBE ANGLE (DEGREES)	74.5°	73.5°	73°	72.5°
F STANDOVER HEIGHT (CM)	73.9	78.2	81.4	84.5
G HEAD TUBE LENGTH (CM)	13	15	17	19
H WHEELBASE (CM)	104.4	105.8	108.1	109.8
I FRONT CENTER (CM)	61.4	62.8	65.1	66.8
J CHAIN STAY LENGTH (CM)	43.5	43.5	43.5	43.5
K BOTTOM BRACKET DROP (CM)	5.1	5.1	5.1	5.1
L BOTTOM BRACKET HEIGHT (CM)	29.5	29.5	29.5	29.5
M FORK RAKE (CM)	4.5	4.5	4.5	4.5
N TRAIL (CM)	7.8	7.2	7.2	7.2

BAD GIRL

SPECIFICATIONS	S	L	ONE SIZE
A SEAT TUBE LENGTH (CM/IN)	34.0	41.0	39/15.4
B TOP TUBE HORIZONTAL (CM)	74.5°	73.5°	58.0
C TOP TUBE ACTUAL (CM/IN)	50.0	55.5	54.7/21.5
D HEAD TUBE ANGLE (DEGREES)	70°	71°	70°
E SEAT TUBE ANGLE (DEGREES)	42.4	42.4	73°
F STANDOVER HEIGHT (CM)	4.5	4.5	60
G HEAD TUBE LENGTH (CM)	27.3	27.3	17.1
H WHEELBASE (CM)	100.9	103.0	106
I FRONT CENTER (CM)	7.5	6.9	66.2
J CHAIN STAY LENGTH (CM)	62.4	70.9	40
K BOTTOM BRACKET DROP (CM)	6.6	6.6	3.6
L BOTTOM BRACKET HEIGHT (CM)	59.1	61.1	30.5
M FORK RAKE (CM)	4.5	4.5	4.5
N TRAIL (CM)	13.0	17.0	4.5
O HEAD TUBE LENGTH (CM)	2.6		




QUICK SPEED CARBON

SPECIFICATIONS	46	51	57
A MEASURED SIZE (CM/IN)*	46	51	57
B SEAT TUBE ANGLE (DEGREES)	74.5°	73°	72.5°
C HEAD TUBE ANGLE (DEGREES)	71.5°	72°	72.5°
D HORIZONTAL TOP TUBE LENGTH (CM)	56	58.5	62
E CHAIN STAY LENGTH (CM)	43	43	43
F FORK RAKE (CM)	5.0	5.0	5.0
G BOTTOM BRACKET HEIGHT (CM)	27.4	27.4	27.4
H WHEELBASE (CM)	103.9	104.8	107.5
I TRAIL (CM)	6.2	5.9	5.6
J STANDOVER HEIGHT (CM)	78.7	82.8	87
K BOTTOM BRACKET DROP (CM)	7.0	7.0	7.0
L FRONT CENTER (CM)	61.9	62.8	65.4
M HEAD TUBE LENGTH (CM)	16	19	24

QUICK SPEED

SPECIFICATIONS	48	52	56	60	W42	W46	W52
A MEASURED SIZE (CM/IN)*	44.2/17.4	48.2/19.5	52.2/20.5	56.2/22.1	34.0	38.5	43.0
B SEAT TUBE ANGLE	73.5	73	73	72.5	74.0	74.0	73.5
C HEAD TUBE ANGLE	69	70	70.5	71.5	69.0	69.0	69.0
D HORIZONTAL TOP TUBE LENGTH (CM)	54	55	56.5	58	54.5	51.0	54.0
E CHAIN STAY LENGTH (CM)	45	45	45	45	45	45.0	45.0
F FORK RAKE (CM)	4.5	4.5	4.5	4.5	4.5	4.5	4.5
G BOTTOM BRACKET HEIGHT (CM)	28.0	28.0	28.0	28.0	28.0	28.0	28.0
H WHEELBASE (CM)	105.8	106.2	107.5	108.6	103.3	104.7	105.7
I TRAIL (CM)	8.5	7.5	6.9	8.2	8.2	8.2	8.2
J STANDOVER HEIGHT (CM)	77.9	80.0	82.4	85.0	66.5	69.5	72.0
K BOTTOM BRACKET DROP (CM)	6.7	6.7	6.7	6.7	6.6	6.6	6.6
L FRONT CENTER (CM)	61.6	62.1	63.3	64.5	58.7	60.2	61.2
M HEAD TUBE LENGTH (CM)	15	16	17	18	12.0	14.0	16.0


QUICK SPEED WOMENS



QUICK CX

SPECIFICATIONS	48	52	56	60	W48	W53	W55
A MEASURED SIZE (CM/IN)*	40.2/15.8	44.2/17.4	48.2/19.5	52.2/20.5	44.2/17.4	49.2/19.4	52.2/20.2
B SEAT TUBE ANGLE	74	73.5	73	73	74	73.5	73
C HEAD TUBE ANGLE	69	69	70	70.5	69	70	71
D HORIZONTAL TOP TUBE LENGTH (CM)	54	55	56.5	58	54.5	56	58
E CHAIN STAY LENGTH (CM)	45	45	45	45	45	45	45
F FORK RAKE (CM)	4.5	4.5	4.5	4.5	4.5	4.5	4.5
G BOTTOM BRACKET HEIGHT (CM)	28.0	28.0	28.0	28.0	28.0	28.0	28.0
H WHEELBASE (CM)	104.9	105.8	106.2	107.5	105.7	106.3	107.0
I TRAIL (CM)	8.5	8.5	7.8	7.5	8.5	7.8	7.2
J STANDOVER HEIGHT (CM)	76.1	79.2	82.2	85.0	68.0	68.9	69.9
K BOTTOM BRACKET DROP (CM)	6.7	6.7	6.7	6.7	6.7	6.7	6.7
L FRONT CENTER (CM)	60.7	61.6	62.1	63.3	61.6	62.2	62.8
M HEAD TUBE LENGTH (CM)	14	15	16	17	15	16	17


QUICK CX MIXTE



TESORO

SPECIFICATIONS	48	52	56	60	W48	W53	W55
A MEASURED SIZE (CM/IN)*	40.2/15.8	44.2/17.4	48.2/19.5	52.2/20.5	44.2/17.4	49.2/19.4	52.2/20.2
B SEAT TUBE ANGLE	74	73.5	73	73	74	73.5	73
C HEAD TUBE ANGLE	69	69	70	70.5	69	70	71
D HORIZONTAL TOP TUBE LENGTH (CM)	54	55	56.5	58	54.5	56	58
E CHAIN STAY LENGTH (CM)	45	45	45	45	45	45	45
F FORK RAKE (CM)	4.5	4.5	4.5	4.5	4.5	4.5	4.5
G BOTTOM BRACKET HEIGHT (CM)	28.0	28.0	28.0	28.0	28.0	28.0	28.0
H WHEELBASE (CM)	104.9	105.8	106.2	107.5	105.7	106.3	107.0
I TRAIL (CM)	8.5	8.5	7.8	7.5	8.5	7.8	7.2
J STANDOVER HEIGHT (CM)	75.3	77.9	80.0	82.4	67.7	69.7	69.9
K BOTTOM BRACKET DROP (CM)	6.7	6.7	6.7	6.7	6.7	6.7	6.7
L FRONT CENTER (CM)	60.7	61.6	62.1	63.3	61.6	62.2	62.8
M HEAD TUBE LENGTH (CM)	11.4	11.4	11.4	11.4	11.4	11.4	11.4

TESORO MIXTE





GEOMETRY

URBAN

E-SERIES

SPECIFICATIONS	50	55	60	45	50	55
A SEAT TUBE LENGTH	50	55	60	45	50	55
B TOP TUBE HORIZONTAL	570	58.4	60.8	56.2	56.8	56
C TOP TUBE ACTUAL	54.7	55.9	58.8	--	--	--
D HEAD TUBE ANGLE	71°	71.5°	72°	71°	71°	71°
E SEAT TUBE ANGLE	74°	73.5°	73°	75°	75°	75°
F STANDOVER	4.5	82.9	85.4	41.1	41.1	41.1
G HEAD TUBE LENGTH	11.4	11.4	11.4	11.4	11.4	11.4
H WHEELBASE	109.3	109.6	111	109.9	110.7	112.1
I FRONT CENTER	63.1	63.4	64.9	63.5	64.4	65.7
J CHAIN STAY LENGTH	47	47	47	47	47	47
K BOTTOM BRACKET DROP	67	67	67	58	58	58
L BOTTOM BRACKET HEIGHT	28.3	28.3	28.3	29.2	29.2	29.2
M FORK RAKE	45	45	45	45	45	45
N TRAIL	72.9	69.6	66.4	72.9	72.9	72.9
O REACH	36.8	37.8	38.2	38.3	39.4	39.9




GEOMETRY

WOMEN'S


SUPERSIX EVO

SPECIFICATIONS	44	48	51	54	56	48	51	54	56
A HORIZONTAL TOP TUBE LENGTH (CM)	49.4	50.9	52.3	53.9	55.3	50	51.5	52	53.5
B MEASURED SIZE (CM)*	40	43	46	47	50	42	46	49	52
C SEAT TUBE ANGLE (DEGREES)	75°	74.6°	74.2°	73.8°	73.4°	76	74.5	74.5	73.5
D HEAD TUBE ANGLE (DEGREES)	70°	70.8°	71.5°	72.2°	72.9°	70.5	72	72.5	73
E CHAINSTAY LENGTH (CM)	40.5	40.5	40.5	40.5	40.5	40.5	40.5	40.5	40.5
F FORK RAKE (CM)	5	5	5	4.5	4.5	5	5	5	4.5
G BOTTOM BRACKET HEIGHT (CM)	26.5	26.5	26.5	26.8	26.8	26.5	26.5	26.5	26.5
H WHEELBASE (CM)	96.7	97.3	97.8	97.9	98.4	96.3	95.9	96.1	96.3
I TRAIL (CM)	7	6.5	6.1	6.2	5.8	71.6	6.2	59.1	56
J STANDOVER (CM)	70.5	72.8	75.0	77.0	78.8	71.3	74	76.1	78.5
K BOTTOM BRACKET DROP (CM)	7.2	7.2	7.2	6.9	6.9	7.2	7.2	7.2	7.2
L FRONT CENTER DISTANCE (CM)	56.9	57.4	58	58	58.5	56.9	56.5	56.7	56.9
M HEAD TUBE LENGTH (CM)	10.5	11.2	13.4	15	16.5	10.5	11	13	15
N STACK (CM)	50.1	51.8	53.5	55.2	56.9	50.3	51.7	53.4	55.7
O REACH (CM)	36	36.6	37.2	37.8	38.4	36.5	36.8	36.8	37



SYNAPSE CARBON

SPECIFICATIONS	44	48	51	54	44	48	51	54	56
WHEEL SIZE	700C	700C	700C	700C	700C	700C	700C	700C	700C
A HORIZONTAL TOP TUBE LENGTH (CM)	50	51	52.5	53.5	50	51	52	53	54.5
B MEASURED SIZE (CM)*	38	42	45	49	40	44	47	50	52
C SEAT TUBE ANGLE (DEGREES)	76°	74.5°	74°	74°	76°	76°	74°	74°	73.5°
D HEAD TUBE ANGLE (DEGREES)	70.5°	71°	72°	72.5°	70.5°	70.5	72°	72°	72.5°
E CHAIN STAY LENGTH (CM)	41	41	41	41	41.5	41.5	41.5	41.5	41.5
F FORK RAKE (CM)	5.0	5.0	5.0	5.0	50.0	50.0	50.0	50.0	50.0
G BOTTOM BRACKET HEIGHT (CM)	26.5	26.5	26.5	26.5	26.5	26.5	26.5	29.5	29.5
H WHEELBASE (CM)	97.2	97.0	97.5	98.2	97.7	97.9	98.0	99.3	98.9
I TRAIL (CM)	6.6	6.3	5.7	5.4	6.6	6.6	5.7	5.7	5.4
J STANDOVER AT TOP TUBE MIDPOINT (CM)	69.8	72.1	74.4	77.0	71.6	73.2	75.6	77.0	79.0
K BOTTOM BRACKET DROP (CM)	7.2	7.2	7.2	7.2	72.0	72.0	72.0	69.0	69.0
L FRONT CENTER DISTANCE (CM)	57.3	57.1	57.6	58.3	57.3	57.5	57.6	58.8	58.4
M HEAD TUBE LENGTH (CM)	12.5	13	14.5	16	13	13	14.5	16	18.5
N STACK (CM)	52.4	53.0	54.8	56.4	52.9	52.9	54.8	56.9	59.2
O REACH (CM)	35.3	35.5	36.3	37.1	35.4	36.8	36.4	36.4	36.8



SYNAPSE ALLOY


47	51	54
650C	700C	700C
50	50.5	53.5
46	50	51.5
VARIABLE	VARIABLE	VARIABLE
76°	76°	74°
70.5°	70.5	72°
41.5	41.5	41.5
50.0	50.0	50.0
26.5	26.5	26.5
97.7	97.9	98.0
6.6	6.6	6.5
71.9	74.9	76.4
4	4.5	4.5
26.5	26.5	26.5
92	95.4	98.5
6.6	6.5	6.5
5	7.2	7.2
55.6	56.5	59.6
10.3	9	10.5
47.8	49.4	50.9
36.5	37.1	39.8

GEOMETRY

WOMEN'S


SCARLET

SPECIFICATIONS	P	S	M
A SEAT TUBE LENGTH (CM/IN)	40.7/16.0	43.2/17.0	45.7/18.0
B TOP TUBE HORIZONTAL (CM/IN)	54.0/21.3	55.6/21.9	57.2/22.5
C TOP TUBE ACTUAL (CM/IN)	52.1/20.5	53.4/21.0	54.9/21.6
D HEAD TUBE ANGLE (DEGREES)	67.6°	67.7°	67.8°
E SEAT TUBE ANGLE EFFECTIVE (DEGREES)	73.7°	73.6°	73.6°
F STANDOVER (CM/IN)	71.8/28.3	72.4/28.5	73.0/28.7
G HEAD TUBE LENGTH (CM/IN)	13.4/5.3	13.4/5.3	13.4/5.3
H WHEELBASE (CM/IN)	108.6/42.8	110.0/43.3	113.1/44.5
I FRONT CENTER (CM/IN)	65.8/25.9	67.2/26.5	70.3/27.7
J CHAIN STAY LENGTH (CM/IN)	42.8/16.9	42.8/16.9	42.8/16.9
K BOTTOM BRACKET DROP (CM/IN)	1.2/0.5	1.2/0.5	1.2/0.5
L BOTTOM BRACKET HEIGHT (CM/IN)	35.0/13.8	35.0/13.8	35.0/13.8
M FORK RAKE (CM/IN)	4.0/1.6	4.0/1.6	4.0/1.6
N TRAIL (CM/IN)	9.6/3.8	9.5/3.8	9.5/3.8




LEXI

SPECIFICATIONS	P	S	M
A SEAT TUBE LENGTH (CM/IN)	40.6/16.0	43.2/17.0	45.7/18.0
B TOP TUBE HORIZONTAL (CM/IN)	53.0/20.9	56.0/22.0	57.5/22.6
C TOP TUBE ACTUAL (CM/IN)	50.8/20.0	53.5/21.1	55.0/21.7
D HEAD TUBE ANGLE (DEGREES)	68.5°	69.0°	69.0°
E SEAT TUBE ANGLE EFFECTIVE (DEGREES)	73.5°	73.5°	73.5°
F STANDOVER (CM/IN)	72.9/28.7	73.1/28.8	75.9/29.9
G HEAD TUBE LENGTH (CM/IN)	13.4/5.3	13.4/5.3	13.4/5.3
H WHEELBASE (CM/IN)	105.2/41.4	107.6/42.4	109.1/43.0
I FRONT CENTER (CM/IN)	62.8/24.7	65.2/25.7	66.6/26.2
J CHAIN STAY LENGTH (CM/IN)	42.5/16.7	42.5/16.7	42.5/16.7
K BOTTOM BRACKET DROP (CM/IN)	0.0/0.0	0.0/0.0	0.0/0.0
L BOTTOM BRACKET HEIGHT (CM/IN)	33.0/13.0	33.0/13.0	33.0/13.0
M FORK RAKE (CM/IN)	4.5/1.8	4.5/1.8	4.5/1.8
N TRAIL (CM/IN)	8.2/3.2	7.8/3.1	7.8/3.1




TRAIL SL 29ER WOMEN'S

SPECIFICATIONS	S	M	L
A SEAT TUBE LENGTH (CM/IN)	35.0/13.8	41.5/16.3	45.0/17.7
B TOP TUBE HORIZONTAL (CM/IN)	52.2/20.6	57.0/22.4	58.9/23.2
C TOP TUBE ACTUAL (CM/IN)	54.4/21.4	58.2/22.9	60.0/23.6
D HEAD TUBE ANGLE (DEGREES)	70.5°	71.0°	71.0°
E SEAT TUBE ANGLE (DEGREES)	73.5°	73.5°	73.0°
F STANDOVER - 7.5 CM IN FRONT OF BB(CM/IN)	68.0/26.8	68.7/27.0	71.6/28.2
G HEAD TUBE LENGTH (CM/IN)	9.0/3.5	10.2/4.0	11.4/4.5
H WHEELBASE (CM/IN)	104.8/41.3	106.4/41.9	107.8/42.4
I FRONT CENTER (CM/IN)	61.3/24.1	62.8/24.7	64.3/25.3
J CHAIN STAY LENGTH (CM/IN)	44.4/17.5	44.4/17.5	44.4/17.5
K BOTTOM BRACKET DROP (CM/IN)	6.5/2.6	6.5/2.6	6.5/2.6
L BOTTOM BRACKET HEIGHT (CM/IN)	30.5/12.0	30.5/12.0	30.5/12.0
M FORK RAKE (CM/IN)	4.5/1.8	4.5/1.8	4.5/1.8
N TRAIL (CM/IN)	8.3/3.3	8.0/3.1	8.0/3.1
O STACK (CM/IN)	59.6/23.5	61.0/24.0	62.2/24.5
P REACH (CM/IN)	37.3/14.7	38.9/15.3	40.0/15.7



TRAIL SL WOMEN'S

SPECIFICATIONS	P	S	M	L
A SEAT TUBE LENGTH (CM/IN)	35.0/13.8	38.0/15.0	41.5/16.3	45.0/17.7
B TOP TUBE HORIZONTAL (CM/IN)	52.2/20.6	55.0/21.7	57.0/22.4	58.9/23.2
C TOP TUBE ACTUAL (CM/IN)	54.4/21.4	56.4/22.2	58.2/22.9	60.0/23.6
D HEAD TUBE ANGLE (DEGREES)	70.0°	70.0°	70.0°	70.0°
E SEAT TUBE ANGLE (DEGREES)	75.0°	73.5°	73.5°	73.5°
F STANDOVER - 7.5 CM IN FRONT OF BB(CM/IN)	69.5/27.4	71.6/28.2	74.2/29.2	76.7/30.2
G HEAD TUBE LENGTH (CM/IN)	9.0/3.5	9.0/3.5	10.2/4.0	11.4/4.5
H WHEELBASE (CM/IN)	103.4/40.7	104.6/41.2	106.7/42.0	108.7/42.8
I FRONT CENTER (CM/IN)	61.2/24.1	62.4/24.6	64.5/25.4	66.5/26.2
J CHAIN STAY LENGTH (CM/IN)	42.4/16.7	42.4/16.7	42.4/16.7	42.4/16.7
K BOTTOM BRACKET DROP (CM/IN)	3.0/1.2	3.0/1.2	3.0/1.2	3.0/1.2
L BOTTOM BRACKET HEIGHT (CM/IN)	31.0/12.2	31.0/12.2	31.0/12.2	31.0/12.2
M FORK RAKE (CM/IN)	4.5/1.8	4.5/1.8	4.5/1.8	4.5/1.8
N TRAIL (CM/IN)	7.6/3.0	7.6/3.0	7.6/3.0	7.6/3.0
O STACK (CM/IN)	56.4/22.2	56.4/22.2	57.6/22.7	58.8/23.1
P REACH (CM/IN)	37.1/14.6	38.2/15.0	39.9/15.7	41.5/16.3



REGISTERED TRADEMARKS® OF CYCLING SPORTS GROUP, INC.:

Cannondale, the Cannondale "C" logo, the Cannondale train station logo, Daytripper, Claymore, CSGXCHANGE, Fatty, Gemini, Jekyll, Lefty, Perp, Prophet, Scalpel, Slice, Velopods, Synapse, System6, Systemsix, Hooligan, Felicity, SIMON, ELO, Felicity, Scarlet, SuperSix.

TRADEMARKS™ OF CYCLING SPORTS GROUP, INC.:

BB30, CAAD (Cannondale Advanced Aluminum Design), HeadShok, Hi-MOD, Hollowgram, "Fit, Features and Fashion", PowerPyramid, Quick, Q-Lab, RZ, SAVE, Si, System Integration, BallisTec Carbon, SmartFormed Alloy, ECS-TC (Enhanced Center-Stiffness, Torsion Control) System, Zero Pivot, Lexi, Althea, Trigger, Narrow is Aero, Durathon and PopTop.

Liquigas is a registered trademark and used with their permission. FOX, FOX Racing Shox and Dyad RT2 are registered trademarks of FOX Factory Inc. and are used with their permission. Solo Air, RockShok, XLoc are registered trademarks of SRAM and are used with their permission. X-12 is a trademark of Syntace GmbH and is used with their permission. EVO is a trademark of Aprebic Industry Co. Ltd. and used under license.

Cannondale supports pro teams. We are grateful for the past and/or current support of: FSA, Mavic, SRAM (including Avid, Rockshox, Zipp), Lotto, Rudy Project, Met, Nalini, Sidi, fizik, SRM, Speedplay, Schwalbe, Elite, Sci Con, Crankbrothers, Avid, Cyclocrossroad.com, Zipp, Grip Grab, Campagnolo, Shimano. Branding from these partners, based on sponsor agreements may be seen on photos in this catalog. Individual athletes may display other sponsored brands, based upon their own sponsorship agreements with those brands.

WWW.CANNONDALE.COM

Please visit [cannondale.com](http://www.cannondale.com) to learn more about Cannondale and the 2013 bikes! Specifications subject to change without notice.

Please refer to www.cannondale.com for the most recent specifications.

NO WEIGHTS? Don't believe the hype. Scales differ, and marketing departments have been known to fib. The best way to compare bike weights is to head to your local bike shop. Grab two comparably spec'd and built bikes, and ask the proprietor for a scale. Hang 'em high, and see who's the lightest.

Bicycling has risks of serious injury or death that cannot be completely avoided. Risk can be minimized by: Reading and following all warnings and instructions in owner's manuals, owner's manual supplements, always wearing a helmet, practice and step-by-step learning, riding in control and within your capabilities. Catalog text and descriptions are marketing materials, not instructions or guidelines for use! Visit <http://www.cannondale.com/bikes/tech/safety> for warnings, technical documents, and safety guidelines.

Warning: Reflectors are not a substitute for proper lights. It is your responsibility to equip your bicycle with all state and locally mandated lights. Riding at dawn, at dusk, at night or at other times of poor visibility without a bicycle lighting system which meets local and state laws and without reflectors is dangerous and may result in serious injury or death.

If you ride your bike before dawn or after dusk, your bicycle must be equipped with lights so that you can see the road and avoid road hazards, and so that others can see you. Traffic laws treat bicycles like any other vehicle. That means you must have a white front and a red rear light operating if you are riding after dusk. Your bike dealer can recommend a battery or generator powered lighting system appropriate to your needs.

Cannondale also strongly urges you to use a flashing light or strobe. All of us at Cannondale who ride at night or in conditions of lower visibility use flashers. They can save your life!

Please note: Despite our nagging, members of the Liquigas pro road racing team (and other professional sponsored teams) may appear or race without helmets. We don't think it's a good idea, but they are experienced, professional cyclists and they know the risks. They are also adults, so we respect their right to choose. Despite the intransigence of any teams, we strongly advocate the use of helmets on every ride. Wearing a helmet is perhaps your single best defense against a major medical catastrophe while riding, so buckle up!

Warning: Free riding is inherently dangerous. Read Free ride Warning at <http://www.cannondale.com/bikes/tech/safety.html>

CANNONDALE AUTHORIZED DISTRIBUTORS

The following lists are subject to change without notice.

BELARUS: Sinij Medved, Osipenko 2, 92, 220053, Minsk, tel: +375 29 621 86 07, email: contact@velozona.by

BULGARIA: KCP Group, 50 Stafion STR 12131, Greece, tel: +30 210 5317960, fax: +30 210 5317961, email: info@kcp.gr, ht tp://www.kcp.gr

CROATIA: Keindl Sport, Reljkovicova 2, 10000 Zagreb, tel: +385 1 3711 711, fax: +385 13708324, email: info@keindl-sport.com, http://www.keindl-sport.com

CZECH REPUBLIC: Aspire Sports s.r.o., Karasek 11, Brno, 62100, tel: +420 532 199 540, fax: +420 532 199 554, email: Marian.Materna@aspire.cz, http://www.aspire.cz

CYPRUS: KCP Group, 50 Sfakion STR 12131, Greece, tel: +30 210 5317960, fax: +30 210 5317961, email: info@kcp.gr, http://www.kcp.gr

ESTONIA: Extreme Sport AS, Merivälja tee 1, 11911 Tallinn, tel: +372 650 8686, fax: +372 650 8687, email: info@extreme.ee, http://www.extreme.ee

GREECE: KCP Group, 50 Sfakion STR 12131, Greece, tel: +30 210 5317960, fax: +30 210 5317961, email: info@kcp.gr, http://www.kcp.gr

HUNGARY: Mali Bicycle Technology, Szinesfem u. 22-24, 1211 Budapest, tel: +36-1420-5032, fax: +36-142-0532, email: mali@mali.hu

ICELAND: GA Petursson Ltd., Faxafen 7, 108 Reykjavik, Box 8176, tel: +354 5200 200, fax: +354 5200 301, email: mogens@gap.is, http://www.gap.is

KAZAKHSTAN: Limpopo Outdoor, 534 Seifallin Str., Alamaty, 050022, tel: 73272617061, fax: 73272617265, email: limpop@nursat.kz, http://www.limpopo.kz

LATVIA: IKS SPORTS, Dzutas str 8, Riga, Lv1006, www.xsports.lv, info@xsports.lv, tel: 0037167545537, fax 0037167545523

LITHUANIA: EGMINDA UAB, Umkerges g. 283A, LT06313 Vilnius, Tel (8~5) 2323080, p.dainius@umaras.com

MALTA: Pedal Power, 56 Triq Is-Stazzjon, B'Kara BKR 12, Malta, tel: +356 212 27265, fax: +356 212 227265, email: musco@global.net.mt, http://www.pedpowermalta.com

POLAND: PGR Sp. Z.O.O., ul Rydygiera 8/bud.20B, lok 227, Warszawa 01-793, tel: +48 22 6699690, email: biuro@grupapgr.pl, http://www.grupapgr.pl

ROMANIA: Maros Bike, Aurel Vlaicu no. 120, Cluj Napoca, tel: +40 2644 10779, email: office@marosport.ro, http://www.marosbike.ro

RUSSIA: SLOPESTYLE, 15, Proektchnaya Street, Gagarin's Microdistrict, Balashikha, Moscow Region, 143900, tel: 007 495 9684908, email: info@slopestyle.com, website: http://slopestyle.ru

SERBIA: Planet Bike Co. doo, Milosa Obilica 9-11, 37000 Krusevac, tel: +381 37 420000, fax: +381 37 420011, email: office@planetbike.rs, http://www.planetbike.rs

SLOVENIA: Sport trade 2000 d.o.o., Celovska 280, Ljubljana, 1000, tel: +386-15104940, fax: +385-151 82163, email: sandi.gabrovsek@siol.net, http://www.funsports.si

SLOVAKIA: Aspire Sports s.r.o., Karasek 11, Brno, 62100, tel: +420 532 199 540, fax: +420 532 199 554, email: Marian.Materna@aspire.cz, http://www.aspire.cz

TURKEY: Delta Bisiklet HQ, BosnaHercsek Cd. 20/D, 06510, Emek Ankara, Turkey, tel: +90312 2236027, fax: +90312 2223492, email: info@deltabisiklet.com, http://www.deltabisiklet.com

UKRAINE: Veloplaneta, Enakievskaya 2E, 61158 Kharkov, Ukraine, tel: +380504023705, fax: +38057 7544 981, email: veloplaneta@gmail.com, www.veloplaneta.com.ua

EUROPEAN DISTRIBUTORS: distributors@cannondale.com, tel: 0041 61 4879387, fax: 0041 61 4879385, 0031-541-573587, fax: 0031-541-514240

EUROPEAN TOURISM/RESORTS: distributors@cannondale.com, tel: 0041 61 4879387, fax: 0041 61 4879385, 0031-541-573587, fax: 0031-541-514240

EUROPEAN APPAREL/ACCESSORIES DEALERS: distributors@cannondale.com, tel: 0041 61 4879387, fax: 0041 61 4879385

INTERNATIONAL SALES: 172 Friendship Village RD, Bedford, PA 15522 USA, tel: 814-623-4391, fax: 814-623-2107, email: international@cannondale.com

ARGENTINA: Lauro Competicion, Avda. San Pedrito 577, Buenos Aires, Argentina 01406, tel: 4613-8859, fax: 54-11-4612-8805, email: laurocompeticion@hotmail.com, http://www.cannondaleargentina.com

ARGENTINA: 10X SRL, Mexico 3662 PB 35, Buenos Aires Argentina 1223, tel: 54-11-49316003

BERMUDA: The New Winners Edge, 34 Church Street, Hamilton HM11, Bermuda, tel: 441-295-6012, fax: 411-292-1904

BOLIVIA: Visal Import & Export, Avenida Banzer #656, Santa Cruz, Bolivia, tel: (591-3) 341 4141, fax: (591-3) 341 4600

BORNEO: Cannasia, 101 Frankel Ave., Singapore tel/fax: 65-6441-4772, http://www.cannasia.com

BRAZIL: Cannondale Brasil, Av. Prof. Sylva Matos, 370, CEP 04182-010 Sao Paulo Brazil, tel: 2264-2167/2264-2143, http://www.cannondale.com.br

BRUNEI: Cannasia, 101 Frankel Ave., Singapore 458224, tel: 65-6441-4772, email: cannasia@mbox5.singnet.com.sg, http://www.cannasia.com

CAMBODIA: Flying Bike Shop, No. 8 Street 114, Phnom Penh Cambodia 12000, tel: 855-128-06035, email: flyingbikes@online.com.kh

CHILE: Inversiones Intercycles Ltda., Av. Neuva Las Condes, 12.270 #101, Santiago, Chile, South America, tel: 562-215-3470, fax: 562-217-3167, email: cycles@cannondale.cl

COSTA RICA: Xcesso S.A., San José, Costa Rica, tel: 506-2290-5696, fax: 506-2290-3412, email: xcesso@racsa.co.cr

DOMINICAN REPUBLIC: Aro & Pedal, 27 de Febrero #112, Santo Domingo, Dominican Republic, tel: (809) 686-5861, fax: (809) 687-6548, email: aro.pedal2@codetel.net.do

ECUADOR: BikeLife, Shirys N41-206 e Isla Floreana, Quito Ecuador tel: 593-99-217050, fax: 593-22-440312

EL SALVADOR: Grupo Extremo, Blvd Santa Elena Atrium Plata 5y6 Antiquo Cuscatlan San Salvador, El Salvador, tel: 502-228-99636

GUAM: Hornet Bicycles, PO Box 8294, Tamuning, Guam 96931, tel: 671-646-9191, fax: 671-646-1900, email: hikko@guamcell.net

GUATEMALA: Bike Center, S. A., 20 Calle 24-67 Zona 10, Paris Plaza, Local 2-3, Guatemala City Guatemala, tel: 502-333-4388, fax: 502-333-7394, email:bikecenter@intelnett.com

HONDURAS: Hondubikes, Col.Humuya Av.Sabana Tegucigalpa, Honduras, tel/fax: 504-239-2192

HONG KONG: Flying Ball Bicycle, Unit G58 Lai Sun Commercial Center, 680 Cheung Sha Wan Road, Kowloon, Hong Kong, tel: 852-238-13661, fax: 852-239-74406, http://www.flyingball.com

INDIA: Tube Investments of India, PO Box 5, MTH Rd Ambattur, Chennai 600053, India, tel: 914 428 553492, fax: 914 -428-553757

INDONESIA: Cannasia Pte. Ltd., 101 Frankel Ave., Singapore, 458224, tel: 65-6441-4772, email: cannasia@mbox5.singnet.com.sg, http://www.cannasia.com

ISRAEL: O.R Cycling Ltd., 6296 Netanya 42160, tel: +972-(0)-891-7395, email: info@cannondale.co.il, http://www.cannondale.co.il

JAMAICA: Hi Tech Industries LTD., 8 Dumfries Road Kingston 10 Jamaica W. Indies, tel: 876 855 8888 , fax: 876 978 7414

KOREA: Sanbada Sports, 1F Gungdo Building 278-19, NonHyun-Dong, Seoul, Korea, tel: 822-543-6390, fax: 822-3442-6391, email: sanbada1@unitel.co.kr

MALAYSIA: Cannasia Pte. Ltd., 101 Frankel Avenue, Singapore, 458224, tel: 65-6441-4772, cannasia@singnet.com.sg, http://www.cannasia.com

MAURITIUS: Emcar Ltd, Old Moka Road , Bell Village, Republic of Mauritius, tel: 230-208-6335, fax: (230) 212-5952

MEXICO: Bicicletas Mercurio S.A. DE C.V., Carretera Central 422 Zona Industrial, San Luis Potosi, Mexico 78090, tel: 5201-444-144-2403

NETHERLAND ANTILLES: Tri-Sport N.V., #14B Airport Blvd Simpsonbay, St. Maarten, Netherlands Antilles, tel: (599)545-4385, fax: (599)545-4384, http://www.trisport@sintmaarten.net

NEW CALEDONIA: Royal Motors SA., 9, route de la Baie des Dames B.P. 2548, Nouméa, New-Caledonia, 98846, tel: 687 285 912, fax: 687 286 320, http://www.r.motors@groupedang.nc

NEW ZEALAND: WH Worrall, 43 Felix Street, Penrose, Auckland, New Zealand; tel: (649) 636 0641; email: office@worrall.co.nz

PANAMA: Latin Bikes S.A., Calle 50 Final y Via Cincuentenario, Edificio Adelina, Local #1, San Francisco, Panama, tel: (507) 60902002

PERU: Inversiones Intercycles Ltda., Av. Nueva Las Condes, 12.270 #101 Santiago, Chile, tel: 562-215-3470, fax: 562-217-3167, email: cycles@cannondale.cl

PUERTO RICO: Bikeworks, 1500 Bori St Suite 4, San Juan Puerto Rico 00927, tel: 787-763-4369

PHILIPPINES: Newton Multi-Sales, 689-D Del monte Ave., SFDM Quezon City, Metro Manila, Philippines, 1100, tel: (0632)3725127-28 & 3717231, 5595301, 5595311, fax: (0632) 3735439, email: bike_newton@yahoo.com

PUERTO RICO: TL Bicycle Distributor Inc, Jose A. Lugo, Edif. Mar de Isla Verde Apt 10-Q, San Juan Puerto Rico, 00979, tel: 787 613 1040,

SINGAPORE: Cannasia Pte. Ltd., 101 Frankel Avenue, Singapore 458224, tel: 65-6441-4772, Cannasia@singnet.com.sg, http://www.cannasia.com

SOUTH AFRICA: Omnico (PTY) Ltd, Unit 1 B Kimbul Industrial Park, 8 Zeiss Road, Honeydew, South Africa, 2170, Lionel Dippenaar, tel: +27(0)117943808, Mobile : +27(0)832587777, lionel@omnico.co.za, http://www.omnico.co.za

TAIWAN: Three Peaks Bicycle Company, No. 222 Jin-Xian 8th Rd, Taichung Taiwan, tel: 886-424-368842, http://www.threepeaks.com.tw

THAILAND: Cycoholic 45/39 Soi Attakrawee 1, Sukhumvit 26 Road (Soi Aree) Bangkok, Thailand 10110 tel: +66815678886 email: thaicann@cannasia.com, http://www.thaicannasia.com

TRINIDAD: Motorcycles Etc., 89 Eastern Main Road, Barataria, Trinidad and Tobago, tel: 868-675-2453, fax: 868-675-3816, email: larrya@wow.net

TRINIDAD: Sports & Games 47 Tissue Drive Trincity, Trinidad, tel: 868-640-2507, fax: 868-640-0505

UNITED ARAB EMIRATES: Prozone P.O. Box # 123500 Dubai (United Arab Emirates) tel: +9714 33-88644, fax: +009714 3385552, email: Info@prozoneltd.com, http://www.dubaicycles.com

URUGUAY: Motociclo SA, AV Sayago 1385-CP 12400, Montevideo, Uruguay, tel: 5982 354 20 80

VENEZUELA: Bici Bikes, 2A AV., Ed. Arletito local 5 (WINDCTR) Los Palos Grandes, Caracas, Venezuela 1041, tel: 58-212-286-0285, fax: 58-212-283-7466

VENEZUELA: Puff, CA, Av. Jovito Villalba, Am Centro Empressarial, Piso 1, OFC. 1-2. Playa Margarita Venezuela 6301, tel: 582-869-626155, fax: 584-148-672749, email: jorgegraublanco@gmail.com

VIETNAM: Jett Cycles, 348-350 Tran Phu, Ho chin Minh Vietnam 12345, tel: 848-385-39018, email: daniel@jett-cycles.com

WORLD WIDE MILITARY SALES: tel: 814 623 4391; fax: 814 623 2107, international@cannondale.com

WORLD WIDE TOURISM & RESORTS: tel: 814 623 4391; fax: 814 623 2107, international@cannondale.com

CANNONDALE CORPORATE OFFICES

CANNONDALE AMERICAS

Cycling Sports Group, Inc.
172 Friendship Road,
Bedford, Pennsylvania, 15522-6600,
USA
Tel: 1-800-BIKE-USA
Fax: 814-623-6173
Email: custserv@
cyclingsportsgroup.com

CANNONDALE EUROPE

Cycling Sports Group Europe, B.V.
mail: Postbus 5100
visits: Hanzepoort 27
7570 GC, Oldenzaal, Netherlands
Tel: +41 61 4879380
Fax: 31-5415-14240
Email: servicedesk@
cyclingsportsgroup.com

CANNONDALE UK

Cycling Sports Group
Vantage Way, The Fulcrum, Poole,
Dorset, BH12 4NU
Stanmore NSW 2048
Tel: +61 (0)2 8595 4444
Fax: +61 (0) 8595 4499
Email: askus@
cyclingsportsgroup.co.uk

CANNONDALE AUSTRALIA


Cycling Sports Group
Unit 8, 31-41 Bridge Road
Nishi-ku, Osaka 550-0015,
Japan
Tel: 06-6110-9390
Fax: 06-6110-9361
Email: cjcustserv@
cannondale.com

CANNONDALE JAPAN

Namba Sumiso Building 9F,
4-19, Minami Horie 1-chome,
Nishi-ku, Osaka 550-0015,
Japan
Tel: 06-6110-9390
Fax: 06-6110-9361
Email: cjcustserv@
cannondale.com

CANNONDALE CHINA

Cycling Sports Group China Co., Ltd.
Room 208, No. 3203, Minhang District
Hongmei Road, Shanghai 201103,
China
Tel: 86 21 6446 8999
Fax: 86 21 6465 6570
Email: csg@dorelchina.com



CANNONDALE EUROPE

© 2012 CANNONDALE BICYCLE CORPORATION
WWW.CANNONDALE.COM

129135